

Online Only Auction of (35) Late Model Lift Trucks by Taylor, Hyster, Toyota, Hoist and Others to 40,000 Lb., (3) 55,000 Lb. Taylor Platform Trucks, Crucible and Anode Handler Trucks, Sweepers, Scrubbers and More



OFF-LEASE AND SURPLUS FORK LIFTS AND MATERIAL HANDLING EQUIPMENT

LOCATION 1 – UTICA, MICHIGAN WAREHOUSE

50700 Wing Road – Utica, Michigan 48315

LOCATION 2 – STOCKTON WAREHOUSE

6600 Stockton Road – Fairfield, Ohio 45014

ONLINE BIDDING ENDS: WEDNESDAY, DECEMBER 17TH AT 12:00 NOON (EST)

Inspection for Both Locations: Tuesday, December 16th from 10:00 to 4:00 PM

Featuring;

MI = Michigan Location, OH = Ohio Location, TN = Tennessee Location

Lift Trucks

- 40,000 Lb. Hoist FKS20 Lift Truck (2009) – TN
- (2) 30,000 Lb. Taylor T300 S-01 Pneumatic Tire Lift Trucks (2007) - MI
- 16,000 Taylor THD160 Pneumatic Tire Lift Truck (2007) – MI
- (7) 12,000 Lb. Hyster S120FT LP Gas Lift Trucks (2008/2010) – OH
- (5) 8,000 Lb. Hyster S80FT LP Lift Trucks (2007/2012) – OH
- 6,000 Lb. Hyster H60FT LP Gas Lift Truck (2009) - OH
- (4) 5,000 Lb. Hyster S50FT LP Gas Lift Trucks (2010) – OH
- 9,000 Lb. Toyota 7FDU45 Solid Pneumatic Tire Lift Truck (2009) - MI
- (4) 7,000 Lb. Yale GLC070VXN LP Gas Lift Trucks (2009) – OH
- (6) 5,000 Lb. Yale GLC050VXN Lift Trucks (2009) - OH
- 5,000 Lb. Clark C25CL Lift Truck (2007) – OH

Platform / Table, Crucible and Mill Trucks

- (3) 55,000 Lb. Taylor PT-550 Platform / Table Trucks (2008/2010) – MI
- (2) 5,000 Lb. Taylor TA-50 Power Anode Grabber / Handler Trucks (2008) - MI
- (2) Mecfor MTC20 Diesel Power Crucible Hauler Trucks (2009) - MI

Scissor Lifts, Sweepers, Scrubbers

- (5) Floor Scrubbers and Sweepers by Tennant, Advance and Power Boss (2008) – OH/MI
- Skyjack and JLG Electric Scissor Lifts (2005/2006) - OH

CIA ONLY

18% ON-LINE BUYERS PREMIUM

DIRECTIONS – BOTH LOCATIONS

Location 1 – 50700 Wing Road – Utica, Michigan 48315 – 30 Miles North of Downtown Detroit Off Van Dyke Expressway.

Location 2 - 6600 Stockton Rd., Fairfield, OH – Located Approx. 20 Miles North of Downtown Cincinnati from I-275, Just west of I-75. Proceed to Exit 41 (Ohio Rt 4) and Proceed North Approx. 1 ¼ Miles to Steward Rd. Turn Right onto Steward and Proceed Approx. ¼ Mile to Stockton Rd., Just before Railroad Tracks, Turn Left & Proceed to Auction Site on Right.

WEBCAST BIDDER INSTRUCTIONS

All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, ***if you do not you will not be approved.***

All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**

HOIST LIFT TRUCK

40,000 Lb. Hoist Model FKS20 Diesel Powered Cushion Tire Lift Truck; S/N 29048, Mast Lower Height 109", Lift Height 103", Enclosed Cab with Air Conditioning, 6.7 Liter Cummins Diesel Engine, Automatic Transmission, Side Shift / Fork Positioner, 4" X 7" X 60" Long Forks, 5,809 Hours (2009) – Knoxville, Tennessee

TAYLOR LIFT TRUCKS

(2) 30,000 Lb. Taylor Model T300 S-01 Pneumatic Tire Diesel Power Lift Trucks; S/N S-BE-34165 (2007) (3,627 Hours) and S-BE-33547 (2006) (4,989 Hours), 136" Mast Height, Total Weight 43,450 Lb., Steer Axle Weight 22,650 Lb., 12.00 X 20 Tire All Around, 6-Cylinder Cummins Diesel Engine, Hydraulic Fork Positioning, Air Brakes, 63" Mast Width, 98" Overall Vehicle Width, Hydraulic Rear Pin Pull Feature, Cab Enclosed with Roof Top A/C Units (2006/2007) – Utica, Michigan

16,000 Taylor Model THD160 Pneumatic Tire Diesel Power Lift Truck; S/N SC8-34254, 22,500 Total Vehicle Weight, 108" Mast Height, 8.25 X 15 Tire All Around, 4-Cylinder Cummins Diesel Engine, Independent Hydraulic Fork Positioning, Spicer Off-Highway APC70 Monitor, Cab Enclosed with Roof Mounted A/C Unit, 48" Forks, 8,218 Hours (2007) – Utica, Michigan

HYSTER LIFT TRUCKS

(5) 12,000 Lb. Hyster Model S120FTPRS Cushion Tire LP Gas Lift Trucks; S/N G004V04857H, G004V04863H, G004V04859H, G004V04852H, and G004V04847H, 86" Lower Mast Height, 144" Lifting Height, 4-Way

Fingertip Hydraulic Controls, Double Mast, Cushion Tire, Monotrol Lights, New 48" Fork (2010) – Fairfield, Ohio

12,000 Lb. Hyster Model S120FTPRS Cushion Tire LP Lift Truck; S/N G004V03522F, 95" Lower Mast Height, 134" Lifting Height, 4-Way Fingertip Hydraulic Control, LP, Cushion, Monotrol Lights, with New Class IV 48" Forks (2008) – Fairfield, Ohio

12,000 Lb. Hyster Model S120FTPRS Cushion Tire LP Lift Truck; S/N G004V04119F, 92" Lower Mast Height, 185" Lifting Height, 4-Way Fingertip Hydraulic Controls, LP, Cushion, Monotrol Lights with New Class IV 48" Forks (2008) – Fairfield, Ohio

(2) 8,000 Lb. Hyster Model S80FTBCS Cushion Tire LP Lift Trucks; S/N G004V02720E and G004V02721E, 83" Lower Mast Height, 121" Lifting Height, 4-Way Fingertip Hydraulic Control, LP, Forks: 42", Cushion, LBR Lever Lights, S/S, FP and Forks (2007) – Fairfield, Ohio

8,000 Lb. Hyster Model S80FT Cushion Tire LP Gas Lift Truck; S/N G004V05294J, 83" Lower Mast Height, 121" Lifting Height, 3-Way Lever, LP, Cushion, Lever Lights, with 48" Forks (2012) – Fairfield, Ohio

8,000 Lb. Hyster Model S80FTBCS Cushion Tire LP Gas Lift Truck; S/N G004V02710E, Fork Positioner, 84" Lower Mast Height, 121" Lifting Height, 48" Forks, Monotrol Directional Control, Enclosed Cab, Vortec V-6 Engine, 6,489 Hours (2007) – Fairfield, Ohio

8,000 Lb. Hyster Model S80FT Cushion Tire LP Gas Lift Truck; S/N G004V04392G, Side Shift, 107" Lower Mast Height, 167.3" Lifting Height, 42" Forks, Monotrol Directional Control, Fingertip Controls, 13,717 Hours (2009) – Fairfield, Ohio

6,000 Lb. Hyster Model H60FT Cushion Tire LP Gas Lift Truck; S/N L177V03981G, 99" Lower Mast Height, 211" Lifting Height, 4-Way Fingertip Hydraulic Control, LP, Pneumatic Solid, LBR Lever Lights, S/S, with Used 48" Forks (2009) – Fairfield, Ohio

(4) 5,000 Lb. Hyster Model S50FT Cushion Tire LP Gas Lift Trucks; S/N F187V15770H, F187V15771H, F187V15772H, and F187V15757G, 83" Lower Mast Height, 189" Lifting Height, 4-Way, Fingertip Hydraulic Control, LP, Cushion, Lever Lights with 48" Forks (2010) – Fairfield, Ohio

TOYOTA LIFT TRUCK

9,000 Lb. Toyota Model 7FDU45 Solid Pneumatic Tire Diesel Power Lift Truck; S/N 70241, 3-Stage See Thru Mast, 187" Lift Height, Hydraulic Fork Positioning, Heated Cab Enclosure, 5.2 Liter Toyota 6-Cylinder Diesel Engine Model 9TALL05.2152, 84 HP at 2,400 RPM, 2,543 Hours (2009) – Utica, Michigan

YALE LIFT TRUCKS

(4) 7,000 Lb. Yale Model GLC070VXN Cushion Tire LP Gas Lift Trucks; S/N A910V15059G, A910V15060G, A910V15063G and A910V15064G, 98" Lower Mast Height, 211" Lifting Height, 4-Way Fingertip Hydraulic Control, Lever Lights, with New 48" Forks, Approx. 12,060 Lb. Per Vehicle (2009) – Fairfield, Ohio

(6) 5,000 Lb. Yale Model GLC050VXN Cushion Tire LP Lift Trucks; S/N A910V13860F (11,179 Hours), A910V13565F (11,831 Hours), A910V13566F (12,492 Hours), A910V13569F (12,810 Hours), A910V13548F and A910V14023F, 84" Lower Mast Height, 240" Lifting Height, 4-Way Fingertip Hydraulic Control, Lever Lights, with New Class II 48" Forks, Four Stage Mast, 240.2" Lift, Fingertip Control, 48" Forks, Approx. 10,790 Lb. Per Vehicle (2009) – Fairfield, Ohio

CLARK LIFT TRUCK

5,000 Lb. Clark Model C25CL Cushion Tire LP Lift Truck; S/N C232L-0371-9664KF, 82" Lower Mast Height, 188" Lifting Height, 3-Way Lever, LP, Cushion, Lever Lights, with Forks (2007) – Fairfield, Ohio

PLATFORM / TABLE LIFT TRUCKS

55,000 Lb. Taylor Model PT-550 Cushion Tire Diesel Power Platform / Table Truck; S/N S-00-34245, Total Vehicle Weight 25,150 Lb. Drive Axle Weight 17,950 Lb., 48" Wide X 100" Long Lift Platform / Table, 20" Lowered Height, 6" Lift, Elevated Operator Platform, 6-Cylinder Cummins Model 6BT-148-2200 Engine (Engine New 2011), 10,954 Hours On Machine (2008) – Utica, Michigan

55,000 Lb. Taylor Model PT-550 Cushion Tire Diesel Power Platform / Table Truck; S/N S-00-35834, Total Vehicle Weight 25,000 Lb., Drive Axle Weight 17,600 Lb., 48" X 100" Lift Platform / Table, 20" Lowered Height, 6" Lift, 78" High Elevated Operator Platform, 6-Cylinder Cummins Model B5.9 Engine, 8,244 Hours (2009) – Utica, Michigan

55,000 Lb. Taylor Model PT-550 Cushion Tire Diesel Power Platform Truck / Table Truck; S/N S-00-36287, Total Vehicle Weight 20,650 Lb. Drive Axle Weight 17,400 Lb., 48" Wide X 100" Long Platform / Table, 11" Lowered Height, 4" Lift, 78" High Elevated Operator Platform, 6-Cylinder Cummins Model B5.9 Diesel Engine, 4,358 Hours (2010) – Utica, Michigan

ANODE GRABBER / HANDLER TRUCKS

(2) 5,000 Lb. Taylor Model TA50 Cushion Tire Diesel Power Anode Grabber Trucks; S/N S-LO-32030, 11,021 Hours and 8,814 Hours, Joystick Controls, Two Front Mounted Hydraulic Lift Points with Dual 3-1/2" Openings, Total Truck Weight 18,750 Lb., 22 X 8 X 16 Steer Tires, 28 X 16 X 22 Front Tires, 4-Cylinder Cummins 4.9 Liter Diesel Engine (New as 2008) – Utica, Michigan

PLATFORM TRUCK DRIVE UNITS

(2) Mecfor Model MTC20 Diesel Power Crucible Hauler Trucks; S/N 2499U010409, Year 2009 w/ 15,500 Hours, and 2463U010608, Year 2008 w/ 17,320 Hours, 6-Cylinder Cummins 6.7 Liter Model QSB6.7 Diesel Engine, Enclosed Operator Cab, 14.0 – 24 Pneumatic Tires (2008/2009) – Utica, Michigan

FLOOR SWEEPER / SCRUBBER

Tennant Model 6400 LP Gas Rider Floor Sweeper; S/N 6400-5411, 3-Cylinder Kubota Model DF752-ES Engine at 740 CC Displacement, 416 Hours (2008) - Utica, Michigan

Advance Model 5400 LP Gas Rider Sweeper Scrubber; S/N 1948651, Cushion Tire, Weight: 4,720 Lb., Meter Hours: 3,996 (2007) – Fairfield, Ohio

Fiorentini Model I115SSG LP Gas Sweeper Scrubber; S/N 124, Pneumatic Tire, Weight: 2,645 Lb., Meter Hours: 249 (2009) – Fairfield, Ohio

Power Boss Model 5550 LP Gas Sweeper Scrubber; S/N 16902077, Cushion Tire, Weight: 5,200 Lb., Meter Hours: 4,305 (2008) – Fairfield, Ohio

SCISSOR LIFTS

Skyjack Model SJIII-3215 Self Traveling Electric Scissor Lift; S/N 153269, 15' Max Lift, 600 Lb. Max Weight, 24 Volt, 26" X 66" Work Platform with 30" Extension (2006) – Fairfield, Ohio

JLG Model 1930ES Self Traveling Electric Scissor Lift; S/N 0200133156, 18.8' Max Lift, 500 Lb. Max Weight, 24 Volt, 23" X 72" Work Platform with 3' Extension (New 2005) – Fairfield, Ohio