

(1) PRI00 Press Brake Tooling List

MLF2.0 -WI

LOT # 533

Tool No.	Size (Inches)	Size (MM)	Qty	Description
BIU-815		200	1	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-815		100	3	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-815		40	1	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-815		35	2	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-815		30	1	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-815		25	1	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-815		20	1	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-817		200	2	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		100	1	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		40	1	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		25	1	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-818		200	2	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		100	3	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		40	1	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		35	1	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		30	2	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		25	2	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		20	1	Block Punch 6.00" .118 R 60 Degrees Wila
Flattening Die	18		2	Flattening Blocks 5.75" Wilson
HD-4	14.375		1	Acute Die 1.000 V-Opening 30 Degrees
HD-4	12		1	Acute Die 1.000 V-Opening 30 Degrees
HD-4	8		1	Acute Die 1.000 V-Opening 30 Degrees
HD-4	4		1	Acute Die 1.000 V-Opening 30 Degrees
HD-4	3		1	Acute Die 1.000 V-Opening 30 Degrees
HD-4	2		1	Acute Die 1.000 V-Opening 30 Degrees
HD-4	1		1	Acute Die 1.000 V-Opening 30 Degrees
HD-4	.750		1	Acute Die 1.000 V-Opening 30 Degrees
HD-4	.625		1	Acute Die 1.000 V-Opening 30 Degrees
HD-4	.500		1	Acute Die 1.000 V-Opening 30 Degrees
OZU-813		515	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		200	2	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		100	2	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		40	2	Acute Die .788 V-Opening 30 Degrees Wila

(2) PR100 Press Brake Tooling List

LOT # 533

OZU-813		35	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		30	2	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		25	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		20	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-826		515	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		200	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		100	2	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		40	4	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		35	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		30	0	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		25	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		20	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-827		515	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		200	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		100	5	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		40	2	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		35	2	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		30	2	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		25	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		20	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-828		515	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-828		200	1	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		100	3	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		40	1	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		35	1	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		30	1	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		25	2	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		20	3	Block Die 1.575 V-Opening 80 Degrees Wila
TSU-803			2	Extensions 6.00" Wide x 3.937" Tall Wila
WD30-038	18		0	Acute Die .375 V-Opening 30 Degrees Wilson
WD30-038	12		2	Acute Die .375 V-Opening 30 Degrees Wilson
WD30-038	8		2	Acute Die .375 V-Opening 30 Degrees Wilson
WD30-038	4		3	Acute Die .375 V-Opening 30 Degrees Wilson
WD30-038	3		2	Acute Die .375 V-Opening 30 Degrees Wilson

(3) PR100 Press Brake Tooling List
LOT # 533

WD30-038	2		2	Acute Die .375 V-Opening 30 Degrees	Wilson
WD30-038	1		1	Acute Die .375 V-Opening 30 Degrees	Wilson
WD30-038	.750		1	Acute Die .375 V-Opening 30 Degrees	Wilson
WD30-038	.625		2	Acute Die .375 V-Opening 30 Degrees	Wilson
WD30-038	.500		1	Acute Die .375 V-Opening 30 Degrees	Wilson
WD30-063	18		2	Acute Die .625 V-Opening 30 Degrees	Wilson
WD30-063	12		0	Acute Die .625 V-Opening 30 Degrees	Wilson
WD30-063	8		1	Acute Die .625 V-Opening 30 Degrees	Wilson
WD30-063	4		3	Acute Die .625 V-Opening 30 Degrees	Wilson
WD30-063	3		1	Acute Die .625 V-Opening 30 Degrees	Wilson
WD30-063	2		1	Acute Die .625 V-Opening 30 Degrees	Wilson
WD30-063	1		2	Acute Die .625 V-Opening 30 Degrees	Wilson
WD30-063	.750		2	Acute Die .625 V-Opening 30 Degrees	Wilson
WD30-063	.625		0	Acute Die .625 V-Opening 30 Degrees	Wilson
WD30-063	.500		1	Acute Die .625 V-Opening 30 Degrees	Wilson
WD75-063	12		1	Staged Block Dies .625 V-Opening 75 Degrees	Wilson
WD75-063	8		1	Staged Block Dies .625 V-Opening 75 Degrees	Wilson
WD75-063	4		1	Staged Block Dies .625 V-Opening 75 Degrees	Wilson
WD75-063	3		1	Staged Block Dies .625 V-Opening 75 Degrees	Wilson
WD75-063	2		1	Staged Block Dies .625 V-Opening 75 Degrees	Wilson
WD75-063	1		1	Staged Block Dies .625 V-Opening 75 Degrees	Wilson
WD75-063	.750		1	Staged Block Dies .625 V-Opening 75 Degrees	Wilson
WD75-063	.625		1	Staged Block Dies .625 V-Opening 75 Degrees	Wilson
WD75-063	.500		1	Staged Block Dies .625 V-Opening 75 Degrees	Wilson
WD75-200	18		1	Large V Dies 2.000" V-Opening 75 Degrees	Wilson
WD75-200	8		1	Large V Dies 2.000" V-Opening 75 Degrees	Wilson
WD75-200	4		1	Large V Dies 2.000" V-Opening 75 Degrees	Wilson
WD75-200	1		1	Large V Dies 2.000" V-Opening 75 Degrees	Wilson
WD90-75	18		1	Staged Block Die .750 V-Opening 90 Degrees	Wilson
WP305-06	18		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	12		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	8		2	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	4		2	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	3		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson

(4) PR100 Press Brake Tooling List
LOT # 533

WP305-06	2		1	Acute Gooseneck Punch 5.750" .062 R	30 Degrees	Wilson
WP305-06	1		1	Acute Gooseneck Punch 5.750" .062 R	30 Degrees	Wilson
WP305-06	.750		2	Acute Gooseneck Punch 5.750" .062 R	30 Degrees	Wilson
WP305-06	.625		2	Acute Gooseneck Punch 5.750" .062 R	30 Degrees	Wilson
WP305-06	.500		1	Acute Gooseneck Punch 5.750" .062 R	30 Degrees	Wilson
WP305-12	18		2	Acute Gooseneck Punch 5.750" .125 R	30 Degrees	Wilson
WP305-12	12		1	Acute Gooseneck Punch 5.750" .125 R	30 Degrees	Wilson
WP305-12	8		1	Acute Gooseneck Punch 5.750" .125 R	30 Degrees	Wilson
WP305-12	4		2	Acute Gooseneck Punch 5.750" .125 R	30 Degrees	Wilson
WP305-12	3		1	Acute Gooseneck Punch 5.750" .125 R	30 Degrees	Wilson
WP305-12	2		2	Acute Gooseneck Punch 5.750" .125 R	30 Degrees	Wilson
WP305-12	1		1	Acute Gooseneck Punch 5.750" .125 R	30 Degrees	Wilson
WP305-12	.750		1	Acute Gooseneck Punch 5.750" .125 R	30 Degrees	Wilson
WP305-12	.625		1	Acute Gooseneck Punch 5.750" .125 R	30 Degrees	Wilson
WP305-12	.500		1	Acute Gooseneck Punch 5.750" .125 R	30 Degrees	Wilson
WP753-1	18		1	Block Punch 3.75" 1.00 R	75 Degrees	Wilson
WP753-50	18		1	Block Punch 3.75" .500 R	75 Degrees	Wilson
WP753-50	8		1	Block Punch 3.75" .500 R	75 Degrees	Wilson
WP755-50	18		1	Block Punch 3.75" .500 R	75 Degrees	Wilson
WP805-19	18		1	Block Punch 5.750" .190 R	85 Degrees	Wilson
WP805-19	12		1	Block Punch 5.750" .190 R	85 Degrees	Wilson
WP805-19	8		1	Block Punch 5.750" .190 R	85 Degrees	Wilson
WP805-19	4		2	Block Punch 5.750" .190 R	85 Degrees	Wilson
WP805-19	3		2	Block Punch 5.750" .190 R	85 Degrees	Wilson
WP805-19	2		1	Block Punch 5.750" .190 R	85 Degrees	Wilson
WP805-19	1		1	Block Punch 5.750" .190 R	85 Degrees	Wilson
WP805-19	.750		0	Block Punch 5.750" .190 R	85 Degrees	Wilson
WP805-19	.625		0	Block Punch 5.750" .190 R	85 Degrees	Wilson
WP805-19	.500		2	Block Punch 5.750" .190 R	85 Degrees	Wilson
WP805-25	18		1	Block Punch 5.750" .250 R	85 Degrees	Wilson
WP805-25	12		1	Block Punch 5.750" .250 R	85 Degrees	Wilson
WP805-25	8		2	Block Punch 5.750" .250 R	85 Degrees	Wilson
WP805-25	4		2	Block Punch 5.750" .250 R	85 Degrees	Wilson
WP805-25	3		1	Block Punch 5.750" .250 R	85 Degrees	Wilson

(5) PR100 Press Brake Tooling List

LOT # 533

WP805-25	2		1	Block Punch 5.750" .250 R 85 Degrees	Wilson
WP805-25	1		1	Block Punch 5.750" .250 R 85 Degrees	Wilson
WP805-25	.750		3	Block Punch 5.750" .250 R 85 Degrees	Wilson
WP805-25	.625		2	Block Punch 5.750" .250 R 85 Degrees	Wilson
WP805-25	.500		1	Block Punch 5.750" .250 R 85 Degrees	Wilson
WP805-38	18		1	Block Punch 5.750" .375 R 85 Degrees	Wilson
WP805-38	12		1	Block Punch 5.750" .375 R 85 Degrees	Wilson
WP805-38	8		1	Block Punch 5.750" .375 R 85 Degrees	Wilson
WP805-38	4		2	Block Punch 5.750" .375 R 85 Degrees	Wilson
WP805-38	3		1	Block Punch 5.750" .375 R 85 Degrees	Wilson
WP805-38	2		0	Block Punch 5.750" .375 R 85 Degrees	Wilson
WP805-38	1		1	Block Punch 5.750" .375 R 85 Degrees	Wilson
WP805-38	.750		0	Block Punch 5.750" .375 R 85 Degrees	Wilson
WP805-38	.625		1	Block Punch 5.750" .375 R 85 Degrees	Wilson
WP805-38	.500		0	Block Punch 5.750" .375 R 85 Degrees	Wilson