

(1) PR150 Press Brake Tooling List

OMP - 04

Lot # 532

Tool No.	Size (Inches)	Size (MM)	Qty	Description
BIU-815		200	1	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-815		100	3	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-815		40	1	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-815		35	0	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-815		30	1	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-815		25	1	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-815		20	1	Acute Punch 6.00" .039 R 28 Degrees Wila
BIU-817		200	2	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		100	5	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		40	3	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		35	2	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		30	2	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		25	2	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		20	1	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		200	2	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		100	3	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		40	2	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		35	3	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		30	3	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		25	2	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		20	2	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
FLATTENING DIES	18		2	Flattening Blocks 5.75" Wilson
✓ OZU-810		515	1	Acute Die .394 V-Opening 30 Degrees Wila
✓ OZU-810		200	2	Acute Die .394 V-Opening 30 Degrees Wila
✓ OZU-810		100	7	Acute Die .394 V-Opening 30 Degrees Wila
✓ OZU-810		40	2	Acute Die .394 V-Opening 30 Degrees Wila
OZU-810		35	2	Acute Die .394 V-Opening 30 Degrees Wila
OZU-810		30	3	Acute Die .394 V-Opening 30 Degrees Wila
OZU-810		25	2	Acute Die .394 V-Opening 30 Degrees Wila
✓ OZU-810		20	2	Acute Die .394 V-Opening 30 Degrees Wila
OZU-813		515	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		200	2	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		100	3	Acute Die .788 V-Opening 30 Degrees Wila

(2) PR150 Press Brake Tooling List

LOT # 532

OZU-813		40	2	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		35	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		30	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		25	3	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		20	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-826		515	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		200	2	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		100	4	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		40	0	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		35	2	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		30	2	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		25	2	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		20	2	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-827		515	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		200	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		100	4	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		40	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		35	0	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		30	0	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		25	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		20	0	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-828		515	1	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		200	2	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		100	3	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		40	1	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		35	2	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		30	2	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		25	1	Block Die 1.575 V-Opening 80 Degrees Wila
OZU-828		20	2	Block Die 1.575 V-Opening 80 Degrees Wila
RVT2		515	1	Rolla-V Die 1.811" wide x 3.937" tall
RVT2		200	1	Rolla-V Die 1.811" wide x 3.937" tall
RVT2		10	1	Rolla-V Die 1.811" wide x 3.937" tall
RVT2		50	1	Rolla-V Die 1.811" wide x 3.937" tall
RVT2		45	1	Rolla-V Die 1.811" wide x 3.937" tall

(3) PR150 Press Brake Tooling List
Lot # 532

RVT2		40	1	Rolla-V Die 1.811" wide x 3.937" tall
RVT2		35	1	Rolla-V Die 1.811" wide x 3.937" tall
RVT2		30	1	Rolla-V Die 1.811" wide x 3.937" tall
RVT2		25	2	Rolla-V Die 1.811" wide x 3.937" tall
TSU-803	6		2	Extensions 6.00" Wide x 3.937" Tall Wila
WD30-063	18		2	Acute Die .625 V-Opening 30 Degrees Wilson
WD30-063	12		1	Acute Die .625 V-Opening 30 Degrees Wilson
WD30-063	8		2	Acute Die .625 V-Opening 30 Degrees Wilson
WD30-063	4		0	Acute Die .625 V-Opening 30 Degrees Wilson
WD30-063	3		1	Acute Die .625 V-Opening 30 Degrees Wilson
WD30-063	2		2	Acute Die .625 V-Opening 30 Degrees Wilson
WD30-063	1		0	Acute Die .625 V-Opening 30 Degrees Wilson
WD30-063	.750		0	Acute Die .625 V-Opening 30 Degrees Wilson
WD30-063	.625		0	Acute Die .625 V-Opening 30 Degrees Wilson
WD30-063	.500		2	Acute Die .625 V-Opening 30 Degrees Wilson
WD75-200	18		2	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	12		0	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	8		0	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	4		0	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	3		1	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	2		1	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	1		0	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	.750		1	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	.625		1	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	.500		1	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-300	4		1	Large V Dies 3.00 V-Opening 75 Degrees Wilson
WD75-300	3		1	Large V Dies 3.00 V-Opening 75 Degrees Wilson
WP305-06	18		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees Wilson
WP305-06	12		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees Wilson
WP305-06	8		2	Acute Gooseneck Punch 5.750" .062 R 30 Degrees Wilson
WP305-06	4		3	Acute Gooseneck Punch 5.750" .062 R 30 Degrees Wilson
WP305-06	3		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees Wilson
WP305-06	2		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees Wilson
WP305-06	1		2	Acute Gooseneck Punch 5.750" .062 R 30 Degrees Wilson

(4) PZ150 Press Brake Tooling List
LOT # 532

WP305-06	.750		2	Acute Gooseneck Punch 5.750" .062 R 30 Degrees Wilson
WP305-06	.625		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees Wilson
WP305-06	.500		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees Wilson
WP305-12	18		1	Acute Gooseneck Punch 5.750" .125 R 30 Degrees Wilson
WP305-12	12		1	Acute Gooseneck Punch 5.750" .125 R 30 Degrees Wilson
WP305-12	8		1	Acute Gooseneck Punch 5.750" .125 R 30 Degrees Wilson
WP305-12	4		2	Acute Gooseneck Punch 5.750" .125 R 30 Degrees Wilson
WP305-12	3		1	Acute Gooseneck Punch 5.750" .125 R 30 Degrees Wilson
WP305-12	2		0	Acute Gooseneck Punch 5.750" .125 R 30 Degrees Wilson
WP305-12	1		1	Acute Gooseneck Punch 5.750" .125 R 30 Degrees Wilson
WP305-12	.750		1	Acute Gooseneck Punch 5.750" .125 R 30 Degrees Wilson
WP305-12	.625		1	Acute Gooseneck Punch 5.750" .125 R 30 Degrees Wilson
WP305-12	.500		1	Acute Gooseneck Punch 5.750" .125 R 30 Degrees Wilson
WP753-50	18		1	Block Punch 3.75" .500 R 75 Degrees Wilson
WP753-50	4		1	Block Punch 3.75" .500 R 75 Degrees Wilson
WP753-50	3		1	Block Punch 3.75" .500 R 75 Degrees Wilson
WP753-50	2		1	Block Punch 3.75" .500 R 75 Degrees Wilson
WP753-63	18		2	Block Punch 3.75" .625 R 75 Degrees Wilson
WP753-75	18		1	Block Punch 3.75" .750 R 75 Degrees Wilson
WP758-19	12		1	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	8		1	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	4		2	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	3		1	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	2		1	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	1		2	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	.750		2	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	.625		2	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	.500		1	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-25	4		1	Gooseneck Punch 8.75" .250 R 75 Degrees Wilson
WP758-25	3		1	Gooseneck Punch 8.75" .250 R 75 Degrees Wilson
WP758-25	4		1	Gooseneck Punch 8.75" .250 R 75 Degrees Wilson
WP805-19	18		1	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	12		1	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	8		1	Block Punch 5.750" .190 R 85 Degrees Wilson

(5) PR150 Press Brake Tooling List
LOT # 532

WP805-19	4		4	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	3		0	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	2		1	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	1		0	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	.750		2	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	.625		2	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	.500		1	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-25	18		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	12		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	8		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	4		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	3		2	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	2		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	1		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	.750		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	.625		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	.500		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-38	18		1	Block Punch 5.750" .375 R 85 Degrees Wilson
WP805-38	12		1	Block Punch 5.750" .375 R 85 Degrees Wilson
WP805-38	8		1	Block Punch 5.750" .375 R 85 Degrees Wilson
WP805-38	4		2	Block Punch 5.750" .375 R 85 Degrees Wilson
WP805-38	3		1	Block Punch 5.750" .375 R 85 Degrees Wilson
WP805-38	2		1	Block Punch 5.750" .375 R 85 Degrees Wilson
WP805-38	1		1	Block Punch 5.750" .375 R 85 Degrees Wilson
WP805-38	.750		1	Block Punch 5.750" .375 R 85 Degrees Wilson
WP805-38	.625		1	Block Punch 5.750" .375 R 85 Degrees Wilson
WP805-38	.500		1	Block Punch 5.750" .375 R 85 Degrees Wilson