

(1) PR200 Press Brake Tooling List
LOT # 531

TO DMP-04

Tool No.	Size (Inches)	Size (MM)	Qty	Description
BIU-817		100	1	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		40	1	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		35	1	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		30	2	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		25	2	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-817		20	1	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-818		200	4	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		100	3	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		40	1	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		35	1	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		30	1	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		25	1	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		20	2	Block Punch 6.00" .118 R 60 Degrees Wila
FLATTENING DIES	18		1	Flattening Blocks 5.75" Wilson
OZU-813		515	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		100	2	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		35	2	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		30	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		25	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-826		100	3	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		40	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		35	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		30	2	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		25	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		20	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-827		200	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		100	5	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		40	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		35	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		30	2	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		25	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		20	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU828		200	1	Block Die 1.575 V-Opening 80 Degrees Wila

(2) PR200 Press Brake Tooling List

LOT #531

OZU828		100	4	Block Die 1.575 V-Opening 80 Degrees	Wila
OZU828		40	1	Block Die 1.575 V-Opening 80 Degrees	Wila
OZU828		35	1	Block Die 1.575 V-Opening 80 Degrees	Wila
OZU828		30	1	Block Die 1.575 V-Opening 80 Degrees	Wila
OZU828		25	1	Block Die 1.575 V-Opening 80 Degrees	Wila
OZU828		20	0	Block Die 1.575 V-Opening 80 Degrees	Wila
WD30-063	4		2	Acute Die .625 V-Opening 30 Degrees	Wilson
WD30-063	3		1	Acute Die .625 V-Opening 30 Degrees	Wilson
WD30-063	2		1	Acute Die .625 V-Opening 30 Degrees	Wilson
WD75-200	18		1	Large V Dies 2.000" V-Opening 75 Degrees	Wilson
WD75-200	12		1	Large V Dies 2.000" V-Opening 75 Degrees	Wilson
WD75-200	4		1	Large V Dies 2.000" V-Opening 75 Degrees	Wilson
WD75-200	1		1	Large V Dies 2.000" V-Opening 75 Degrees	Wilson
WD75-200	.750		1	Large V Dies 2.000" V-Opening 75 Degrees	Wilson
WD75-300	18		1	Large V Dies 3.00 V-Opening 75 Degrees	Wilson
WD75-300	8		1	Large V Dies 3.00 V-Opening 75 Degrees	Wilson
WD75-300	4		1	Large V Dies 3.00 V-Opening 75 Degrees	Wilson
WD75-300	2		1	Large V Dies 3.00 V-Opening 75 Degrees	Wilson
WD75-300	.750		1	Large V Dies 3.00 V-Opening 75 Degrees	Wilson
WD75-300	.625		1	Large V Dies 3.00 V-Opening 75 Degrees	Wilson
WD75-300	.500		1	Large V Dies 3.00 V-Opening 75 Degrees	Wilson
WP305-06	18		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	12		0	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	8		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	4		2	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	3		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	2		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	1		2	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	.750		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	.625		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP305-06	.500		1	Acute Gooseneck Punch 5.750" .062 R 30 Degrees	Wilson
WP753-50	18		1	Block Punch 3.75" .500 R 75 Degrees	Wilson
WP753-50	12		1	Block Punch 3.75" .500 R 75 Degrees	Wilson
WP753-50	4		1	Block Punch 3.75" .500 R 75 Degrees	Wilson

(3) PR200 Press Brake Tooling List
LOT # 531

WP753-50	.625		1	Block Punch 3.75" .500 R 75 Degrees	Wilson
WP753-63	18		2	Block Punch 3.75" .625 R 75 Degrees	Wilson
WP753-75	18		1	Block Punch 3.75" .750 R 75 Degrees	Wilson
WP755-19	12		1	Gooseneck 5.750" .190 R 75 Degrees	Wilson
WP755-19	8		1	Gooseneck 5.750" .190 R 75 Degrees	Wilson
WP755-19	4		2	Gooseneck 5.750" .190 R 75 Degrees	Wilson
WP755-19	3		3	Gooseneck 5.750" .190 R 75 Degrees	Wilson
WP755-19	2		2	Gooseneck 5.750" .190 R 75 Degrees	Wilson
WP755-19	1		1	Gooseneck 5.750" .190 R 75 Degrees	Wilson
WP755-25	12		1	Gooseneck 5.750" .250 R 75 Degrees	Wilson
WP755-25	8		1	Gooseneck 5.750" .250 R 75 Degrees	Wilson
WP755-25	4		2	Gooseneck 5.750" .250 R 75 Degrees	Wilson
WP755-25	3		1	Gooseneck 5.750" .250 R 75 Degrees	Wilson
WP755-25	2		1	Gooseneck 5.750" .250 R 75 Degrees	Wilson
WP755-25	1		1	Gooseneck 5.750" .250 R 75 Degrees	Wilson
WP755-25	.750		1	Gooseneck 5.750" .250 R 75 Degrees	Wilson
WP755-25	.625		1	Gooseneck 5.750" .250 R 75 Degrees	Wilson
WP755-25	.500		1	Gooseneck 5.750" .250 R 75 Degrees	Wilson
WP755-25	.750		1	Gooseneck 5.750" .250 R 75 Degrees	Wilson
WP755-25	.625		1	Gooseneck 5.750" .250 R 75 Degrees	Wilson
WP755-25	.500		1	Gooseneck 5.750" .250 R 75 Degrees	Wilson
WP755-38	12		1	Gooseneck 5.750" .375 R 75 Degrees	Wilson
WP755-38	8		1	Gooseneck 5.750" .375 R 75 Degrees	Wilson
WP755-38	4		2	Gooseneck 5.750" .375 R 75 Degrees	Wilson
WP755-38	3		1	Gooseneck 5.750" .375 R 75 Degrees	Wilson
WP755-38	2		0	Gooseneck 5.750" .375 R 75 Degrees	Wilson
WP755-38	1		1	Gooseneck 5.750" .375 R 75 Degrees	Wilson
WP755-38	.750		1	Gooseneck 5.750" .375 R 75 Degrees	Wilson
WP755-38	.625		1	Gooseneck 5.750" .375 R 75 Degrees	Wilson
WP755-38	500		1	Gooseneck 5.750" .375 R 75 Degrees	Wilson
WP805-19	18		1	Block Punch 5.750" .190 R 85 Degrees	Wilson
WP805-19	12		1	Block Punch 5.750" .190 R 85 Degrees	Wilson
WP805-19	8		1	Block Punch 5.750" .190 R 85 Degrees	Wilson
WP805-19	4		2	Block Punch 5.750" .190 R 85 Degrees	Wilson

(4) PR200 Press Brake Tooling List
LOT #531

WP805-19	3		0	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	2		1	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	1		1	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	.750		1	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	.625		1	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	.500		0	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-25	18		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	12		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	8		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	4		2	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	3		0	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	2		2	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	1		0	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	.750		0	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	.625		0	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	.500		0	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-38	18		1	Block Punch 5.750" .375 R 85 Degrees Wilson
WP805-38	4		2	Block Punch 5.750" .375 R 85 Degrees Wilson
WP805-38	.625		1	Block Punch 5.750" .375 R 85 Degrees Wilson
WP805-38	.750		1	Block Punch 5.750" .375 R 85 Degrees Wilson