

(1) PR320 Press Brake Tooling List
LOT # 530

MCF2.0 -WI

Tool No.	Size (Inches)	Size (MM)	Qty	Description
BIU-817		515	2	Gooseneck Punch 6.00" .039 R 28 Degrees Wila
BIU-818		200	4	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		515	1	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		100	5	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		40	2	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		35	3	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		30	2	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		25	2	Block Punch 6.00" .118 R 60 Degrees Wila
BIU-818		20	1	Block Punch 6.00" .118 R 60 Degrees Wila
OZU-813		515	2	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		200	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		400	3	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		40	0	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		35	2	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		30	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		25	1	Acute Die .788 V-Opening 30 Degrees Wila
OZU-813		20	4	Acute Die .788 V-Opening 30 Degrees Wila
OZU-826		515	4	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		200	2	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		100	3	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		40	0	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		35	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		30	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		25	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-826		20	1	Acute Die 2.362 V-Opening 60 Degrees Wila
OZU-827		515	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		200	3	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		100	2	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		40	1	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		35	3	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		30	2	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		25	3	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-827		20	4	Block Die 1.181 V-Opening 80 Degrees Wila

(2) PR320 Press Brake Tooling List

LOT # 530

OZU-828		515	3	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-828		200	2	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-828		100	2	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-828		40	3	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-828		35	2	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-828		30	2	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-828		25	2	Block Die 1.181 V-Opening 80 Degrees Wila
OZU-828		20	1	Block Die 1.181 V-Opening 80 Degrees Wila
RVT-3.50	19.625		3	RPV-4 Fully Adjustable Bottom Tool Rolla-V
TSU-803			6	Extensions 6.00" Wide x 3.937" Tall Wila
WD FLATTENING DIES	18		4	Flattening Blocks 5.75" Wilson
WD75-200	18		4	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	12		1	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	8		1	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	4		2	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	3		1	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	2		2	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	1		0	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	.750		0	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	.625		2	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-200	.500		0	Large V Dies 2.000" V-Opening 75 Degrees Wilson
WD75-300	18		4	Large V Dies 3.00" V-Opening 75 Degrees Wilson
WD75-350	18		6	Large V Dies 3.50" V-Opening 75 Degrees Wilson
WD75-400	18		6	Large V Dies 4.00" V-Opening 75 Degrees Wilson
WD80-493	18		2	Large V Dies 4.93" V-Opening 75 Degrees Wilson
WE200	12"		1	Extensions 2.00" Tall Wilson
WE200	8"		1	Extensions 2.00" Tall Wilson
WE200	4"		2	Extensions 2.00" Tall Wilson
WE200	3"		1	Extensions 2.00" Tall Wilson
WE200	2"		1	Extensions 2.00" Tall Wilson
WE200	1"		1	Extensions 2.00" Tall Wilson
WE300	12"		1	Extensions 3.00" Tall Wilson
WE300	8"		1	Extensions 3.00" Tall Wilson
WE300	4"		2	Extensions 3.00" Tall Wilson

(3) PR320 Press Brake Tooling List
 Lot # 530

WE300	3"		1	Extensions 3.00" Tall	Wilson
WE300	2"		1	Extensions 3.00" Tall	Wilson
WE300	1"		1	Extensions 3.00" Tall	Wilson
WE400	12"		1	Extensions 4.00" Tall	Wilson
WE400	8"		1	Extensions 4.00" Tall	Wilson
WE400	4"		2	Extensions 4.00" Tall	Wilson
WE400	3"		1	Extensions 4.00" Tall	Wilson
WE400	2"		1	Extensions 4.00" Tall	Wilson
WE400	1"		1	Extensions 4.00" Tall	Wilson
WP HEMMING DIE	12		1	Hemming Die .031 R 30 Degrees	Wilson
WP HEMMING DIE	8		1	Hemming Die .031 R 30 Degrees	Wilson
WP HEMMING DIE	4		2	Hemming Die .031 R 30 Degrees	Wilson
WP HEMMING DIE	3		1	Hemming Die .031 R 30 Degrees	Wilson
WP HEMMING DIE	2		1	Hemming Die .031 R 30 Degrees	Wilson
WP HEMMING DIE	1		1	Hemming Die .031 R 30 Degrees	Wilson
WP HEMMING DIE	.750		1	Hemming Die .031 R 30 Degrees	Wilson
WP HEMMING DIE	.625		1	Hemming Die .031 R 30 Degrees	Wilson
WP HEMMING DIE	.500		1	Hemming Die .031 R 30 Degrees	Wilson
WP HEMMING DIE	36		1	Hemming Die .031 R 30 Degrees	Wilson
WP HEMMING PUNCH	12		2	Hemming Punch .031 R 30 Degrees	Wilson
WP HEMMING PUNCH	8		2	Hemming Punch .031 R 30 Degrees	Wilson
WP HEMMING PUNCH	4		4	Hemming Punch .031 R 30 Degrees	Wilson
WP HEMMING PUNCH	3		2	Hemming Punch .031 R 30 Degrees	Wilson
WP HEMMING PUNCH	2		2	Hemming Punch .031 R 30 Degrees	Wilson
WP HEMMING PUNCH	1		2	Hemming Punch .031 R 30 Degrees	Wilson
WP HEMMING PUNCH	.750		2	Hemming Punch .031 R 30 Degrees	Wilson
WP HEMMING PUNCH	.625		2	Hemming Punch .031 R 30 Degrees	Wilson
WP HEMMING PUNCH	.500		2	Hemming Punch .031 R 30 Degrees	Wilson
WP305-06	18		5	Acute Die .625 V-Opening 30 Degrees	Wilson
WP305-06	12		3	Acute Die .625 V-Opening 30 Degrees	Wilson
WP305-06	8		1	Acute Die .625 V-Opening 30 Degrees	Wilson
WP305-06	4		3	Acute Die .625 V-Opening 30 Degrees	Wilson
WP305-06	3		2	Acute Die .625 V-Opening 30 Degrees	Wilson
WP305-06	2		2	Acute Die .625 V-Opening 30 Degrees	Wilson

(4) PR320 Press Brake Tooling List
LOT # 530

WP305-06	1		0	Acute Die .625 V-Opening 30 Degrees Wilson
WP305-06	.750		0	Acute Die .625 V-Opening 30 Degrees Wilson
WP305-06	.625		1	Acute Die .625 V-Opening 30 Degrees Wilson
WP305-06	.500		1	Acute Die .625 V-Opening 30 Degrees Wilson
WP753-1	18		1	Block Punch 3.75" 1.00 R 75 Degrees Wilson
WP753-15	18		2	Block Punch 3.75" 1.50 R 75 Degrees Wilson
WP753-50	.5		1	Block Punch 3.75" 1.00 R 75 Degrees Wilson
WP753-50	.625		1	Block Punch 3.75" 1.00 R 75 Degrees Wilson
WP753-50	.750		1	Block Punch 3.75" 1.00 R 75 Degrees Wilson
WP753-50	18		3	Block Punch 3.75" 1.00 R 75 Degrees Wilson
WP753-63	18		2	Block Punch 3.75" .625 R 75 Degrees Wilson
WP753-75	18		4	Block Punch 3.75" .750 R 75 Degrees Wilson
WP755(S)-50	36		1	Block Punch 5.750" .500 R 85 Degrees Wilson
WP755-50	18		1	Gooseneck 5.750" .500 R 75 Degrees Wilson
WP758-19	12		1	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	8		1	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	4		2	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	3		1	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	2		1	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	1		0	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	.750		0	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	.625		0	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-19	.500		1	Gooseneck Punch 8.75" .190 R 75 Degrees Wilson
WP758-25	12		2	Gooseneck Punch 8.75" .250 R 75 Degrees Wilson
WP758-25	8		2	Gooseneck Punch 8.75" .250 R 75 Degrees Wilson
WP758-25	4		2	Gooseneck Punch 8.75" .250 R 75 Degrees Wilson
WP758-25	3		1	Gooseneck Punch 8.75" .250 R 75 Degrees Wilson
WP758-25	2		1	Gooseneck Punch 8.75" .250 R 75 Degrees Wilson
WP758-25	1		2	Gooseneck Punch 8.75" .250 R 75 Degrees Wilson
WP758-25	.750		2	Gooseneck Punch 8.75" .250 R 75 Degrees Wilson
WP758-25	.625		2	Gooseneck Punch 8.75" .250 R 75 Degrees Wilson
WP758-25	.500		2	Gooseneck Punch 8.75" .250 R 75 Degrees Wilson
WP758-31	12		1	Gooseneck Punch 8.75" .312 R 75 Degrees Wilson
WP758-31	8		2	Gooseneck Punch 8.75" .312 R 75 Degrees Wilson

(5) PR320 Press Brake Tooling List
LOT # 530

WP758-31	4		2	Gooseneck Punch 8.75" .312 R 75 Degrees Wilson
WP758-31	3		1	Gooseneck Punch 8.75" .312 R 75 Degrees Wilson
WP758-31	2		1	Gooseneck Punch 8.75" .312 R 75 Degrees Wilson
WP758-31	1		1	Gooseneck Punch 8.75" .312 R 75 Degrees Wilson
WP758-31	.750		1	Gooseneck Punch 8.75" .312 R 75 Degrees Wilson
WP758-31	.625		1	Gooseneck Punch 8.75" .312 R 75 Degrees Wilson
WP758-31	.500		1	Gooseneck Punch 8.75" .312 R 75 Degrees Wilson
WP758-38	12		2	Gooseneck Punch 8.75" .375 R 75 Degrees Wilson
WP758-38	8		2	Gooseneck Punch 8.75" .375 R 75 Degrees Wilson
WP758-38	4		4	Gooseneck Punch 8.75" .375 R 75 Degrees Wilson
WP758-38	3		2	Gooseneck Punch 8.75" .375 R 75 Degrees Wilson
WP758-38	2		2	Gooseneck Punch 8.75" .375 R 75 Degrees Wilson
WP758-38	1		2	Gooseneck Punch 8.75" .375 R 75 Degrees Wilson
WP758-38	.750		2	Gooseneck Punch 8.75" .375 R 75 Degrees Wilson
WP758-38	.625		2	Gooseneck Punch 8.75" .375 R 75 Degrees Wilson
WP758-38	.500		2	Gooseneck Punch 8.75" .375 R 75 Degrees Wilson
WP805-19	18		4	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	12		2	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	8		1	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	4		2	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	3		3	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	2		2	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-19	1		1	Block Punch 5.750" .190 R 85 Degrees Wilson
WP805-25	18		4	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	12		2	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	8		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	4		4	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	3		2	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	2		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	1		3	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	.750		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	.625		2	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	.500		1	Block Punch 5.750" .250 R 85 Degrees Wilson
WP805-25	.750		2	Block Punch 5.750" .250 R 85 Degrees Wilson

(c) PR320 Press Brake Tooling List
LOT #530

WP805-25	.625
WP805-25	.500
WP805-38	18
WP805-38	12
WP805-38	8
WP805-38	4
WP805-38	3
WP805-38	2
WP805-38	1
WP805-38	.750
WP805-38	.625
WP805-38	.500

2	Block Punch 5.750"	.250 R	85 Degrees	Wilson
1	Block Punch 5.750"	.250 R	85 Degrees	Wilson
4	Block Punch 5.750"	.375 R	85 Degrees	Wilson
1	Block Punch 5.750"	.375 R	85 Degrees	Wilson
1	Block Punch 5.750"	.375 R	85 Degrees	Wilson
0	Block Punch 5.750"	.375 R	85 Degrees	Wilson
1	Block Punch 5.750"	.375 R	85 Degrees	Wilson
2	Block Punch 5.750"	.375 R	85 Degrees	Wilson
1	Block Punch 5.750"	.375 R	85 Degrees	Wilson
1	Block Punch 5.750"	.375 R	85 Degrees	Wilson
1	Block Punch 5.750"	.375 R	85 Degrees	Wilson
0	Block Punch 5.750"	.375 R	85 Degrees	Wilson