Heavy Fabricating Facility Including Late Model Roundo Plate and Angle Rolls, Welding Equipment, Fabricating Machinery, Rough Terrain Cranes, Fork Lifts, Plate Inventory and Support Equipment

Plant Closed THE FORMER ASSETS OF DIXIE SOUTHERN ARKANSAS, LLC 200 E. Arkansas 264 Hwy. Springdale, Arkansas 72764 Northeast corner of the state, 60 miles north of Ft. Smith

SALE DATE: THURSDAY, JUNE 19TH, STARTING AT 9:00 AM

Inspection: Wednesday, June 18th from 10:00 AM to 4:00 PM

Fabricating and Welding Equipment

- 1" X 10' Roundo PS-360 Hydraulic Plate Bending Roll (2008)
- 6" X 6" X 5/8" Roundo R6S Horizontal Hydraulic Angle Bending Roll (1997)
- 13' X 13' Key Plant / Red-D-Arc THD-5MX5M Welding Manipulator (2012)
- 9' X 8' CWI Portable Welding Manipulator (2012)
- 12' X 64' Messer TMC-4512 CNC Plasma Cutting Table (2000)
- 400 Ton X 12' Pacific K400-12 Hydraulic Press Brake
- 100 Ton Whitney 3-Punch C-Frame Hydraulic Punch System
- 30 Ton Piranha P3 Ironworker
- (6) Turning Roll Sets to 45,000 Lb. by Prestin, Aronson and Others
- 36"_Trennjaeger PMC12-F Automatic Upacting Cold Saw (Late)
- (3) Gullco Portable Plate Beveling Machines (2008)
- (35) Miller and Lincoln Welders w/ Wire Feeds
- Assorted Stud, Tig and Arc Welders
- Miller Gas and Diesel Welders
- Large Quantity Welding Equipment Including Bug-O Track Burners, Plasmas, Power Tools, Tables, Clamps, Ovens and Related
- Toolroom and Misc. Machinery

Cranes, Fork Lifts, Steel and Support Equipment

- 50 Ton Terex RT-450 Rough Terrain Crane (1999)
- 20 Ton P&H Omega 20 OM-20 Rough Terrain Crane
- 30,000 Lb. Clark Y2030 Pneumatic Tire Diesel Forklift
- 25,000 Lb. Taylor TE-250S Pneumatic Tire Diesel Forklift (1991)
- (3) 6,000 Lb. Case Yard Forklifts 586G/586E/585 (To 2004)
- Skyjack 19' Self Traveling Electric Scissor Lift (2005)
- Large Quantity Lifting Equipment
- (3) Air Compressors to 100 HP
- Large Quantity Hand and Power Tools

- Large Quantity Shop and Support Equipment
- Approx. 150,000 Lbs. Floor Plate to 6' X 20' X 2"
- Approx. 50,000 Lbs. of Other Misc. Beam and Steel

CIA, BIU AND MAYNARDS

15% ON-SITE BUYERS PREMIUM 18% ON-LINE BUYERS PREMIUM

Directions: From I-540 / I-49 Approx. 60 Miles north of Ft. Smith, Arkansas exit at No. 76 Wagon Wheel Rd. / Bethel Heights. Proceed East on Wagon Wheel Rd. (Which turn in to RT-264) for Approx. 2-3/4 Miles to Auction Site on Left on the North Side of RT-264. Watch for Auction Parking and Sale Entrance Signs and Arrows.

WEBCAST BIDDER INSTRUCTIONS

- All Internet bidders must register for this auction at <u>www.bidspotter.com</u> at least 48-Hours Prior to the Sale Date, <u>if you do not you will not be approved.</u>
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. <u>Period.</u>
- > There is a 18% Buyer's Premium in Effect for All Online Purchases.
- We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.

PLATE BENDING ROLL

1" X 10' Roundo Model PS-360 Double Pinch Hydraulic Plate Bending Roll; S/N 088469, 10' X 1.0625" Bending Capacity, 14" Dia. Rolls, Hydraulic Drop End, 36 HP Motor, Digital Readout, Push Button Control, Flush Floor Mount, No Pit (New 2008)

ANGLE BENDING ROLLS

6" X 6" X 5/8" Roundo Model R6S R-6-S Horizontal Hydraulic Angle Bending Roll; S/N 976444, Universal Dies, 6" Long X 6" X 5/8" Angle Leg Out Cap., 5" X 5" X 3/4" Angle Leg In Cap., 10" X 2" Flat Iron on Flat, 6" X 1-1/2" Flat on Edge, No. 6 Pipe, 12" Beam Easy Way, 8" Beam Hard Way, 18" Dia Rolls, Digital Readout, PB Pendant (New 1997)

WELDING MANIPULATORS

13' X 13' Key Plant / Red-D-Arc Model THD-5MX5M Welding Manipulator; S/N 06181, Lincoln DC-1000 Power Supply, Jetline Seam Tracker, Lincoln NA-3N Wire Feed, 20' Approx. Track, Pendant Control, Flux Recovery System (New 2012)

9' X 8' CWI Model 9X8M Portable Welding Manipulator; S/N 6X6237, 9' High, 8' Arm Overall, 6' Horizontal Arm Track, 150 Lb. Cap., Lincoln NA-3N Wire Feed, Power Supply (New 2012)

9' X 9' Ransome Welding Manipulator; S/N 9514678, Unhooked In Storage

CNC PLASMA TABLE

12' X 64' Messer Model TMC-4512 CNC Plasma Oxy Cutting Table; Machine S/N TMC4512LP-00-3966, (1) Plasma Torch, (4) Oxy Acetylene, 75' Track and Water Table, Cuts 12' X 64', Hypertherm Model HT4001 Power Supply; S/N 000940, Updated Hypertherm TMC Burny Computer Head 2012 (2000)

PRESS BRAKE

400 Ton X 12' Pacific Model K400-12 Hydraulic Power Press Brake; S/N 8865, Capacity ½" X 12' in Mild Steel, 10' Between Housings

Press Brake Tooling Including 12' Four-Way, Other Punches and Dies

C-FRAME HYDRAULIC PUNCHES

100 Ton Whitney Model **791AX6** C-Frame Hydraulic Punch; S/N 791-019-29521, 18" Throat

100 Ton Whitney Model 790AX6 C-Frame Hydraulic Punch; S/N 790-084-29520, 6" Throat

30 Ton Whitney Model 730CC C-Frame Hydraulic Punch; S/N 730-020-35250, 4" Throat

Common Hydraulic Power Supply, Punches and Dies

IRONWORKER

30 Ton Piranha Model P-3 Hydraulic Ironworker; S/N P3-1257

TANK TURNING ROLLS

40,000 Lb. Aronson Model WRD20 Turning Roll w/ Idler; S/N 81396 – Turning, 81521-Idler, 40,000 Lb. Capacity, (1) Idler

40,000 Lb. Aronson Model WRD20 Turning Roll w/ Idler; S/N 81394 – Turning, 81513-Idler, 40,000 Lb. Capacity, (1) Idler

45,000 Lb. (Approx.) Ransome Model BPRR/BIRR/BIRR Turning Roll w/ (2) Idlers; S/N 3519413/364285/3670608, Turning: 15 Ton, (2) Idlers: 15 Ton, Variable Speed

45,000 Lb. (Approx.) Ransome Turning Roll w/ (2) Idlers; Turning: 15 Ton, (2) Idlers: 15 Ton

20,000 Lb. X 30' Mfg. Unk. Steel Roller Motorized Turning Roll; (4) Sections, Base and Drive, Rolls 6' On Centers

20,000 Lb. Preston Eastin Model 20HD Turning Roll w/ Idler; S/N TRDB-20-47 TIRB-20-HD-58, 20,000 Lb. Capacity, (1) Idler

10 Ton CWI Model Motorized Turning Roll Set (New 2012)

(3) 8' Wide Steel Roller Idler Rolls; 6' Centers

COLD SAW AND STRUCTUAL CONVEYOR

36"_Trennjaeger Model PMC12-F Automatic Upacting Cold Saw; S/N G1-103, 36" Blade and Extra Blades, Motorized Conveyor (Late Model)

Approx. 180' Heavy Structural Hydraulic Conveyor Line

BEVELLING MACHINES

(2) Gullco Model KBM-18-D Portable Plate Beveling Machines; S/N 17857-3 and 18884-3, ¾" Thick Plate Capacity (Both 2007)

Gullco Model GBM-25 Portable Plate Beveling Machine; S/N 1642470, 1" Thick Plate Capacity

Heck Model 8000 Beveller; S/N 3194, Rotary Hand Beveler (1999)

Controlled Automation Model BS-140 Beam Splitter; S/N 07-042-C, with Plasma Torch Head, 4" – 44" Webb (2007)

WELDERS – ALL TYPES

- 1,500 Amp Lincoln Electric Model Welder Idealarc DC-1500 Arc Welding Power Source
- (7) Miller Model Deltaweld 452 Welding Power Sources
- (9) Lincoln Electric Model Idealarc DC-600 Welding Power Sources
- (5) Miller Model Deltaweld 451 and 400 Welding Power Sources
- (13) Miller Model SRH-333 Stick Welder Power Sources

Nelson Series 6000 Model 101 Stud Welder; S/N KA844395, 1" Dia.

Midwest Model UA-500 Stud Welder; S/N 909623I, 1/2" Dia. (2009)

Thermal Dynamics Model Cutmaster 101SL100T Plasma Cutter; 1" Capacity (2007)

(2) Lincoln Electric Model LT-7 SubArc Tractors (2002/2007)

WELDING ACCESSORIES

2,000 Lb. CWI Model P200F Tilting and Rotating Welding Positioner; S/N P20-858 (2012)

(2) Victor Model MHT-100 Motorized Hand Torches

Victor Model VCM-200 Track Torch; S/N CM0015558, with 12' of Track (2001)

(3) Bug-O Model Uni-1000 Power Track Burners; Uni-Bug II Stiffener Welding Manipulator (2003/2008)

Bug-O Model SFX1200B Bug-O Track Burner w/ 10' of Flex Track

(5) Hougan and Milwaukee Magnetic Base Drills

Phoenix Model 16C Rod Oven

Despatch Model WSC-1-25 Rod Oven

X-Mas Model Model CPL Control 225PL X-Ray Tube Weld Inspection System

Sullins Model X-SUL UCP Control 250 Tube X-Ray Tube Weld Inspection System

Large Quantity Welding Equipment Including Supplies, Clamps, Heavy Horses and Tables, Curtains, Leads and Related

GEN SET AND WELDER SYSTEMS

Caterpillar Model 3304 Diesel Power Gen Set w/ (4) Miller Arc Welders; S/N 4B15630, Engine # 4B6032-UP, Skid Accommodates 4 Welders (Not Included), Needs 1 of 2 Batteries, 111 KW Output, 480 Volt, 3-Phase, 200 Amp

Miller Model Trailblazer DC Gas Welding Power Source; S/N LC067605, Gas Rig CC/CV, 10,000 Watt Generator, 1,557 Hours, New Engine 8/2010 (2002)

ROUGH TERRAIN CRANES

50 Ton Terex Model RT-450 Rubber Tire Hydraulic Diesel Rough Terrain Crane; S/N 10783, 50 Ton, Road Quality, Certified, 6-Cyl. Cummins Engine, 8,400 Hours (1999)

20 Ton P&H Omega 20 Model OM-20 Rubber Tire Hydraulic Diesel Rough Terrain Crane; S/N 45301, 20 Ton, Replaced Engine 2006 w/ 4-Cyl. Detroit Diesel Engine

FORK LIFTS – ALL TYPES

30,000 Lb. Clark Model Y2030 Pneumatic Tire Diesel Forklift; S/N Y2030-97-4080, 17' 6" Lift Height, 8' Fork Length, Engine Rebuilt 2007

25,000 Lb. Taylor Model TE-250S Pneumatic Tire Diesel Forklift; S/N S-H2-21228, 6-Cyl. Cummins Diesel Engine, 3,192 Hours, 14' 8" Lift Height, 8' Fork Length (1991)

6,000 Lb. Case Model 586G Pneumatic Tire Diesel Yard Forklift; S/N JJG0292583, 4-Wheel Drive, 21' 8" Lift Height, 4' Fork Length, 3.9L CNH Case Diesel, 4,800 Hours (2004)

6,000 Lb. Case Model 586E Pneumatic Tire Diesel Yard Forklift; S/N JJG0214007, 19' 8" Lift Height, 4' Fork Height

5,000 Lb. Case Model 585 Pneumatic Tire Diesel Yard Forklift Diesel Forklift; S/N 584-5311422, 12' Lift Height, 4' Fork Length

SCISSOR LIFT

Skyjack 19' Self Traveling Electric Scissor Lift (2005)

LIFTING EQUIPMENT

24,000 Lb. Permador Model 612 Plate handler Kit Magnet; S/N N/A, 21' Long, (2) 8' Extensions, (12) Permanent Magnets

- (2) 5,000 Lb. OS Walker Small Lift Magnets
- 2,500 Lb. Vac-U-Lift Model 3200-10-2-4-4B16N30 Vacuum Sheet Lifter; S/N 11-3901-1
- (25) Chain Falls, 2-Hook and 4-Hook Configuration
- (25) Plate Grabber Lifting Clamps
- (10) Spreader Bars to 25' and 20 Ton Capacity

Large Quantity Misc. Lifting Including Hooks, Clevises, Shackles, Chain and Nylon Slings and Related

TRUCKS AND TRAILERS

2001 Dodge Ram 3500 Turbo Diesel Pick-Up Truck; VIN # 3B7MC36701M502049, 1 Ton Laramie SLT, Under 76,000 Miles, Gooseneck Hitch

International Model Navistar 8300 4X2 Diesel Road Tractor; VIN # 1NSJXG2R2KH6806000, Yard Truck 551,957 Miles

1999 - 20,000 Lb. Cap. Shiloh Built Gooseneck Trailer

(3) 48' Flat Bed Trailers

73' Shiloh Built Flat Bed Yard Trailer

20' Shiloh Gooseneck Trailer; 8' Wide, Loading Ramps, Spare Tire (Black)

MISC. MACHINERY

1 HP Bridgeport Eight-Speed Vertical Milling Machine; S/N J148421

Hydro Dynamics, Inc. Portable Hydraulic Pump with Rams w/ (2) 20 Ton Rams

Northstar Model 157307J Power Washer; S/N 5102202, 2000 PSI (2010)

18" Kalamazoo Ind. Model KM1618 Abrasive Saw; S/N 686002

Dynabrade Model 11450 Belt Sander; S/N 4024, Air Operated, 2" Wide

Bickford Model 21" Super Service Floor Drill; S/N 1L1275, Auto Feed

20" Northfield Uni-Point Model X36AFH Radial Arm Saw

Large Quantity Hand, Electric and Pneumatic Tools

AIR COMPRESSORS AND RELATED

100 HP Quincy Model QS1-490-AC Rotary Screw Air Compressor; S/N 255112-0-6181, 498 CFM, 19,827 Hours, Rebuilt 2001

(2) 30HP Sullair Model 40/Size 50E Rotary Screw Air Compressors; S/N 1003-56865 and 3003-48140, Screw Type, 110 CFM

Ram Air Compressor Model 25 3-240 Tank Mount Air Compressor

SHOP AND SUPPORT EQUIPMENT

Large Quantity Shop and Support Including; (50) Heavy Steel Saw Horses, Lg. Qty. Various Stock Stands, (2) Job Boxes, Hand, Electric and Pneumatic Tools, Pallet Truck, Air Hoses, Shop Fans, Ladders, Welding Tables, Welding Supplies and Accessories, Ladders, Cabinets, Hardware Bins, Repair Parts, Shop Supplies and Many Other Related Items

FLOOR PLATE AND STEEL INVENTORY

(25) Floor Plates, Approx. 150,000 Lbs. Total, Sizes to 6' X 20' X 2"

(10) Jig Plates, Approx. 20,000 Lbs. Total, Sizes to 8' X 13' X 3/4"

(13) Beams, Approx. 27,000 Lbs. Total, Sizes to 10 X 77 X 240

Various Plate and Beam Cut-Off's

See website for inventory