

PUBLIC

AUCTION

Live Online Bidding
Powered By: **proxibid**
See Instructions on Page 5
To Become a Qualified Bidder on the Internet

COMPLETE LIQUIDATION

TWO DAY AUCTION OF 20 MILLION DOLLAR REPLACEMENT VALUE OIL AND GAS ACCOMMODATION HOUSING, AUXILIARY AND TRANSPORTATION EQUIPMENT OF MAJOR OIL AND GAS LEASING AND SERVICE COMPANY

ACCOMMODATION HOLDINGS, LLC

YARD SITES IN PENNSYLVANIA, WEST VIRGINIA, COLORADO AND NORTH DAKOTA

DAY ONE: THURSDAY, JUNE 22ND

DAY TWO: THURSDAY, JUNE 29TH

**ACCOMMODATION HOLDINGS, LLC
WEST VIRGINIA & PENNSYLVANIA**

**ACCOMMODATION HOLDINGS, LLC
COLORADO & NORTH DAKOTA**

SALE LOCATION

2481 River Rd., Wellsburg, West Virginia 26070

SALE LOCATION

23000 Hwy 257, Milliken, Colorado 85043

5938 SR 87, Tunkhannock, Pennsylvania 18657 – Being Sold Via Photo

5083 Bennett Loop, Williston, North Dakota 58801 – Being Sold Via Photo

STARTING AT 10:00 AM

STARTING AT 10:00 AM

INSPECTION: Tuesday, June 20th &
Wednesday, June 21st from 10:00 AM to 4:00 PM

INSPECTION: Tuesday, June 27th &
Wednesday, June 28th from 10:00 AM to 4:00 PM



(136) ATCO Various Size and Style Accommodation Units



(4) Komatsu Model WA250 Articulated Rubber Tire Four-Wheel Drive Loaders



(9) Mack, Freightliner, International Tandem Axle Vacuum Tank Truck



(14) Diesel Trailer Mounted Generators Up to 350 KVA/275 KW

DAY ONE / LOCATION ONE – THURSDAY, JUNE 22ND – 10:00 AM



NEW AS 2015

(4) Mack Model GU713 "Granite" Tandem Axle w/ Cheater Axles Brine Tanker Trucks



(3) 13' X 60' ATCO Double End Accommodation Units



(12) 13' X 58' ATCO Model 13X58 "Tool Pusher" Accommodation Units



2007 Mack Model CTP713 "Granite" Tandem Axle Twin Screw Oil Field Type Long Wheel Base Road Tractor



Komatsu Model WA-250-6 Rubber Tire 4-Wheel Drive Articulating Wheel Loader



12' X 58' ATCO Model 12X58-2BR-TP Accommodation Unit



(2) 63 KVA Airman Model Power Pro65 Diesel Powered Portable Generator

DAY ONE: WEST VIRGINIA – ONSITE LOCATION

WELLSITE LIVING ACCOMMODATION UNITS

(3) 13' X 60' ATCO Double End Accommodation Units; (Known as SA08 Units) **SEE PHOTO**
 (12) 13' X 58' ATCO Model 13X58 "Tool Pusher" Accommodation Units; (Known as SA02 Units) **SEE PHOTO**
 12' X 58' ATCO Model 12X58-2BR-TP Accommodation Unit; (Known as SA05 Units) **SEE PHOTO**
 (2) 10' X 20' ATCO Model 10X20 Office Bump Units; (Known as SA10 Units) ****See Other Sites Descriptions - Detailed Unit Information will be provided in the Catalog****

WATER & SEPTIC SYSTEMS

(6) Conventional 8' X 20' Conex Type Storage Containers with 3,500 Gallon Plastic Water Holding Tanks
 (6) Conventional 8' X 20' Conex Type Storage Containers with 3,500 Gallon Plastic Holding Tanks
 (10) Liberty Model P382LE41 Lift Pumps ****See Other Sites Descriptions - Detailed Unit Information will be provided in the Catalog****

TANKER TRUCKS

2015 Mack Model GU713 "Granite" Tandem Axle with Dual Cheater Axles Brine Tanker Truck; VIN # 1M2AX07COFM021573, Mack Model MP8-445C Engine; S/N 1054583, Maxitorque T310M/MLR Ten Speed Multispeed Reverse Transmission with 2-Speed Rear Axle, Air Regulated Cheater Axles, IIR22.5 Rear Tires, 70R/22.5 Cheater Tires, 425/65R/22.5 Front Tires, 100 Barrel Water Tank with Fruitland Model LSFH Hydraulic Pump; S/N 52218, GVWR 93,000 Lb., 42,375 Miles, 2,228 Hours, Unit 205
 2015 Mack Model GU713 "Granite" Tandem Axle with Dual Cheater Axles Brine Tanker Truck; VIN # 1M2AX09C8FM021575, Mack 12.8 Liter Model MP8-445C Engine; S/N MP8-1053742, Allison Automatic Transmission, Hendrickson Air Regulated Cheater Axle System, IIR22.5 Rear Tandem Tires, 70R/22.5 Cheater Tires, 425/65R-22.5 Front Tires, 100 Barrel (Approx.) Water Tank with Fruitland Model 500LSFH Hydraulic Pump; S/N 52219 AT 1,400 RPM Max, Miles 33,716, GVWR 93,000 Lb., Unit 203

2014 Mack Model GU713 "Granite" Tandem Axle with Dual Cheater Axles Brine Tanker Truck; VIN # 1M2AX07C7EM018734, 100 Barrel Capacity, 12.8 Liter Mack Model MP8-455M Engine; S/N 1021186, 8-Speed Eaton Fuller Transmission with 2-Speed Axle, Hendrickson Air Regulated Cheater Axle System, IIR22.5 Rear Tandem Tires, 70R/22.5 Cheater Tires, 425/65R-22.5 Front Tires, 100 Barrel Water Tank by J&J with Fruitland Model 500LSFH Hydraulic Pump; S/N 522731, DEF Additive Tank, 59,518 Miles, GVWR 89,000 Lb., UNIT 201
 2013 Mack Model GU713 "Granite" Tandem Axle with Dual Cheater Axles Brine Tanker Truck; VIN # 1M2AX07CXDM015342, Mack 12.8 Liter Model MP8-505M Diesel Engine; S/N 992938, Mack 13-Speed Maxitorque Transmission with 2-Speed Axle, Air Regulated Cheater Axles, Hendrickson Torque Suspension, IIR22.5 Rear Tandem Tires, 70R/22.5 Cheater Tires, 425/65R-22.5 Front Tires, 100 Barrel (Approx.) Water Tank with Fruitland Model 500LSFH Hydraulic Pump System; S/N 522711, 1,400 RPM Max, DEF Additive Tank, 61,728 Miles / 3,384 Hours, GVWR 89,000 Lb., Unit 202

2013 Mack Model GU713 "Granite" Tandem Axle with Dual Cheater Axles Brine Tanker Truck; VIN # 1M2AX07CXDM015342, Mack 12.8 Liter Model MP8-505M Diesel Engine; S/N 992938, Mack 13-Speed Maxitorque Transmission with 2-Speed Axle, Air Regulated Cheater Axles, Hendrickson Torque Suspension, IIR22.5 Rear Tandem Tires, 70R/22.5 Cheater Tires, 425/65R-22.5 Front Tires, 100 Barrel (Approx.) Water Tank with Fruitland Model 500LSFH Hydraulic Pump System; S/N 522711, 1,400 RPM Max, DEF Additive Tank, 61,728 Miles / 3,384 Hours, GVWR 89,000 Lb., Unit 202

ROAD TRACTOR

2007 Mack Model CTP713 "Granite" Tandem Axle Twin Screw Oil Field Type Long Wheel Base Road Tractor; VIN # 1M1AT04YX7M004913, Mack Model MP7-405M Engine (10.8 Liter), Maxitorque Model T310 10-Speed Transmission with 2-Speed Rear Axle, Wet Kit, IIR24.5 Tires, Dual Fuel Tanks, 415,732 Miles, 2,502 Hours, UNIT 100 **SEE PHOTO**

PNEUMATIC TANK TRAILERS

(10) 2016 Mac Model TN1050 APB Pneumatic Tank Trailers; Max Payload 63,075 Lb., GVWR 72,000 Lb., Capacity 1,050 Cubic Feet, Material Shell 5454-H32, (3) Bottom Dump Gates, Top Air - Blow Down - Aeration Valves, See Catalog for VIN #'s **SEE PHOTO**
 2015 Beall Model 1050R Tandem Axle Pneumatic Tank Trailer; (3) Bottom Dump Gates, Unit 511
 1997 Heil / J&L Tank Model 99.0.736 Pneumatic Tank Trailer; Capacity 1,000 Cubic Feet, Max Load 58,000 Lb., (3) Bottom Dump Gates, Unit 507
 2003 Heil / J&L Tank Model 99.0.488 Pneumatic Tank Trailer; Capacity 1,000 Cubic Feet, Max Load 58,000 Lb., (3) Bottom Dump Gates, Unit 508

1995 Heil Pneumatic Tanker Trailer; GVWR 70,000 Lb., Unit 502
 1990 Fruehauf Pneumatic Tanker Trailer; Unit 516
 1989 Fruehauf Pneumatic Tanker Trailer; Capacity 1,000 Cubic Foot, Max Load 58,000 Lb., GVWR 68,000, Unit 512
 1983 BUTL Pneumatic Tanker Trailer; Unit 504
 1981 Heil Pneumatic Tanker Trailer; GVWR 70,000 Lb., Capacity 1,040 Cubic Foot, Unit 509
 1979 Fruehauf Pneumatic Tanker Trailer; Bottom Dump Valves, Unit 514

OTHER TRAILERS

2012 / 130 Barrel Hunter Somerset Welding / J&L Trailer Tandem Axle Water Trailer; VIN # 159-554021-CM006-080, 80,000 GVWR, Fruitlamp Model 500LSFH Hydraulic Pump; S/N 544203, Unit TRL-100 **SEE PHOTO**
 2000 Benson Tandem Spread Axle Flat Bed Trailer; 50' Aluminum / Wood Deck, Unit 101-A **SEE PHOTO**
 1998 Dorsey Tandem Spread Axle Flat Bed Trailer; 50' Aluminum / Wood Deck, Unit 102-A
 1996 East Tandem Spread Axle Flat Bed Trailer; 50' Aluminum / Wood Deck, Unit 104-A
 1996 East Tandem Spread Axle Flat Bed Trailer; 50' Long Aluminum / Wood Deck, Unit 105-A
 2011 Mirage Tandem Axle Enclosed Utility Trailer; Ball Hitch, 7' X 15', Double Rear Doors, Side Doors, UNIT 136
 2001 Pace Tandem Axle Enclosed Utility Trailer; Ball Hitch, 8' X 18', Rear Fold Down Door, Side Door, Unit TRL-128

WHEEL LOADER

Komatsu Model WA-250-6 Rubber Tire 4-Wheel Drive Articulating Wheel Loader; S/N 75094, Engine Model SAA6D107E-1; S/N 26511357, 4-Speed Variable Shift Transmission, Traction Control System, Cab Enclosure, JRE Hydraulic Front Attachment Connect System, 60" Forks - No Bucket, 20.5R25 Tires, 120 Hours **SEE PHOTO**

GENERATOR SETS

70 KVA MQ Power Model DB-0831J Whisper Watt 70 Diesel Powered AC Generator Set; S/N 7302331, John Deere 4045TF Engine, 3-Phase and Single Phase Output, 240/480 or 240/120, 11,543 Hours, Tandem Axle Pintle Hook Trailers, Unit Gen 70-103



(3) Industrial Commercial Equipment Model HIS-700 Diesel Fired Construction Heaters



(10) Liberty Model P382LE41 Lift Pumps



(10) 2016 Mac Model TN1050 APB Pneumatic Tanker Trailers



2012 / 130 Barrel Hunter Somerset Welding / J&L Trailer Tandem Axle Water Trailer



2000 Benson Tandem Spread Axle Flat Bed Trailer

(2) 63 KVA Airman Model Power Pro65 Diesel Powered Portable Generator; Engine S/N 1476A60485, S/N 1476A60484, 240/480 Volts, Power Factor 80%, Phase-3 Tandem Axle Pintle Hook Trailer, 8,000 Hours Showing, Unit 504 **SEE PHOTO**

45 KVA MQ Power Diesel Powered AC Generator Set; S/N 72011238, Isuzu B-4BG1 Engine at 4.3 Liters, 3-Phase and Single Phase Output, 240/480 or 240/120, 18,000 Hours Showing, Unit Gen 70-104

180 KVA Federal Pacific Power Distribution Transformer; (4) 450 Volt Outlets, Unit TRNS150-110

(10) Trystar Model TSTB-3 Gang Portable Power Distribution Panels

(11) 280' Long H.D. Four Wire Power Cables w/ Plugs & Sockets

MISCELLANEOUS ITEMS

(3) Industrial Commercial Equipment Model HIS-700 Diesel Fired Construction Heaters; Beckett CF800 Oil Burners, 5 HP Blower Motor, Skid Mounted, Units HTR-101, HTR-102 **SEE PHOTO**

628 Gallon / 2000 L Above Ground Fuel Tank; S/N A00023237, with Tuthill 12 Volt Electric Pump **(New 2014)**

5,000 Running Watts Husky Gas Powered Portable Generator; Subaru Commercial Duty Engine

Therma-Stor Products Model Phoenix 200 Max High Capacity Dehumidifiers **SEE PHOTO**

(2) 180,000 BTU Diesel Powered Torpedo Heater

Lincoln Precision Tig 375 Tig Welder Large Quantity of Bulk Transfer Hose & Fittings, New Truck Parts, Two Phoenix Industrial Dehumidifiers, Various Used Washers & Dryers

SHOP EQUIPMENT AND TRUCKING ACCESSORIES

Large Quantity of Items Including; Power Team C-Frame Hydraulic Punch and Power Team Model PE102 Electric Pump (10,000 PSI), L-Tec PCM-750i Plasma Cutter, Digi-Tally Laser Pipe Tally System, Pneumatic Hand Tools, 2-Way Radis, Sockets, Thor jack Hammer,

Pneumatic Truck Jacks, Tire Change Rack, Pedestal and Floor Fans, 3" Dayton Gas Water Pump, Pneumatic Grease Pump, (4) IIR-24.5 Truck Tires (New), Chains, Chain Binders, Ratchet Straps, Wheel Chocks, Tarps, Tire Chains, New Brake Shoes, Air Brake Bladders, Air Brake housings, Aluminum Tool Boxes, Dock Plates, Hose Reels and Many Other Related Items

SPECIAL NOTICE

**Most Accommodation Units were Built Between 2011 and 2013. Most Units Equipped w/ Kitchenette, (2) Bedrooms, Bathroom / Showers, Living Area, Washer / Dryer, 240/120 Volt Single Phase Electric. Units are Built on H.D. Steel Frame for Use in Rugged Terrain. Certified by NTA & Manufactured by Modular Building Institute Member

ATCO Accommodation Unit Manufacturers Drawings Available at www.cia-auction.com



(16) 13' X 58' ATCO Model 13X58 "Tool Pusher" Accommodation Units



(3) 12' X 20' ATCO Model 12X20 Office "Bump Out" Units



(14) 12' X 58' ATCO Model 12X58-2BR-TP Accommodation Units

DAY ONE: TUNKHANNOCK, PENNSYLVANIA SOLD VIA PHOTO FROM WV LOCATION

WELLSITE LIVING ACCOMMODATION UNITS

13' X 60' ATCO Double End Accommodation Unit; Each End with 8" X 8" Bedroom, Full Bath, 12' X 17' Kitchen / Living Area, Appliances, Common Laundry Room, Heat / Air Conditioning Units (Known as SA08 Unit)

(16) 13' X 58' ATCO Model 13X58 "Tool Pusher" Accommodation Units; (2) Bedrooms, (1) Full Bath, (1) Half Bath, 12' X 17' Kitchen / Living Area with Appliances, Some Furniture, Some with TVs, Washer / Dryer, 10' X 12' Office Space, Heat / Air Conditioning Units, Some with Colorado Certification, (Known as SA02 Units) **SEE PHOTO**

(14) 12' X 58' ATCO Model 12X58-2BR-TP Accommodation Units; 12' X 12' Office with Half Bath, (2) Bedrooms with Shared Full Bath, 12' X 17' Kitchen / Living Areas with Appliances, Some Furniture, Some with TVs, Washer / Dryer, Heat / Air Conditioning Units, Some with Colorado Certification (Known as SA05 Units) **SEE PHOTO**

(3) 13' X 54' ATCO Model 13X54 "Crew Quarters" Accommodation Units; (2) Bedroom Configuration, 8' X 12' Bedroom on

Each End with Full Baths for Each, Shared 12' X 19' Kitchen / Living Area with Appliances, Washer / Dryers, Heat / Air Conditioning Units, Some with Colorado Certifications (Known as SA01 Units)

(3) 12' X 20' ATCO Model 12X20 Office "Bump Out" Units; End Entrance Doors, Side Bump Out Doors, Heat / Air Conditioning Units, Work Surfaces, Some Furniture, Some with TVs, Some Appliances (Known as SA10 Unit) **SEE PHOTO**

SEPTIC AND WATER SYSTEM

Conventional 8' X 20' Conex Type Storage Containers with (2) 1,500 Gallon Plastic Combo Water/Septic Holding Tanks; 3/4 HP Electric Water Pumps, 40 Gallon Diaphragm Pressure Tanks, Doors at Both Ends

(7) Conventional 8' X 20' Conex Type Storage Containers with 3,500 Gallon Plastic Holding Tanks; Liberty Model P382LE41 Sewage Lift Pumps, Related Hoses and Connectors, Containers are Insulated with Electric Heaters and Lights **SEE PHOTO**

(5) Conventional 8' X 20' Conex Type Storage Containers with 3,500 Gallon Plastic Water Holding Tanks; 3/4 HP Electric Water Pumps, 40 Gallon Diaphragm

Pressure Tanks, Related Hoses and Connectors, Containers are insulated with Electric Heaters and Lights

WHEEL LOADER

Komatsu Model WA250 to Articulating Rubber Tire 4-Wheel Drive Loader; S/N 75028, with JRB Quick Disconnect, Cab Enclosure, 13,711 Hours, 60" JRB Forks, 2-1/2 Yard JRB Bucket, ACS Industries Pipe Fork Clamp, JRB Boom **SEE PHOTO**

OTHER EQUIPMENT

183 KVA Doosan / Ingersoll Rand Model G185 Diesel Powered Generator; S/N 403326UGSC28, 6-Cycle John Deere Engine, OM Doosan Tandem Axle Pintle Hitch Trailer; S/N 4FVGF848U403326, 8,775 Hours **(New 2008)** **SEE PHOTO**

(2) 150 KVA Federal Pacific Transformer / Distribution Units; CAT # T4T150E, Units TRNS150-101 and TRNS150-10C

(13) HD 8' X 8' Vinyl Spill Containment Pads

(20) 280' Long H.D. Four Wire Power Cables w/ Plugs & Sockets



183 KVA Doosan / Ingersoll Rand Model G185 Diesel Powered Generator



(7) Conventional 8' X 20' Conex Type Storage Containers with 3,500 Gallon Plastic Holding Tanks



Komatsu Model WA250 to Articulating Rubber Tire 4-Wheel Drive Loader

NEW 2008

NEW 2012

DAY TWO / LOCATION ONE – THURSDAY, JUNE 29TH – 10:00 AM



(4) 12' X 20' ATCO Model 12X20 Office "Bump Out" Units



(3) 12' X 58' ATCO Model 12X58-2BR-TP Accommodation Units



(9) 13' X 60' ATCO Double End Accommodation Unit

DAY TWO: COLORADO – ONSITE LOCATION

ATCO OILFIELD JOBSITE ACCOMMODATION UNITS & COMMAND CENTERS

(9) 13' X 60' ATCO Double End Accommodation Unit; Each End with 8" X 8" Bedroom, Full Bath, 12' X 17' Kitchen / Living Area, Appliances, Common Laundry Room, Heat / Air Conditioning Units, Units have Colorado Certification (Known as SA08 Unit)

SEE PHOTO

(9) 13' X 58' ATCO Model 13X58 "Tool Pusher" & "Company Man" Accommodation Units; (2) Bedrooms, (1) Full Bath, (1) Half Bath, 12' X 17' Kitchen / Living Area with Appliances, Some Furniture, Some with TV's, Washer / Dryer, 10' X 12' Office Space, Heat / Air Conditioning Units, Units have Colorado Certification (Known as SA02 Units)

(3) 12' X 58' ATCO Model 12X58-2BR-TP Accommodation Units; 12' X 12" Office with Half Bath, (2) Bedrooms with Shared Full Bath, 12' X 17' Kitchen / Living Areas with Appliances, Some Furniture, Some with TV's, Washer / Dryer, Heat / Air Conditioning Units, Units have Colorado Certification (Known as SA05 Units)

(3) 12' X 52' ATCO Model 12X52 "Crew Quarters" Accommodation Units; (2) Bedroom Configuration, 8' X 12' Bedroom on Each End with Full Baths for Each, Shared 12' X 19' Kitchen / Living Area with Appliances, Washer / Dryers, Heat / Air Conditioning Units, Some with Colorado Certifications (Known as SA01 Units)

SEE PHOTO

(4) 13'4" X 40' ATCO Office Command Centers; (2) Office Units on Each End, Shared Center Kitchenette (Known as SA07 Unit)

(4) 12' X 20' ATCO Model 12X20 Office "Bump Out" Units; End Entrance Doors, Side Bump Out Doors, Heat / Air Conditioning Units, Work Surfaces, Some Furniture, Some with TV's, Some Appliances (Known as SA10 Unit)

SEE PHOTO

WATER & SEPTIC SYSTEMS

(14) Conventional 8' X 20' Conex Type Storage Containers with 3,500 Gallon Plastic Water Holding Tanks; 3/4 HP Electric Water Pumps, 40 Gallon Diaphragm Pressure Tanks, Related Hoses and Connectors, Containers are insulated with Electric Heaters and Lights

(11) Conventional 8' X 20' Conex Type Storage Containers with 3,500 Gallon Plastic Holding Tanks; Liberty Model P382LE41 Sewage Lift Pumps, Related Hoses and Connectors, Containers are insulated with Electric Heaters and Lights

(10) Liberty Model P382LE41 Septic Lift Stations; 40 Gallon Basin Capacity

VACUUM TANK TRUCKS

2015 Mack Model GU713 Tandem Axle Conventional Cab Vacuum Tank Truck; S/N 1M2AX07C2FM021574, Mack MP8-445C Diesel Engine, Maxitorque T310/MLR Ten-Speed Transmission, (2) 13,500 Lb. Hendrickson Steerable Tag Axles, J&J Body 100 BBL (4,400 Gallon) Dyna Hauler Steel Pressure Vacuum Tank, Fruitland RCF500 Pump, Hose Trays, Toolbox, 37,472 Miles Showing, Unit 204

SEE PHOTO

2007 Freightliner Tandem Axle Conventional Cab Vacuum Tank Truck; Eaton Fuller Transmission, Detroit Diesel 445 HP 12.7 Liter Engine, 3,500 Gallon Aluminum Vacuum Tank Body, Hose Trays, Quick Disconnects, Toolbox, Unit 102

SEE PHOTO

2007 International Tandem Axle Vacuum Tank Truck; Vin #1HSXR5BT07J524672, Caterpillar C13 Acert Diesel Engine, 3,660 Gallon Kee Vac Model LMT3360 Steel Vacuum Tank Body w/ Pump, Unit 101

SEE PHOTO

WHEEL LOADER

2008 Komatsu Model WA250-6 Articulated Wheel Loader; S/N A76136, 140 HP, 6.7 Liter 6-Cylinder Turbo Diesel Engine, Enclosed Cab, 3 1/2 Yard Bucket, Fork Attachment, Jib Attachment

PORTABLE DIESEL GENERATORS

350 KVA / 275 KW John Deere Trailer Mounted Diesel Generator; S/N RG6081H260902, 8.1 Liter John Deere Diesel Engine, Tri-Axle Trailer Mounted, Fuel Tank, 1 & 3-Phase Electric, Control Panel

290 KVA / 232 KW Ingersoll Rand / Doosan Trailer Mounted Diesel Generator; Tandem Axle Trailer, Fuel Tank

SEE PHOTO

(5) 200 KVA / 160 KW Pramac Trailer Mounted Diesel Generators; 6.1 Liter Perkins APKXL06.6PJ1 Diesel Engine, ZBM 12,000 Lb. GVW Tandem Axle Trailer, Fuel Tank, 1 & 3-Phase Electric, Control Panel, Toolbox (New 2014)

SEE PHOTO

150 KVA Power Pro Model SDG-150 Trailer Mounted Diesel Generator

70 KVA MQ Power Whisperwatt Model DCA-70SSJU Trailer Mounted Diesel Generator; S/N 7302040, 1 & 3-Phase, 4-Cylinder John Deere Model 4045TF Diesel Engine, Control Panel

TRYSTAR POWER DISTRIBUTION EQUIPMENT

(7) 150 KVA Trystar Portable Power Distribution Units; Federal Pacific Catalog # T4T150E Transformer, H.D. Plug Sockets, Steel Framework, UL Listed, 480 Volt, 200 Amp, 30/60 Hz Input

SEE PHOTO

(2) 30 KVA Federal Pacific Catalog #T4T30E Transformers

(30) 280' Long H.D. Four Wire Power Cables w/ Plugs & Sockets

MODULAR FUEL TANKS

(4) 500 Gallon / 2,000 Liter Western Global Fuel Cube Model FCP500 Double Wall Diesel Fuel Tanks; Stackable, Fork Pockets, UL Listed, Lockable Ports

PICKUP TRUCK

2008 Ford F-350 Crew Cab 4x4 Pickup Truck; Automatic Transmission, Unit 110



2015 Mack Model GU713 Tandem Axle Conventional Cab Vacuum Tank Truck



2007 Freightliner Tandem Axle Conventional Cab Vacuum Tank Truck



2007 International Tandem Axle Vacuum Tank Truck



290 KVA / 232 KW Ingersoll Rand / Doosan Trailer Mounted Diesel Generator



(5) 200 KVA / 160 KW Pramac Trailer Mounted Diesel Generators



(7) 150 KVA Trystar Portable Power Distribution Units



(16) 13' X 58' ATCO Model 13X58 "Tool Pusher" & "Company Man" Accommodation Units



(5) 13' X 40' ATCO Model 13X40 "Crew Quarters" Accommodation Units



(7) 12' X 58' ATCO Model 12X58-2BR-TP Accommodation Units

**DAY TWO: WILLISTON, NORTH DAKOTA
SOLD VIA FROM CO LOCATION**

**ATCO OILFIELD
JOBSITE ACCOMMODATION UNITS &
COMMAND CENTERS**

(4) 13' X 60' ATCO Double End Accommodation Unit; Each End with 8' X 8' Bedroom, Full Bath, 12' X 17' Kitchen / Living Area, Appliances, Common Laundry Room, Heat / Air Conditioning Units, Some have Colorado Certification (Known as SA08 Unit)

(16) 13' X 58' ATCO Model 13X58 "Tool Pusher" & "Company Man" Accommodation Units; (2) Bedrooms, (1) Full Bath, (1) Half Bath, 12' X 17' Kitchen / Living Area with Appliances, Some Furniture, Some with TV's, Washer / Dryer, 10' X 12' Office Space, Heat / Air Conditioning Units, Some with Colorado Certification, (Known as SA02 Units)

SEE PHOTO

(7) 12' X 58' ATCO Model 12X58-2BR-TP Accommodation Units; 12' X 12' Office with Half Bath, (2) Bedrooms with Shared Full Bath, 12' X 17' Kitchen / Living Areas with Appliances, Some Furniture, Some with TV's, Washer / Dryer, Heat / Air Conditioning Units, Some with Colorado Certification (Known as SA05 Units)

SEE PHOTO

(7) 13' X 54' ATCO Model 13X54 "Crew Quarters" Accommodation Units; (2) Bedroom Configuration, 8' X 12' Bedroom on Each End with Full Baths for Each, Shared 12' X 19' Kitchen / Living Area with Appliances, Washer / Dryers, Heat / Air Conditioning Units, Some with Colorado Certifications (Known as SA01 Units)

SEE PHOTO

14' X 42' ATCO 2-Bedroom Accommodation Unit; (2) Bedroom Configuration, Shared Full Bath, Shared Kitchen / Living Area with Appliances, Washer / Dryers, Heat / Air Conditioning Units, Some with Colorado Certifications (Known as SA09 Unit)

(5) 13' X 40' ATCO Model 13X40 "Crew Quarters" Accommodation

Units; (2) Bedroom Configuration, Bedroom on Each End with Full Baths for Each, Shared Kitchen / Living Area with Appliances, Washer / Dryers, Heat / Air Conditioning Units, Some with Colorado Certifications (Known as SA06 Units)

SEE PHOTO

(6) 13'4" X 40' ATCO Office Command Centers; (2) Office Units on Each End, Shared Center Kitchenette (Known as SA07 Unit)

(3) 12' X 20' ATCO Model 12X20 Office "Bump Out" Units; End Entrance Doors, Side Bump Out Doors, Heat / Air Conditioning Units, Work Surfaces, Some Furniture, Some with TV's, Some Appliances (Known as SA10 Unit)

**PORTABLE
GENERATOR SETS**

183 KVA Doosan / Ingersoll Rand Model G185 Diesel Powered Generator; 183 Prime KVA, 6-Cycle John Deere Engine, OM Doosan Tandem Axle Pintle Hitch Trailer; S/N 4FVGF848U403325, Unit 102 (New 2008)

SEE PHOTO

63 KVA Airman Model Pro 65 Diesel Powered Generator; 40/480 Volts, Tandem Axle Pintle Hook Trailer

(3) 150 KVA Trystar Portable Power Distribution Units; Federal Pacific Catalog # T4T150E Transformer, H.D. Plug Sockets, Steel Framework, UL Listed, 480 Volt, 200 Amp, 30/60 Hz Input

(20) 280' Long H.D. Four Wire Power Cables w/ Plugs & Sockets

**VACUUM TANKER
TRUCKS**

(2) 2013 Freightliner Model 1145D Conventional Cab Tandem Axle Vacuum Tanker Trucks; Air Lift Tag Axle, 500 HP 12.7 Liter Detroit Diesel Engine, 10-Speed Eaton Fuller Transmission, 100 BBL / 4,200 Gallon Aluminum Vacuum

Tank, 42,200 Miles Showing & 55,000 Miles Showing, Units 103 & 104

SEE PHOTO

(8) System One Toolboxes

2008 Komatsu Model WA250-6 Articulated Wheel Loader; S/N A76137, 140 HP, 6.7 Liter 6-Cylinder Turbo Diesel Engine, Enclosed Cab, 3 1/2 Yard Bucket, Fork Attachment, Jib Attachment, 9,125 Hours Showing

SEE PHOTO

**STEEL SHIPPING
CONTAINERS**

(2) 8' X 8' X 40' Long Steel Shipping Containers w/ Lights & Electric

**WATER & SEPTIC
SYSTEMS**

(2) Conventional 8' X 20' Conex Type Storage Containers with (2) 1,500 Gallon Plastic Combo Water/Septic Holding Tanks; 3/4 HP Electric Water Pumps, 40 Gallon Diaphragm Pressure Tanks, Doors at Both Ends

(22) Conventional 8' X 20' Conex Type Storage Containers with 3,500 Gallon Plastic Water Holding Tanks; 3/4 HP Electric Water Pumps, 40 Gallon Diaphragm Pressure Tanks, Related Hoses and Connectors, Containers are insulated with Electric Heaters and Lights

(18) Conventional 8' X 20' Conex Type Storage Containers with 3,500 Gallon Plastic Septic Holding Tanks; Liberty Model P382LE41 Sewage Lift Pumps, Related Hoses and Connectors, Containers are Insulated with Electric Heaters and Lights

(10) Liberty Model P382LE41 Septic Lift Stations; 40 Gallon Basin Capacity, (1,000's) of Feet of Septic & Water Cold Hose

Large Quantity of Septic & Water Insulated Cold Transfer Hose

SEE PHOTO



NEW
2013

(2) 2013 Freightliner Model 1145D Conventional Cab Tandem Axle Vacuum Tanker Trucks



2008 Komatsu Model WA250-6 Articulated Wheel Loader



(7) 13' X 54' ATCO Model 13X54 "Crew Quarters" Accommodation Units

WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at www.proxibid.com at least 48-Hours Prior to the Sale Date, **if you do not you will not be approved.**
- > All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**

Live Online Bidding Powered By: **proxibid**



183 KVA Doosan / Ingersoll Rand Model G185 Diesel Powered Generator



Large Quantity of Septic & Water Insulated Cold Transfer Hose



(42) Conventional 8' x 20' Conex Type Storage Containers w/ 3,500 Gallon Plastic Water & Septic Holding Tanks

PUBLIC PUBLIC

AUCTION

COMPLETE LIQUIDATION

TWO DAY, TWO LOCATION AUCTION
ACCOMMODATION HOLDINGS, LLC
 Yard Sites in Pennsylvania, West Virginia,
 Colorado and North Dakota

SALE DATES:
DAY ONE: THURSDAY, JUNE 22ND
SALE LOCATION
 2481 River Rd., Wellsburg, West Virginia 26070
 5938 SR 87, Tunkhannock, Pennsylvania 18657 - Being Sold Via Photo
DAY TWO: THURSDAY, JUNE 29TH
SALE LOCATION
 23000 Hwy 257, Milliken, Colorado 85043
 5083 Bennett Loop, Williston, North Dakota 58801 - Being Sold Via Photo
BOTH DAYS STARTING AT 10:00 AM

INSPECTION: The Tuesday and Wednesday
 Prior to Each Auction From 10:00 AM to 4:00 PM



Cincinnati Industrial Auctioneers Inc.
 2020 DUNLAP STREET
 CINCINNATI, OHIO 45214

Myron Bowling Auctioneers Inc.
 P.O. BOX 369
 ROSS, OHIO 45061

PRE-SORT
 FIRST CLASS
 U.S. POSTAGE
PAID
 CINCINNATI, OHIO
 PERMIT NO. 3593

FIRST CLASS MAIL!



Important Mail
 TO BE DIRECTED TO THE ATTENTION
 OF EXECUTIVE PERSONNEL

PUBLIC PUBLIC

AUCTION

COMPLETE LIQUIDATION

TWO DAY, TWO LOCATION AUCTION
ACCOMMODATION HOLDINGS, LLC
DAY ONE: THURSDAY, JUNE 22ND - 10:00 AM
SALE LOCATION
 2481 River Rd., Wellsburg, West Virginia 26070
 Tunkhannock, Pennsylvania - Being Sold Via Photo
DAY TWO: THURSDAY, JUNE 29TH - 10:00 AM
SALE LOCATION
 23000 Hwy 257, Milliken, Colorado 85043
 Williston, North Dakota - Being Sold Via Photo

IMPORTANT NOTICE:
 Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avoid themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.
MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

TERMS OF SALE
 All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website. 15% Onsite and 18% Online Buyers Premium In Effect For This Sales

AUCTIONEERS
 Cincinnati Industrial Auctioneers, Inc. - PA License No. AY002219
 Jeffrey L. Luggen - WV License No. 563 & PA License No. AU003274R
 Myron Bowling Auctioneers, Inc. - PA License No. AY000090L
 Myron C. Bowling - PA License No. AU003150R



DIRECTIONS
Day One Location Wellsburg, WV: From Downtown Wheeling, West Virginia Proceed North on Market Street for 1/2 Mile to Left Turn onto 7th Street. Take First Right onto Main Street/WV-2 North. Continue for 11 Miles on WV-2 North to Sale Site on Left. Watch for Auction Signs and Auction Parking.
Day Two Location Milliken, CO: From Downtown Denver Proceed North on I-25 for 41 Miles to Exit 252 for CO-60 East Towards Johnstown/Milliken. Turn East onto CO-60, Continue 6 Miles to Left Turn onto CO-257 North. Proceed 500 Feet to Sale Site on Right. Watch for Auction Signs and Auction Parking.

15% ONSITE BUYERS PREMIUM
18% ONLINE BUYERS PREMIUM