HVAC SHEET METAL DUCT MANUF INCLUDING DUCT LINES, ROLLFORME RS BRA SHEARS, ROLLS AND SUPPORT FOUPMENT



6" Cleveland Tool Takeoff Machine





Overall View 8' Rectangular Duct Machine



SALE UNDER THE MANAGEMENT OF

20 Ga. X 10' Engel Model 10BA Hydraulic Brake

Featuring: 6" Cleveland Tapered Take-off Machine (Rebuilt 2004), 8' Rectangular Duct Machine, 10' Lockformer Round Snap Lock Pipe Machine, Harper Slip and Drive Line, (12) Roll Formers, (7) Elbow Machines, (6) Boot Folders, (4) Pneumatic Toggle Press Heads, (5) Lockformer Duct Notchers, CoLatch Machine, (9) Brakes, (3) Shears, (7) Bending Rolls, (3) Slitters, (4) Cleat Formers, (3) Band Saws,
(7) OBI Presses, (19) Riveters, (6) Lift Trucks, Man Lift, Sweeper, Scrubber, Racks, Truck, Shop and Support Equipment

Plant Closed

ERICAN AIR DUCT, INC. 300 Arentzen Blvd – Charleroi, Pennsylvania 15022

30 Miles South of Pittsburgh. PA

SALE DATE: Tuesday, May 22nd Starting at 9:00 AM

INSPECTION: Monday, May 21st 10:00 AM to 4:00 PM www.cia-auction.com Features:

To Become see Instructions a Qualified Bidder on Page 2 Sidder on the Internet

Sid Soler-Com.

Upcoming Sale Information Liquidation & Equipment Section Email Auction Notification **Recent Auction Results** Lot Catalog Listings **Photo Galleries** Downloadable Forms Complete Terms of Sale Staff Profiles **Reference Information**



(10) Various Roll Forming Machines By Flagler, Lockformer and Maplewood

ncinnati Industrial Auctioneers Inc. 2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 WEBSITE: cia-auction.com for printable brochures, catalog, terms and proxy-bidding





Overall View 8' Rectangular Duct Machine



Harper Model Unknown Slip and Drive Line



22 Ga. Flagler Model HSCM 10-Stand Roll Former





4"- 8" Welty Way Colatch



6" Snappy Automatic Elbow Machine

TUESDAY, MAY 22ND - 9:00 AM



Close-Up View 10' Lockformer Round Snap Lock Pipe Machine Rollformer Section

TAKEOFF MACHINE 6" Cleveland Tool Model

6065-001 Dual Automated Tapered Takeoff Machine; S/N Allen Bradley DTAM Micro N/Å DRO 10 HP Palm Controls Hydraulic (Rebuilt 2004) 6" Cleveland Tool Model 180-**004 Taper Takeoff Beader Machine;** S/N N/A, Full and Half

Tab, 5 HP, Palm Control, Hydraulic (Rebuilt 2004) To Be Sold Separate and

Overall

RECTANGULAR **DUCT MACHINE** 8' Rectangular Duct Machine

Consisting Of; Lockformer 9-Stand Duplex Roll Former; S/N 9010363, For M&F Snaplock Duct, 52" NOR Inline Crossbrake; S/N 024, 62" X 128" Lockformer Roller Conveyor Transfer Table; S/N CONV267 w/ 90 Degree Transfer

ROUND PIPE MACHINE 10' Lockformer Round Spiral

Lock Pipe Machine Consisting of: 24 Ga. Lockformer 10-Stand Duplex Roll Former: S/N 420, 24 GA, M&F Button Lock Pipe, 10 HP, 150 FPM, Lockformer Motorized Roller/Pusher Transfer Table: S/N 2270, 90 Degree Transfer, 1/2 HP, 10' X 2" Lockformer Pipe Roller; S/N 229, Oval and Round Pipe, Roll, Crimp, Bead, 1-1/2 HP, Control Panel

HARPER SLIP AND **DRIVE LINE**

Harper Model Unknown Slip and Drive Machine; S/N 84122, Dual Feed, 8" Cutoff, Drives and Bridging Strips, Conveyo Hydraulic SE SEE PHOTO

2,000 LB Plessey Model PR16200M Electric Uncoiler; S/N 1084-031. 1.5 HP

ROLL FORMERS

22 Ga. Lock Former 8-Stand Roll Former; S/N 3483, 22 GA, 3-in-1, Slips, 1.5 HP

26 Ga. Flagler 10-Stand Roll Former; S/N B123-657, 26 GA, 3-in-1, Double 90 HEM, 3 HP

Flagler Model R972 H5CC 10-Stand Roll Former; S/N H5CC3851071, Slips, Custom Reeves Lock, 3 HP

Flagler Mode H5CL 10-Stand Roll Former; S/N HSCL264969, Stack Clip, 3 HP

Flagler Model Unknown 10-Stand Roll Former; S/N N/A, 3-in-1, 1.5 HP Flagler Model HSCBC 10-

Stand Roll Former; S/N HSCBC459885, Drives, Stack Clips, HEM, 5 HP 22 Ga. Flagler Model HSCM

10-Stand Roll Former; S/N HSC5L460885, 3-in-1, Slips, HEM 22 Ga, 5 HP SEE PHOTO

10-Stand Roll Former; S/N SL2510B137, 24GA

Duplex 9-Stand Roll Former; S/N 1894.G.924, M&F Snaplock SEE PHOTO Duct

COLATCH MACHINE

4"- 8" Welty Way Colatch; S/N 20923, 6" Throat, 4"- 8" Tooling 3/4 HP SEE PHOTO

ELBOW MACHINES (4) Maplewood Model 100A

Elbow Machines; S/N 1450-CA, 1234-CA, 1650-CA, 1687-CA, 1 HP, Dual 16" Throat, Crimp Station, Foot Pedal

6" Snappy Automatic Elbow Machine; S/N EL-6-88-121 SEE PHOTO

(2) Ingles Double End and (3) Ingles Single End Elbow Machines; S/N N/A, Dual 14" Throats, Foot Pedal

BOOT FOLDERS (3) 12" Pneumatic Boot

Prior to the Start of the Auction.

Rivet Tab, Back Bend, Foot Pedal,

Tabs, Back Bead, Foot Pedal, No.

0323 - 2-3/4" Max Depth, Folds

Throat, Rivet Tabs, Back Bend,

(3) 10" Pneumatic Boot

Folders; No. 0325 - 8" Max

Depth, Folds Both Rivets and Tabs.

No. 0321 - 4-1/2" Max Depth Rivet

Rivet Tab, Back Bead, Foot Pedal.

Tabs, Back Bead, Foot Pedal, No.

0324 - 2 -- 3/4" Max Depth, Folds

10 Ton BTM Model DSAGP-

10-H Toggle Press Head; S/N

N/A, Ram Style 100, 3/8" Stroke

Limiter, 7.12" Ram Length

(2) 5 Ton BTM Model

DSAGP-5-H Toggle Press

Heads; S/N N/A, Ram Style 150, 3/8" Stroke Limiter, 13.3" Ram

2 Ton BTM Model DSAGP-2-

H Toggle Press Head; S/N N/A

Ram Style 150, 1/2" Stroke Limiter, 13.3" Ram Length

DUCT NOTCHERS

16 Ga. X 60" Lockformer 6-Head Adjustable Hydraulic

Notcher; S/N N/A, (2) End Notch,

(2) V Notch, Foot Pedal, Hydraulic

Notcher; S/N N/A, (2) End Notch, V Notch, Foot Pedal, Hydraulic

16 Ga. X 60" Lockformer 3-

Head Adjustable Hydraulic

16 Ga. X 48" Lockformer 5-

Hydraulic Notcher; S/N VG-1552, (2) Double Ends End and V

Adjustable Hydraulic Notcher;

Notch, (2) Button Punch, Foot

16 Ga. X 6' Lockformer

S/N N/A, No Notching Heads

20 Ga. X 10' Lockformer 5-

Head Dual Adjustable

Pedal, Hydraulic

Throat, Rivet Tabs, Back Bend,

PNEUMATIC

TOGGLE PRESS

Foot Pedal

Foot Pedal

HEADS

Length

No. 0322 - 4-1/2" Max Depth Rivet

BRAKES

10' Chicago Model SB104 Mechanical Brake; S/N 118073, Multi Bottom Die, 90 Degree SEE PHOTO Upper 20 Ga. X 10' Engel Model 10BA Hydraulic Brake; S/N 2091-A-78, Bendall, 90 Degree SEE PHOTO

(2) 10' Engel Model 10BA-500 Mechanical Brakes; S/N 1217-6 and 1408-6R,, Bendall, Partial 90 Degree SEE PHOTO

96" Chicago Model S/B Mechanical Brake; S/N 105134, Bendall, 90 Degrees fixed

72" Dries and Krump Model 335 Mechanical Brake; S/N L2266, Variable Speed, (O.O.S)

48" Whitney-Jensen Manual Hand Brake; S/N 416-1129-459, 16 Gauge, Low Beam Clamping

36" Falsington Model DB36 Mechanical Brake; S/N 502, Light Duty, 90 Degree Fixed

SHEARS

12 Ga. X 48" Pexto Model 12-U-4-H Kick Shear; S/N 634748, Manual Crank, Precision Back Gauge, 12 Gauge

42" Whitney-Jensen Model 7242 Kick Shear; S/N 1761150, Manual Back Gauge, New Blades

16 Ga. X 36" Peck Stow and Wilcox Model 137K Kick Shear; S/N 11/58, 16 Gauge Capacity, No Back Gauge

ROLLS

36" Tennsmith Bench Mount Manual Bending Roll; S/N N/A 36" Pexto Model 381D Bench Mount Manual Bending Roll; S/N 2433485, 22 Gallon

36" Maplewood Model 360P Power Bending Roll; S/N 1973360P, 3/4 HP

36" Frederick Model 2236 Bench Mount Manual Bending Roll; S/N 46-3902 32" Manufacturer Unknown Power Bending Roll; S/N N/A

WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, if you do not you will not be approved.
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. Period.
- > Only Major Items Will be Available for Online Bidding. Please refer to the Listing on www.bidspotter.com for Available Online Items.
- There is a 15% Buyer's Premium in Effect for All Online Purchases.
- > We Highly Recommend that Potential Buyers Attend this Auction & Bid
- Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium. No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours



Head Adjustable Hydraulic Notcher; S/N N/A, (2) End Notch, Folders; No. 0326 - 9-1/2" Max (3) V Notch Depth. Folds Both Rivets Tabs

Lock Former 9-Stand Triplex Roll Former; S/N N/A, Drives, S-Slips, Variable Speed **Maplewood Duplex 9-Stand** Roll Former; S/N N/A, M&F Button Lock Pipe Tooling 24 Ga. Flagler Model 2664

Maplewood Model 924

AMERICAN AIR DUCT, INC.



10' Chicago Model SB104 Mechanical Brake

26" Forest Valley Power Bending Roll; S/N N/A, 1/2 HP, 22" X 48" Table

18" Manufacturer Unknown Power Bending Roll; S/N N/A, Crimp, Bead, 1/3 HP

SLITTERS

16 Ga. X 24" Wilder Model 1624 Slitter; S/N 25591, 3/4 HP (0080)

20 Ga. X 36" Thrifty Slitter; S/N 273, Two Knives, 1/3 HP (0740)

20 Ga. X 24" Wilder Model 2024 Slitter; S/N 20034, 1/3 HP (0081)

CLEAT FORMERS AND BAR FOLDERS

24" Lockformer Bench **Mounted Cleat Former** (3) Bench Mounted Cleat

Formers; (1) 18" Tennsmith (1) 18" Lockformer and (1) 12" Engel

30" Niagara Bench Mounted Bar Folder (2) 21" Arrow Bench

Mounted Bar Folder

GANG PUNCH

24" Maplewood Gang Punch; S/N N/A, 5 Punches, 3/4 HP

STAMPING DIES

(7) Cleveland Stamping Dies including Overhead, Sq to Rd Atto and Elbow Boot, Various Sizes

BAND SAWS

36" DoAll Model V36 Vertical Band Saw; S/N 36514885, 66" X 72" Table, Welder

30" DoAll Model 3012-U Vertical Band Saw; S/N 147-62488, 47" X 70" Table, 1/4" X 160" Blade

20" DoAll Model 2013-V Vertical Band Saw: S/N 500-992306 48" X 60" Table 1/4" X SEE PHOTO 154" Blade

OBI PRESSES (2) 25 Ton Rousselle No. 3

OBI Punch Presses; S/N DAS12880, DASA11086, 3" Stroke, 1-1/2" Adjustment, 9-3/4" Shut Height, Air Clutch, 12" Edge Notch

(2) 20 Ton Walsh Model 20X **OBI Punch Presses;** S/N 12496, 12484, 4" Stroke, 12" X 20" Bed,

Air Clutch, Palm Controls. 15 Ton Rousselle No. 15H OBI Punch Press; S/N CH-13359, 2" Stroke, 4-1/2"-12" Adjustable Shut Height, 1-1/2" Adjustment, 160 SPM, 8" X 8" Bed and Ram

12 Ton Alva Allen Model BT-**12 OBI Punch Press;** S/N JKB64571, 1-3/4" Stroke, 6 3/4" Shut Height, 1-1/2" adjustment, 160 SPM, 8-1/2" X 14" Bed

Feed Lease Model FL 11/2-12X12 Pneumatic Grip Air Feed; S/N 3693, 12" Stroke

RIVETERS Mid-Rivers Machinery Model

AC38 Clincher; S/N 132, 8" Throat, Pneumatic, 28-20 6A, Foot Pedal (New 2003)

(8) Thompson Model 162 **Riveters;** S/N 5495, 194B, 394B, 514D, 202, 132, 119, 668N, 16" Throat, Foot Pedal

(5) Thompson Model 161 Riveters; S/N 3871, 1296, 4688F, 4045E, 6106, 9" Throat, 1/8" Rivets

(4) Chicago Rivet Model 912-**802 Riveters;** S/N 6032, N/A, 6810, 807, 12" Throat, Foot Pedal Manufacturer Unknown **Riveter;** S/N N/A, 16" Throat, Foot Pedal

LIFT TRUCKS AND RELATED 12,000 LB Hyster Model

S125A LP Gas Lift Truck; S/N A024D03195W, Hard Tire, 2-Stage Mast, 129" Lift Height, 12' Long Forks SEE PHOTO

10,000 LB Hyster Model S100XL LP Gas Lift Truck; S/N D004D0373BU, Solid Tire, 3-Stage Mast, 184" Lift Height. Needs Confirmation of if it is in the sale

10,000 LB Hyster Model S100B LP Gas Lift Truck; S/N A017D01594N, Hard Tire, 3-Stage Mast, 206" Lift Height

BRAKES AVAILABLE

(2) 10' Engel Model 10BA-500 Mechanical Brakes

(2) 4.000 LB Clark Model ST40B Electric Walk Behind Stacker: S/N's ST245-0084PM6238,

ST245-0086PM6238, 2-Stage Mast, 130" Lift Height, 24V With Battery Charger

3,000 LB Cat Model NOR30 Electric Order Picker; S/N 2ML-00224, 183" Lift Height, 24V With Battery Charger SEE PHOTO 3.000 LB Yale Model

NR040AC Electric Order Picker; S/N A815N03114T, 3-Stage Mast, 203" Lift Height, 24V With Battery Charger

Marklift Model 30KBN Electric Boom Lift; S/N 1087M3040, 500 LB Capacity, 30' Max Platform Height, 551 Hours,

w/Charger Economy Model Unknown Electric Man Lift; S/N N/A, 10' Max Platform Height

6.000 LB Cat Model NPV60 Electric Walk Behind Pallet Truck; S/N 2HL04054, 24V

SEE PHOTO Convertomatic Model 395725 Electric Walk Behind Floor

Scrubber; S/N 435711, 36V Tennant Model 42E-HD Electric Power Sweeper; S/N 6110, 24V

Forklift Accessories Including; 42" Forks, 48"Forks, 60" Forks, 7 X 84" Fork Extensions, 6" X 60" Fork Extensions

MISC. EQUIPMENT (2) 10,000 LB Autoquip

Model 36C8F100 Electric Lift Table: S/N 78435845-A. 78438545-B. 4' X 9' Table. Foot

Pedal 10,000 LB Toledo Model 2255 Scale w/ 4' X 4' Platform

250 Amp Miller Model CP-250TS Welding Source; with Miller Wire Feed

IPM Model 20/20 Rotary Table Stretch Wrapper; S/N N/A, 5' Rotary Table, 7' Max Height (3) Tytech Model SS525 Semi Automatic Strapping

(2) Strapack Model D-53

RACK – ALL TYPES

(175) Pallet Rack Uprights in Depths to 48" and Heights to 216" SEE PHOTO (575) Pallet Rack Cross Beams In Faces to 6" and Widths to 144' (425) Stacking Racks In Sizes to 102" X 42" X 60" H SEE PHOTO

20 HP Kellog American Model

QT15ST1500361 Horizontal

SHOP EQUIPMENT

(Lot) Shop Equipment Consisting of; Ladders of all Types, (8) Pallet Jacks, (5) Wright-Self Dumping Hoppers, (7) Pneumatic Box Staplers, (1) Pneumatic Bander, (30) Wheeled Flatbed Shop Carts, (40) Portable and Stationary Steel Tables, (6) Lengths Lifting Chain, (11) Adjustable Material Stands, (2) Banding Carts, 10,000 LB Hydroscale Crane Scale, (18) Miscellaneous Motors, Hand Carts, Fans. Tools and Many Other Related Items



(1 of 5) Lockformer Multi-Head Hydraulic Notchers



(10) ELBOW MACHINES AVAILABLE

(3 of 10) Single and Double End Elbow Machines



(3 of 19) Riveters By Thompson and Chicago



(425) Stacking Racks In Sizes to 102" X 42" X 60" H



12,000 LB Hyster Model S125A LP Gas Lift Truck



Electric Order Picke



6,000 LB Cat Model NPV60 Electric Walk Behind Pallet



Vertical Band Saw



(175) Pallet Rack Uprights and (575) Pallet Rack Cross Beams

Machines

Semi Automatic Strapping Machines

(150) Sections Wire Decking to 36" X 70"

AIR COMPRESSORS

DB 462A Horizontal Tank Air Compressor; S/N 630346, 120 Gallon Tank 15 HP Quincy Model

Tank Air Compressor; S/N 20040524-0089, 120 Gallon Tank

VEHICLE

2000 Chevrolet Silverado 1500LS Extended Cab Pick-Up Truck; VIN ZGCEC19V9Y1190639, Miles 107,254, Vortec Gasoline Engine, Automatic V8 Transmission, 6 FT Bed



Plant Closed AMERICAN AIR DUCT, INC. 300 Arentzen Blvd Charleroi, Pennsylvania 15022 30 Miles South of Pittsburgh, PA

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure. **MAIL BIDS ACCEPTED WITH A 25% DEPOSIT**

SALE UNDER THE MANAGEMENT OF

DIRECTIONS

From I-70 Approx 50 miles east of Wheeling, WV, Exit at no. 39, Speers, Turn Left on Guttman Blvd. and proceed Approx 1/4 Mile to Arentzen Blvd. Turn right and proceed to Auction Site on the immediate right. Watch for Auction signs and parking.

AUCTIONEERS

Jeffrey L. Luggen - Auction License No. AU003274R John F. Rome - Auction License No. AU005357



TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website.

12% ONSITE BUYER'S PREMIUM 15% ONLINE BUYER'S PREMIUM

CINCINATI Industrial Auctioneers Inc. 2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 WEBSITE: cia-auction.com for printable brochures, catalog, terms and proxy-bidding

