




SALE DATE: THURSDAY, FEBRUARY 12TH, STARTING AT 12:00 PM CST INSPECTION: WEDNESDAY, FEBRUARY 11TH, FROM 10:00 AM TO 4:00 PM



(2) 97 Ton x 1.66 Oz. x 1.66 Oz. Krauss Maffei Multijec Model KM80-160-90CL Hydraulic Two-Shot Plastic Injection Molding Machines







(3) Toshiba Plastic Injection Molding Machines Up to 390 Ton





(11) 6" x 12" Mitsui Model MSG-200MH Hand Feed Surface Grinders



Sale Under The Management Of CINCINNATI INDUSTRIAL AUCTIONEERS auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



THURSDAY, FEBRUARY 12TH - 12:00 PM CST



110 Ton x 5.6 Oz. JSW Model J110E-C5 Horizontal Toggle Clamp Plastic Injection Molding Machine



390 Ton x 41 Oz. Toshiba Model ISE390-17B Horizontal Hydraulic Clamp Plastic Injection Molding Machine



310 Ton x 41 Oz. Toshiba Model ISE310-17B Horizontal Hydraulic Clamp Plastic Injection Molding Machine



88 Ton x 4.5 Oz. Kawaguchi Model K-80-I Horizontal Toggle Clamp Plastic Injection Molding Machine



(2) 165 Ton x 11.8 Oz. JSW Model J165E-C5 Horizontal Toggle Clamp Plastic Injection Molding Machines

TWO-SHOT INJEC-TION MOLDERS (2) 97 Ton x 1.66 Oz. x

12) 97 101 x 1.00 02. x 1.66 02. Krauss Maffei Multijec Model KM80-160-90CL Hydraulic Two-Shot Plastic Injection Molding Machines; S/N 64881 and S/N 648801ntl Size KM160-90CL/80, "L" Configuration, 15.95" x 15.95"Between Tie Bars, 9.85" Min Mold Height, 29.55" Max Daylight, Core Pull, MC4 Controllers, 460 Volt, 3-Phase (New 1998) SEE PHOTO

Complete Additional Barrel Assembly with Screw, Heater Bands and Thermocouples

INJECTION MOLDERS

530 Ton x 66.9 Oz. Kawaguchi Model K-480-1 Horizontal Toggle Clamp Plastic Injection Molding Machine; S/N LE-SY5065, 32" x 27.5" Between Tie Bars, 11.8" Min Mold Height, 62.5" Max Daylight, Kawaguchi CNC Controllers (New 1985)

SEE PHOTO • Star Automation Model T-1000FMIII-3 Rectilinear Motion Robot: S/N T08G-0111. STEC-450 Pendant Control, Sales Order # 12999 (New 1999)

390 Ton x 41 Oz. Toshiba Model ISE390-17B Horizontal Hydraulic Clamp Plastic Injection Molding Machine; 5/N 750910, 27.5" x 27.5" Between Tie Bars, 12" Min Mold Height, 49.2 Max Daylight, Injectvisor 300 Controller (New 1987) SEF PHOTO

 Star Automation Model TW-1200FMIII-3 Rectilinear Motion Robot; S/N T12G-0199, STEC-450 Pendant Controller, Sale Order # 13597 (New 2000)

310 Ton x 41 Oz. Toshiba Model ISE310-17B Horizontal Hydraulic Clamp Plastic Injection Molding Machine; *S*/N 822001, 24" x 24" Between Tie Bars, 12" Min Mold Heat, 41.7" Max Daylight, Injectvisor 300 Controller (New 1988) SEE PHOTO

310 Ton x 41 Oz. Toshiba Model ISE310-17B Horizontal Hydraulic Clamp Plastic Injection Molding Machine; S/N 716806, 24" x 24" Between Tie Bars, 12" Min Mold Height, 41.7" Max Daylight, Injectvisor 300 Controller **(New 1987)**

 Star Automation Model TW-800HM-U Rectilinear Motion Robot; S/N T06HM-0062, STEC 300M Controller, Sales Order # 3924 (New 1998)

(2) 165 Ton x 11.8 Oz. JSW Model J165E-C5 Horizontal Toggle Clamp Plastic Injection Molding Machines; S/N 293004040 and S/N 293004060, 20" x 20" Between Tie Bars, 8.66" Min Mold Height, 35" Max Daylight, JSW CNC CRT Controller (New 1994) SEE PHOTO • Star Automation Model TW-900BM Rectilinear Motion Robot; S/N T09B-

0863, STEC-311MC Controllers; S/N T09B-0862 (New 1994) 165 Ton x 9.6 Oz. JSW Model J165E-C5 Horizontal Togele Clamps Plastic

Toggle Clamps Plastic Injection Molding Machine; S/N 292004024, 20" x 20" Between Tie Bars, 8.66" Min Mold Height, 35" Max Daylight, JSW CNC CRT Controller (New 1993)

110 Ton x 5.6 Oz. JSW Model J110E-C5 Horizontal Toggle Clamp Plastic Injection Molding Machine; S/N 293770023, 16.14" x 16.14" Between Tie Bars, 7.87" Min Mold Height, 29.5" Max

Daylight, JSW CNC CRT Controller (New 1993) SEE PHOTO

• Star Automation Model TW-800BMC Rectilinear Motion Robot; S/N T06B-3253, STEC-311MC Controller; S/N 111454, T06B-3254, Sales Order # 2678-2 (New 1993)

88 Ton x 4.5 Oz. Kawaguchi Model K-80-I Horizontal Toggle Clamp Plastic Injection Molding Machine; S/N GJ-QY1082, 14" Horizontal x 12" Vertical Between Tie Bars, 7" Min Mold Height, 19" Max Daylight, Kawaguchi CNC Controller (New 1983) SEE PHOTO

PLASTIC GRANULATORS 10" x 12" Nelmor Model

10" x 12" Nelmor Model G1012P1 Plastic Granulator; S/N 95E00436, 10 HP, 240 Volts, 3-Phase, Sound Enclosure (New 1995) SEE PHOTO



(5) Matsui Model JL4VC Jet Loader Vacuum Loading Systems



(3) Whitlock Mode SB100RT Dryers



(3) Matsui Model DMZ-80 Dehumidifying Dryers

SURPLUS EQUIPMENT FROM ARMIN MOLDING







(2) 97 Ton x 1.66 Oz. x 1.66 Oz. Krauss Maffei Multijec Model KM80-160-90CL Hydraulic Two-Shot Plastic Injection Molding Machines

DRYERS

Matsui Model DMZ-120 Dehumidifying Dryer; S/N 00859, 3 KW Heater, 230 Volt, 3-Phase, with 145 Lb. Capacity

Insulated Hopper (New 1993) (3) Matsui Model DMZ-80

Dehumidifying Dryers; S/N 01903, 01969, 01974, 2.4 KW Heater, 230 Volt, 3-Phase, with 145 lb. Capacity Insulated Hoppers (New 1994) SEE PHOTO

Matsui Model DMZ-40 Dehumidifying Dryer; S/N 00323, 1.5 KW Heater, 230 Volt, 3-Phase, with 110 Lb. Capacity Insulated Hopper (New 1993)

AEC Model AD15/1.7M Machine Mount Dehumidifying Dryer; S/N

35G0372, with 60# Insulated Hopper and Loader (New 2005)

AEC Model AD15/0.8M Machine Mount Dehumidifying Dryer; S/N 35G1034, with 30 Lb. Capacity Insulated Hopper and Loader (New 2005)

(3) Whitlock Model SB100RT Dryers; S/N 88J283, 88R314, and 88J282, 6.57 KVA SEE PHOTO

(2) Whitlock Model SB6 Dryers; S/N 8410234 and 8330459, 6.3 KVA

VACUUM LOADER

(5) Matsui Model JL4VC Jet Loader Vacuum Loading **Systems;** S/N A334, A380, 351, A379, A285, 230 Volt, 3-Phase, with ISV-38 Ratio Jet Selector Module (New 1993) SEE PHOTO

PAD PRINTER

Tampo Printer Model TS125/150/31 Pad Printer; S/N 125-583, 8" x 18" Chuck, 11" x 15" T-Slotted Table, Foot Pedal (New 1990) SEE PHOTO

PLASTIC RELATED SHOP EQUIPMENT

2,000 Lb. Capacity IMCS Model 6000 Floor Level **Pneumatic Self Leveling** Gavlord Tilter (11) D-M-E Smart Series Single and Double Zone Temperature Controllers (2) 300 Lb. Capacity Vacu-Bin Model SEB-300 Self Emptying

Poly Bins

100 Lb. Capacity Vacu-Bin Model SEB-100 Self Empting Polv Bin (2) 50 Lb. Capacity Platform

Scales, 13" x 18" (16) Assorted 8"-12" Wide x

8'-9' Long Horizontal and Inclined Belt Type Conveyors

3M-Matic Model 800R Random Case Sealer Inline **Box Taper;** S/N 1155, 20" Max Box Width (New 1996) SEE PHOTO IMS Model TC-0255 Single

Arm Rotary Drum Tumbler; S/N C-20244. 2 HP Motor (Lot) of Assorted Mold Clamps, Bolts, Knock Out **Bars and Wrenches**

MILLING MACHINES

3 HP Jet Variable-Speed Veritcal Milling Machine; S/N 409116, 9" x 50" T-Slotted Table, Mitutoyo DRO

(3) 2 HP Bridgeport Variable Speed Vertical Milling Machines; S/N 67537, 141035, and 50823, (1) Acu-Rite DRO SEE PHOTO

(4) 1-1/2 HP Bridgeport Variable Speed Vertical Milling Machines; S/N 156276, 76128, 137892, 156277, (4) Acu-Rite DRO SEE PHOTO **1 HP Bridgeport 8-Speed Knee Mill;** S/N 101802, 9" x 36" Table, Acu-Rite 5 DRO, Collets and Jacobs

1 HP Bridgeport 8-Speed Vertical Milling Machine; S/N

SURFACE GRINDERS Conveyors (11) 6" x 12" Mitsui Model SEE PHOTO MSG-200MH Hand Feed

Surface Grinders: S/N 90097344, 79102350, 79012098, 2007787, 79032153, 79102349, 79102352, 84025005, 79032164, 79032155, and 2006767, Sony SEE PHOTO DRO's

6" x 12" Boyar-Schultz Model H612 Hand Feed Surface Grinder with Centerless Grinding Attachment; S/N 25596

OD GRINDER

12" x 36" Karsten Series A Cylindrical OD Grinder; S/N 78070, 12" Swing, 36" Center Distance, Spindle Speed 30-450 RPM, 8" Diameter Magnetic Chuck, Sony LH51 DRO (New 1979) SEE PHOTO

OTHER TOOLROOM MACHINERY

36" Cleareman Layout Drilling Machine; S/N N/A, 18" x 36" T-Slotted Table, Spindle Speed 18-1,500 RPM, Mitutoyo DRO

36" DoAll Model 36-3 **Contour-Matic Vertical Band** Saw; S/N 126-59165, 24" x 30" T-Slotted Table

Moore Model 1-1/2B Jig Bore; S/N J755, 10" x 20" T-Slotted Table 15" Powermatic Model 1150-1200 Floor Drill; S/N 8515S301, 260-5 300 RPM

Gorton Model 375-3 Tool Grinde

WEBCAST BIDDER INSTRUCTIONS

➤ All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, if you do not you will not be approved.

> All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. Period.





12" x 36" Karsten Series A Cylindrical OD Grinder



(11) 6" x 12" Mitsui Model MSG-200MH Hand Feed **Surface Grinders**



3M-Matic Model 800R Random Case Sealer Inline Box Taper



530 Ton x 66.9 Oz. Kawaguchi Model K-480-I Horizontal Toggle Clamp Plastic Injection Molding Machine



(5) Star Automation Rectilinear Motion Robots



(16) Assorted 8"-12" Wide x 8'-9' Long Horizontal and Inclined Belt Type Conveyors



Granulator



Tampo Printer Model TS125/150/31 Pad Printer



(3) 2 HP Bridgeport Variable Speed Vertical Milling Machines (4) 1-1/2 HP Bridgeport Variable Speed Vertical Milling Machines

Chuck

82970, with Acu-Rite DRO



copies of which will be available at the sale site or can be obtained from our website.

15% ONSITE BUYER'S PREMIUM 18% ONLINE BUYER'S PREMIUM





Please check with the Auctioneer's Office for a final

listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT