

**COMPLETE PLASTIC INJECTION MOLDING
AND MOLD MAKING FACILITIES**

PUBLIC AUCTION

Bidspotter.com™
To Become a Qualified Bidder on the Internet
See Instructions on Page 2

Plant Closed



BRADROCK INDUSTRIES

75 & 85 East Bradrock Drive – Des Plaines, Illinois 60018

On the North Side of Chicago O'Hare Airport

WEDNESDAY, NOVEMBER 16TH, STARTING AT 9:00 AM

INSPECTION: TUESDAY, NOVEMBER 15TH, FROM 10:00 AM TO 4:00 PM



SALE UNDER THE MANAGEMENT OF



Cincinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760
WEBSITE: cia-auction.com for printable brochures, catalog, terms and proxy-bidding



WEDNESDAY, NOVEMBER 16TH - 9:00 AM



390 Ton X 52 Oz. Mitsubishi Model 390MJ-40 Hydraulic Clamp Plastic Injection Molding Machine



390 Ton X 52 Oz. Mitsubishi Model 390MJ-60 Hydraulic Clamp Plastic Injection Molding Machine



610 Ton X 101 Oz. Mitsubishi Model 610MG-110 Hydraulic Clamp Plastic Injection Molding Machine



390 Ton X 52 Oz. Mitsubishi Model 390MG-60 Hydraulic Clamp Plastic Injection Molding Machine



150 Ton Engel Model ES240/150VHRT Vertical Plastic Injection Molding Machine

VERTICAL INJECTION MOLDING MACHINE

150 Ton Engel Model ES240/150VHRT Vertical Plastic Injection Molding Machine; S/N 5308, Press #36, Engel EC88 Control, 38" Dia. 2-Station Rotary Table (New 1992) **SEE PHOTO**

PLASTIC INJECTION MOLDING MACHINES AND ROBOTS

FROM 610 TON - 200 TON

610 Ton X 101 Oz. Mitsubishi Model 610MG-110 Hydraulic Clamp Plastic Injection Molding Machine; S/N G511177, Press #15, 48" X 48" Platen, 33" X 33" Tie Bar Spacing, 15.7" Min to 63" Max Die Height (New 1992) **SEE PHOTO**

> Mark II Automation Model 480EL2 Rectilinear Motion Robot; S/N N/A, EMC2001 Control

WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, **if you do not you will not be approved.**
- > All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. **Period.**
- > **Only Major Items Will be Available for Online Bidding.** Please refer to the Listing on www.bidspotter.com for Available Online Items.



- > There is a 15% Buyer's Premium in Effect for All Online Purchases.
- > We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate their Condition, Along with Saving You 3% of the Buyer's Premium.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.



(3) 385 Ton X 38 Oz. Niigata Model NE385UA Toggle Clamp Plastic Injection Molding Machines



390 Ton X 52 Oz. Mitsubishi Model 390MJ-40 Hydraulic Clamp Plastic Injection Molding Machine; S/N 3G304299, Press #24, 41" X 41" Platen, 29" X 29" Tie Bar Spacing, 11.8" Min to 49.2" Max Die Height (**New 1999**) **SEE PHOTO**

390 Ton X 52 Oz. Mitsubishi Model 390MJ-60 Hydraulic Clamp Plastic Injection Molding Machine; S/N 3G306057, Press #25, 40" X 40" Platen, 28" X 28" Tie Bar Spacing, 11.8" Min to 49.2" Max Die Height (**New 1996**) **SEE PHOTO**

➤ **Mark II Automation Model 400 EL3S Rectilinear Motion Robot;** S/N 21027, Mark II Automation EPC3000 Control

390 Ton X 52 Oz. Mitsubishi Model 390MG-60 Hydraulic Clamp Plastic Injection Molding Machine; S/N G306402, Press# 14, 40" X 40" Platen, 28" X 28" Tie Bar Spacing, 11.8" Min to 49.2" Max Die Height (**New 1992**) **SEE PHOTO**

➤ **AEC Model AAM-1000 Rectilinear Motion Robot;** S/N 92K9023, Allen Bradley Control

(3) 385 Ton X 38 Oz. Niigata Model NE385UA Toggle Clamp Plastic Injection Molding Machines; S/N 45505N, Press #34, S/N 45511N, Press #13, S/N 45507N, Currently Unhooked, Press #12, Niigata Control, 27.5" X 27.5" Tie Bar Spacing, 40" X 40" Overall Platen Area, 12.6" Min to 26.38" Max Die Height (**New 1992**) **SEE PHOTO**

➤ **Eagle Mark II Rectilinear Motion Robot;** S/N N/A, Model EMC2000 Pendant

➤ **Automated Accessories Model AZ310 Rectilinear Motion Robot;** S/N C-96021, Teach Pendant (**New 1996**)

275 Ton X 19 Oz. Niigata Model NE275UA Toggle Clamp Plastic Injection Molding Machine; S/N 35531N, Press #19, 35" X 35" Platen, 24" X 24" Tie Bar Spacing, 6.96" Min to 14.98" Max Die Height (**New 1994**) **SEE PHOTO**

➤ **Mark II Automation Sprue Picker w/ Control**

250 Ton X 19 Oz. Niigata Model NE250U Toggle Clamp Plastic Injection Molding Machine; S/N 30098F, Press #18, 22" X 22" Tie Bar Spacing, 9.06" Min to 19.68" Max Die Height (**New 4/1992**) **SEE PHOTO**

➤ **Conair Martin Sprue Picker Robot**

(4) 200 Ton X 12 Oz. Niigata Model NE200UA Toggle Clamp Plastic Injection Molding Machines; S/N 25012F, Press #29 (10/1995), S/N 25505N, Press #28 (1993), S/N 25504N, Press #27 (1993), S/N 25522N, Press #5 (1996), Niigata Control, 29" X 29" Platen, 20" X 20" Tie Bar Spacing, 7.88" Min to 19.69" Max Die Height (**New As 1995**) **SEE PHOTO**

➤ **(3) Mark II Automation Sprue Picker Robot w/ Controls**

➤ **Conair Harma Model EX-250 Sprue Picker Robots w/ Harma PC-EIID Control**



275 Ton X 19 Oz. Niigata Model NE275UA Toggle Clamp Plastic Injection Molding Machine



250 Ton X 19 Oz. Niigata Model NE250U Toggle Clamp Plastic Injection Molding Machine



(4) 200 Ton X 12 Oz. Niigata Model NE200UA Toggle Clamp Plastic Injection Molding Machines



(4) 200 Ton X 12 Oz. Niigata Model NE200UA Toggle Clamp Plastic Injection Molding Machines



170 Ton X 16 Oz. Mitsubishi Model 170MS2-D Hydraulic Clamp Plastic Injection Molding Machine



(4) 200 Ton X 12 Oz. Niigata Model NE200UA Toggle Clamp Plastic Injection Molding Machines



WEDNESDAY, NOVEMBER 16TH - 9:00 AM



110 Ton X 6.7 Oz. Niigata Model NE110UA4 Toggle Clamp Injection Molding Machine



110 Ton X 6.2 Oz. Niigata Model NE110UA4 Toggle Clamp Plastic Injection Molding Machine



AEC Whitlock Model AAM-1000 Central Dehumidifying Dryer w/ Large Hopper



(33) Plastic Granulators To 12" X 20" and 15 HP



85 Ton X 4.6 Oz. Niigata Model NE85UA Toggle Clamp Plastic Injection Molding Machine



(2) 150 Ton X 6.8 Oz. Niigata Model NE150UA Toggle Clamp Plastic Injection Molding Machines



PLASTIC INJECTION MOLDING MACHINES AND ROBOTS FROM 200 TON - 25 TON

198 Ton X 13 Oz. Kawaguchi Model K180B Toggle Clamp Plastic Injection Molding Machine; S/N 1A-YY3171, Press #26, Currently Not In Use, 17" X 20" Tie Bar Spacing, 7.9" Min to 18.8" Max Mold Height

170 Ton X 16 Oz. Mitsubishi Model 170MS2-D Hydraulic Clamp Plastic Injection Molding Machine; S/N S178AA045/25159135, Press #10, Mitsubishi MS Control, 20" X 20" Tie Bar Spacing, 8.7" Min to 33.5" Max Die Height (New 4/1991) SEE PHOTO

(2) 150 Ton X 6.8 Oz. Niigata Model NE150UA Toggle Clamp Plastic Injection Molding Machines; S/N 75011F (1995), Press #33 And S/N 75116H (1996), Press #1, Niigata Control, 27" X 27" Platen, 18" X 18" Tie Bar Spacing, 7.87" Min to 16.93" Max Die Height (New 1995/1996) SEE PHOTO

> Mark II Automation Sprue Picker Robot w/ Controls

150 Ton X 5.3 Oz. Niigata Model NE150UA Toggle Clamp Plastic Injection Molding Machine; S/N 20028A, Press #32, Niigata Control, 27" X 27" Platen, 18" X 18" Tie Bar Spacing, 8.27" Min to 16.92" Max Die Height (New 1992) SEE PHOTO

> Mark II Automation Sprue Picker Robot w/ Controls

120 Ton X 4.8 Oz. Mitsubishi Model 120MJ-10 Hydraulic Clamp Plastic Injection Molding Machine; S/N P1010012, Press #9, Mitsubishi MJ Control, 16" X 16" Tie Bar Spacing, 24" X 24" Overall Platen Area, 7.9" Min to 28" Max Die Height (New 1/1992) SEE PHOTO



(10) Bry-Air Model RD-50 Dehumidifying Dryers Including Some w/ Hoppers

110 Ton X 6.7 Oz. Niigata Model NE110UA4 Toggle Clamp Injection Molding Machine; S/N 10017F, Press #30, Niigata Control, 16" X 16" Tie Bar Spacing, 7.87" Min to 16.14" Max Die Height (New 1996) SEE PHOTO

> Mark II Automation Sprue Picker w/ Control

110 Ton X 6.2 Oz. Niigata Model NE110UA4 Toggle Clamp Plastic Injection Molding Machine; S/N 10112F, Press #8, Niigata Control, 15" X 15" Tie Bar Spacing, 24" X 24" Overall Platen Area, 7.8" Min to 13.7" Max Die Height (New 1996) SEE PHOTO

85 Ton X 3.46 Oz. Niigata Model NE85UA4 Toggle Clamp Plastic Injection Molding Machine; S/N 50025F, Press #23, 14" X 14" Tie Bar Spacing, 6.96" Min to 14.98" Max Die Height (New 1997) SEE PHOTO

> Mark II Automation Sprue Picker w/ Eagle Control

85 Ton X 4.6 Oz. Niigata Model NE85UA Toggle Clamp Plastic Injection Molding Machine; S/N 50241A, Press #31, Niigata Control, 21" X 21" Platen, 14" X 14" Tie Bar Spacing, 6.7" Min to 14.96" Max Die Height (New 1995) SEE PHOTO

55 Ton X 6.2 Oz. Niigata Model NE55UA4 Toggle Clamp Plastic Injection Molding Machine; S/N 80034F, Press #7, Currently Unhooked, 12" X 12" Tie Bar Spacing, 18" X 18" Overall Platen Area, 7.8" Min to 13.7" Max Die Height (New 1998)

55 Ton X 1.55 Oz. Niigata Model NE55UA Toggle Clamp Plastic Injection Molding Machine; S/N 80012F, Press #21, 12" X 12" Tie Bar Spacing, 6.3" Min to 12.99" Max Die Height (New 1996) SEE PHOTO



Partial View Late Model Nelmor Plastic Granulators

Arburg Allrounder Model 221-75-350 Plastic Injection Molding Machine; S/N 113437, Press #20, 8.6" X 8.6" Tie Bar Spacing, 5.9" Min to 11.8" Max Die Height

(3) Arburg Model 221-55-250 Plastic Injection Molding Machines; S/Ns 126683 & 126682, 112295, Press # 22, Arburg Polytron Control, 12" X 12" Platen, 9" X 9" Tie Bar Spacing (New 1984) SEE PHOTO

PLASTIC GRANULATORS

12" X 20" Nelmor Model G1220M1 Plastic Granulator; S/N 8307, 15 HP Motor

11" X 16" Nelmor Model 1116 Polygrinder Plastic Granulator; S/N 5281, 10 HP Motor

11" X 11" Roto-Gran Plastic Granulator; S/N N/A, 7.5 HP Motor

(5) 10" X 12" Nelmor Various Model Plastic Granulators; Model G1011S; S/N 1753, 5 HP Motor, (2) Model G1012B1; S/N 92-03-31765 and 92-03-31767, 10 HP, 480-Volt, (2) Model

(2) 10" X 12" Cumberland Model 284-3KN Plastic Granulators; S/N 35525-7631 & NA

10" X 12" Rapid Plastic Granulator

(4) 9" X 10" Nelmor Plastic Granulators; Most w/ Est. 5 HP Motors

(3) 8" X 10" Nelmor Model G810MI Plastic Granulators; S/Ns 69022450 & 7108, 5 HP Motor

8" X 10" Nelmor Model G810PS Plastic Granulators; S/N 9112 and S/N 94-06-1886, Approx. 3 HP

8" X 10" AEC Nelmor Top Load Plastic Granulator; S/N N/A. 3 HP



(15) Various Size Dryer Hoppers By Bry-Air, Conair Una-Dyn, Whitlock, Thoreson and Others



**NEW
1997**

85 Ton X 3.46 Oz. Niigata Model NE85UA4 Toggle Clamp Plastic Injection Molding Machine



120 Ton X 4.8 Oz. Mitsubishi Model 120MJ-10 Hydraulic Clamp Plastic Injection Molding Machine



**NEW
1996**

55 Ton X 1.55 Oz. Niigata Model NE55UA Toggle Clamp Plastic Injection Molding Machine

(3) 8" X 10" Cumberland Model 184-2KN Plastic Granulators; S/N 7684 & N/A

(10) Plastic Granulators Currently in Storage; See Catalog for Model Size & Photo

DEHUMIDIFYING DRYERS

AEC Whitlock Model AAM-1000 Central Dehumidifying Dryer w/ Large Hopper; S/N 92K9203

(10) Bry-Air Model RD-50 Dehumidifying Dryers Including Some w/ Hoppers

(3) Bry-Air Model RD-100 Dehumidifying Dryers; S/N 9901113418, 9606113035, NA Digital Temp Control

Bry-Air Model Arid-X Dehumidifying Dryer w/ Hopper; S/N D8871

(2) Thoreson Mccosh Model TD-90 Dehumidifying Dryers; S/N 93-0-201 & 93-04-202

Thoreson Mccosh Model TD-40 Dehumidifying Dryer; S/N 93-03-332

Una-Dyn Model UDC-50 Dehumidifying Dryer

Una-Dyn Model UDC-30 Dehumidifying Dryer w/ Hopper

Una-Dyn Model Auto-Mini Dryer Dehumidifying Dryer

(6) Various Whitlock Dehumidifying Dryers

(3) Whitlock Model DE-100RT Dehumidifying Dryers

(15) Various Size Dryer Hoppers By Bry-Air, Conair Una-Dyn, Whitlock, Thoreson and Others

MOLD TEMPERATURE CONTROLLERS

(8) Sterlco Model M29418-EX Mold Temperature Controllers

(3) Sterlco Model S9410-AX Mold Temperature Controllers

(2) Sterlco Model S8412-C Mold Temperature Controllers

(2) Sterlco Model 2B9410-F Mold Temperature Controllers

(2) Thermal Care Aquatherm RA Series Mold Temperature Controllers

PORTABLE CHILLERS

Sterlco Model SMCA-10 Portable Chiller System; S/N 00C0907, 10 HP Compressor (New 2000)

Conair Model N/A Portable Chiller Budzar Thermal Fluid Temperature Control

CHILLED WATER & COOLING TOWER SYSTEMS

Budzar Ice Model WM-050S4D1-FCB-00-002 Water Cooled Central Chiller System; S/N 20008-3566-1, (4) Copeland Compressor Units, 40 To 70 Deg. Fahrenheit Temperature Range, 300 Max PSIG (New 2001)

Budzar Ice Model CTS-050-DHSB Chilled Water Tank; S/N 200008-3566-2, (2) 20 HP & (1) 5 HP Motors, 60" X 72" X 52"D Tank Area, 40 to 70 Degree Fahrenheit Temperature Range (New 2001)

Budzar System Mounted on 12' X 12' Approx. Free-Standing Mezzanine

(2) AEC Fiberglass Cooling Tower Cells; Mounted in Fabricated Platform

Mfg. Unknown Cooling Tower Water Tank; S/N N/A, 4' X 6' X 6' D Tank, (2) 20

HP & (2) 15 HP Pumps, (4) Perajust Variable Speed AC Motor Drives

Various Piping Filters & Pumps

MISC. PLASTIC AUXILIARY EQUIPMENT

Approx. (100) Mold Insert Plates & Components for Molding Letters & Numbers; 5" X 6" & 7" X 12" Approx. Dimensions

Star Model TW-900B Rectilinear Motion Robot; S/N 9070570

Yushin Model Airliner AE-3500 Rectilinear Robot; AE9400075

Conair Harma Model HE-2005-ICE EX Rectilinear Robot; S/N N/A, Model KG-204 Control w/ DP-201 Pendant

(2) Conair Martin Model EX-250 Sprue Pick-Up Robots

(10) Various Make Model Size & Style Parts Conveyors

Numerous Additive Feeders by Novatec, MRI & Others

(8) Athena 12-Zone Hot Runner Zone Controllers

Approx. 2 HP Portable Hydraulic Unit

(2) IMS Dual 55 Gal. Drum Tumblers

Large Quantity Various Equipment in Storage Including; Conveyors, MTCs, Granulators, Dryers, Hoppers and Related

Misc. Plastic Auxiliary Equipment

Consisting of; Mold Hold Down Hardware, Manifolds, Water Line, Water Line Fittings, Material Piping, Heater Bands, Parts and Accessories

BidSpotter.com™



**NEW
2001**

Overall View Budzar Central w/ Tank



Mfg. Unknown Cooling Tower Water Tank



(3) 385 Ton X 38 Oz. Niigata Model NE385UA Toggle Clamp Plastic Injection Molding Machines



**NEW
2000**

Sterlco Model SMCA-10 Portable Chiller System



(3) Arburg Model 221-55-250 Plastic Injection Molding Machines



Close Up View Numerous Sprue Picker Robots



150 Ton X 5.3 Oz. Niigata Model NE150UA Toggle Clamp Plastic Injection Molding Machine



WEDNESDAY, NOVEMBER 16TH - 9:00 AM



Mazak Model AJV-25/405 CNC Vertical Machining Center



Mazak Model VQC-20/50B CNC Vertical Machining Center



3" WMW Model BFT-80 Rotary Table Horizontal Boring Mill



(2) 6" X 12" Okamoto Model Linear 6-12/14 Hand Feed Surface Grinders



(3) 6" X 12" Harig Model 612 Hand Feed Surface Grinders



Fadal Model VMC-2216 CNC Vertical Machining Center



Fadal Model VMC-4020 CNC Vertical Machining Center

CNC VERTICAL MACHINING CENTERS

Fadal Model VMC-4020 CNC Vertical Machining Center; S/N 9806273, Fadal CNC 32MP Control, 20" X 48" T-Slotted Table, No. 40 Taper, Spindle Speeds to 10,000 RPM, 21-Pos. Umbrella ATC, 4Meg Memory, Rigid Tapping, High Speed CPU, Graphics, Appears to be only Clean Low Hour Machine (New 1998) **SEE PHOTO**

Fadal Model VMC-2216 CNC Vertical Machining Center; S/N 9810970, Fadal CNC 32MP Control, 16" X 36" Table, No. 40 Taper, Spindle Speeds to 10,000 RPM, 21-Pos. Umbrella ATC, 166,000 Memory, TS-27 Probe Configured, High Speed CPU, Graphics Restraint Package, Appears to be only Clean Low Hour Machine (New 1998) **SEE PHOTO**

Mazak Model AJV-25/405 CNC Vertical Machining Center; S/N 71937, Mazatrol Cam M2 Control, 21" X 48" Table, No 50 Taper, 30-Pos. ATC, Chip Conveyor, Coolant, Foot Pedal (New 9/1987) **SEE PHOTO**

Mazak Model VQC-20/50B CNC Vertical Machining Center; S/N 69002, Mazatrol Cam M2 Control, 21" X 48" Table, No. 50 Taper, 24-Pos. ATC, Chip Conveyor, Coolant, Foot Pedal (New 2/1987) **SEE PHOTO**

CNC VERTICAL MILLS

Hurco Model Hawk 5M Three-Axis CNC Vertical Milling Machine;

S/N KM941102, Hurco Ultimix 3 Control, 13" X 42" T-Slotted Table, No. 40 Taper, Spindle Speeds to 3800 RPM, Power Draw Bar, Lube System, Coolant (New 1994) **SEE PHOTO**

Hurco Model KM3MP Three-Axis CNC Vertical Milling Machine; S/N KMDD-9001023D, Hurco KM-3P Control, 14" X 38" T-Slotted Table, Spindle Speeds to 4,000 RPM, Kwik Switch Spindle, Coolant, Lube **SEE PHOTO**

HORIZONTAL BORING MILL

3" WMW Model BFT-80 Rotary Table Horizontal Boring Mill; S/N 22604, 44" X 49-1/2" T-Slotted Rotary Table, 20" Dia Facing Head, 50" Approx In & Out Table Travel, 40" Approx. Table Cross Travel, 36" Approx. Vertical, 6 KW Spindle Motor, Anilam DRO **SEE PHOTO**

SURFACE GRINDERS

20" X 36" Okamoto Model ACC 20-36DX Automatic Hydraulic Surface Grinder; S/N 69013, Kanetsu Electric Chuck, PB Control Console w/ Built in Vertical Readout, 12" X 2" Max Wheel Capacity, 6500 SPM Wheel Speed, 3.7 KW Motor, Self Contained Hydraulics, Coolant Tank **SEE PHOTO**

8" X 20" Okamoto Model ACC 8-20ST Automatic Hydraulic Surface Grinder; S/N 82049, Walker Electric Chuck, PB Control, Sony 2-Axis DRO, 8" X 1" Max Wheel Capacity, 8,000 SFPM Max Wheel Speed, 1.5 KW Motor, Self Contained Hydraulics, Coolant Tank **SEE PHOTO**

(2) 6" X 12" Okamoto Model Linear 6-12/14 Hand Feed Surface Grinders; S/N 3718T, 3716T, Walker BP Electric Chuck, Fagor DRO, 2 HP Motor **SEE PHOTO**

(3) 6" X 12" Harig Model 612 Hand Feed Surface Grinders; S/N 18882, 18883, 17202, Electric Chucks, (2) Acu-Rite DRO, (1) w/ Fagor DRO, 1.5 HP Motor **SEE PHOTO**

MILLING MACHINES

3 HP Webb Model 3VK Variable Speed Vertical Milling Machine; S/N 845191, 10" X 50" Table, Fagor DRO (New 1995)

1-1/2 HP Bridgeport Variable Speed Vertical Milling Machine; S/N 88224, 9" X 36" Table, Fagor DRO

K & T Milwaukee Model 15HP-4CH Dial Type Vertical Milling Machine; S/N 6-6588, 15" X 74" T-Slotted Table, Spindle Speeds to 1500 RPM, No. 50 Taper

DIE SINKER EDMs

Elox Model 8-2012 CNC Die Sinker EDM; S/N 004183, General Numeric GN6 Control, Elox B50SM011 Power Supply, 22" X 32" X 14" Deep Overall Tank Area, System 3R C-Axis Rotary Head, Dielectric System

Elox Model Royale Die Sinker EDM; S/N 022907, Elox ASTRA 50S Power Supply, 32" X 22" X 14"D Tank Area, System 3R C-Axis Rotary Ram Head, Fagor DRO, Dielectric System

EDM Accessories Consisting of; Small Quantity System 3R Tooling, Magnetic Chucks, Riser Blocks, Westhoff Drill and Related

MISC. TOOLROOM MACHINERY

14" X 40" Zubal Geared Head Electric Lathe; S/N 6261, 16-Spindle Speeds to 2,688 Rpm, Inch & Metric Threading, 7" X 3-Jaw, 9" 4-Jaw, Steady Rest, Foot Bar

8" X 16" Kalamazoo Model 8CW Horizontal Band Saw; S/N 4604961, Coolant, Pneumatic Assist

36" Grob Model 4V-36 Vertical Band Saw; S/N 1129, Blade Welder

Ipsco Model PCO-2 Pin Cut-Off Machine; S/N 00041 (New 1997)

S.O. Deckel Bench Top Single Lip Tool Grinder; S/N 95-259, Collets

Mold Making Equipment Including; Swivel & Standard Eye Bolts, Chains & Related, Mold Repair Components Including Knock Pins, Hardware, Bases, Springs, Heavy Duty Mold Repair Tables and Related

Other Misc. Toolroom Machinery Consisting of; (2) Deckel Single Lip Tool Grinders, 1/2 HP Air Flow Systems Model 300 VDM Dust Collector, 32"W Trinco Abrasive Blast Cabinet w/ Reclaim, 55 Ton Ramco Model RP55 Manual H-Frame Hydraulic Press, Deckel Pantograph Machine, 24" Cincinnati Variable Speed Floor Drill; 24" X 42" Table, Technophysik Model TechnoTower 2000 Magnetizing Machine; 6" X 6" Pad



Hurco Model KM3MP Three-Axis CNC Vertical Milling Machine



Hurco Model Hawk 5M Three-Axis CNC Vertical Milling Machine



13" Mitutoyo Model PH-350 Optical Comparator



20" X 36" Okamoto Model ACC 20-36DX Automatic Hydraulic Surface Grinder



8" X 20" Okamoto Model ACC 8-20ST Automatic Hydraulic Surface Grinder



(125) Sections 42" D X 8" W X 16" H Mfg. Unknown Adjustable Beam Pallet Rack

MACHINE AND GRINDING ACCESSORIES

Machine Accessories and Perishable Tooling Consisting of: (75) No. 50 Taper Toolholders of all Types, (70) No. 40 Taper Toolholders of all Types, (3) 8" Kurt Precision Machine Vises, (8) 6" Precision Machine Vises Most by Kurt, (2) 14" X 24" Angle Plates, Parallels, T-Slotted Riser Units, Set-Up Blocks, Hold Down Hardware, R8 Collets, R8 Tool Holders, Latege Quantity Perishable Tooling Consisting of, 12-Dr. Equipment Cabinet Loaded w/ New Tooling, Komet Boring Heads, Indexable Mills, Carbide Inserts, Solid Carbide & H.S. End Mills, Reamers, Drills, Taps & Many Other Related Items

Large Quantity Grinding Accessories Consisting of: Imperial Newbuild Grindit Motorized Fixture, Harig Lectric Centers Motorized Fixture, Harig Grind-All Fixture, Manual Centering Fixture, (5) Magnetic Chucks Mostly 6" X 12", St. Mary Spin Roll Fixture, Diamond Radius Dresser, (6) Magnetic Chucks Most 6" X 12" & 6" X 18", Electric Demag Unit, Precision Drilled & Tapper Blocks, V-Blocks, Angle Plates, Various Girding Wheels and Many Other Related Items

CRANES & RELATED

2 Ton X 16' Approx. Span X 25' Approx. Long Industrial Crane Free Standing Overhead Bridge Crane; Rails & Uprights, Bolted & Tack Welded, Manual Hoist

1 Ton X 10' Approx. Span Spanco Portable-A-Frame Gantry Crane

DECORATING & PACKAGING EQUIPMENT

Kent Model KPP-200 Pad Printer; S/N KP200-01-12, Kent DR 225/Z Table Fixture, Digital Control Keypad (New 2002) **SEE PHOTO**

Kent Model KPP-150e Pad Printer; S/N KP150-15-22, 8" X 13" Cross Sliding Table, Digital Control (New 1998) **SEE PHOTO**

Visual Thermoforming Model ESDS-4 Four-Station Rotary Table Blister Pack Machine; S/N FA-3446, 18" X 22" Approx Station Area, 60" Overall Table Dia. **SEE PHOTO**

Kensol Franklin Model K08MH Roll On Decorating Press; S/N 05/698, 15" X 30" Table, 8" Wide Roll, Digital Keypad Control **SEE PHOTO**

United Silicone Model R8C Roll On Decorating Press; S/N N/A, Digital Keypad Control, 8" Wide Wheel, 10" W X 40" Conveyor

United Silicone Model US-5 Hot Foil Stamping Press; S/N N/A, Digital Keypad Control

Pre-Feeder Packaging Model PP48ST Poly L-Seal Machine; S/N 6740904, 16" X 20" Seal Area

Franklin Kensol Hot Foil Stamping Machine; S/N 1/059/86, 6" X 8" Area, Palm Buttons

(2) Branson Series 400B & 490 Ultrasonic Welders

36"W X 18" Deep Spray-Tech Conveyerized Thru-Feed Spray Booth

INSPECTION EQUIPMENT

13" Mitutoyo Model PH-350 Optical Comparator; S/N 30130, Fagor DRO, 6" X 16" Table, 10X Lense **SEE PHOTO**

Inspection Tools Consisting of; Granite Surface Plates to 50" X 50", (10) Various Meyer Pin Gage Sets, O.D. Misc. to 12" Including Some Sets, Granite Base Indicator Stands, Calipers, Hiegh Gages and Other Related Items

AIR COMPRESSORS & RELATED

30 HP Quincy Model MOSB/T30AA Horizontal Tank Rotary Screw Air Compressor; S/N 93487 **SEE PHOTO**

30 HP Sullair Model 10-30-HH Horizontal Tank Air Compressor; S/N 1988SLGD

25 HP Quincy Model QMT25AC21SF Rotary Screw Horizontal Tank Air Compressor; S/N 86053 **SEE PHOTO**

Pneumatech Model AD-125 Refrigerated Air Dryer; S/N 9604-T123325-ST, 125 SCFM, 150 PSIG

Great Lakes GRF-100 Refrigerated Air Dryer

400 Gallon Vertical Air Receiving Tank

LIFT TRUCKS & RELATED

6,000 Lb Mitsubishi Model FGC30K LP Gas Solid Tire Lift Truck; S/N AT83C-OU391, 186" 3-Stage Mast, Side Shift

3,000 LB Crown Model RC3020-35-S Stand-Up Electric Lift Truck; S/N 1A171441

3,000 Lb Drexel Model SLT-30C Swing-Mast Electric Lift Truck; S/N 946524-1038, 205" Max Lift, 36-Volt Battery (New 1998)

(2) 4,000 Yale Model MPB040 Walk Behind Electric Pallet Trucks; S/N A87N18172V & AOZN05857U

Economy Model Cub XT 052033XT Self Traveling Electric Scissor Lift Regal model RS-74 Walk Behind Electric Die Lift

PALLET RACK

(125) Sections 42" D X 8" W X 16" H Mfg. Unknown Adjustable Beam Pallet Rack; Most 3" X 1-3/4" Welded Steel Upright Profile, Most 3-1/2" Beam Face, Some 3" X 3" Post Profile w/ 5" Beam Face

(30) Sections Other Various Size Pallet Rack

SHOP EQUIPMENT

Large Quantity Shop Equipment Consisting of; Heavy Duty Mold Repair Tables, 3' X 6' Cast Iron Fabricated Base Round Repair Table, (2) 42" X 96" & (2) 30" X 72" X 1" Thick Top Fabricated Base Mold Repair Tables, 5,000 Lb X 4' X 4' Digital Platform Scale w/ Cardinal 75B Readout, Arbor Presses, Heavy Steel Carts, Rubber Fatigue Mats, (15) Steel Work Benches w/ Vises, Various H.D. C-Clamps & Kant-Twist Clamps, Phase-II Hand Tapper, Disc & Belt Sanders, Large Maintenance Area w/ Misc. Tools & Parts, Cabinets, Carts, Racks, Hand Tools, Power Tools and Many Other Related Items

BidSpotter.com™

(2) INDUSTRIAL PROPERTIES FOR SALE OR LEASE



85 BRADROCK DRIVE, DES PLAINES, ILLINOIS 60018

26,908 Sq. Ft. Industrial Building on 1.1 Acres Consisting of; Concrete Block & Steel Frame Construction, Zoned Industrial, 2,000 Amp, 480 Volt H.D. Electric Service, 14 - 22' Ceiling Height, 2,200 Sq. Ft. Modern Office Space



75 BRADROCK DRIVE, DES PLAINES, ILLINOIS 60018

15,000 Sq. Ft. Industrial Building on 1.1 Acres Consisting of; Concrete Block & Steel Frame Construction, Zoned Industrial, 2,000 Amp, 480 Volt H.D. Electric Service, 2,240 Sq. Ft. Modern Office Space

For More Information Contact:

CB Richard Ellis

Michael Sedjo – (847) 706-4913

Chris Zube – (847) 706-4971



Overall View Various Lift Trucks and Material Handling Equipment



25 HP Quincy Model QMT25AC21SF Rotary Screw Horizontal Tank Air Compressor



Visual Thermoforming Model ESDS-4 Four-Station Rotary Table Blister Pack Machine



Kensol Franklin Model K08MH Roll On Decorating Press

NEW 2002



Kent Model KPP-200 Pad Printer

NEW 1998



Kent Model KPP-150e Pad Printer

PUBLIC AUCTION

Plant Closed

BRADROCK INDUSTRIES

75 & 85 East Bradrock Drive
Des Plaines, Illinois 60018

On the North Side of Chicago O'Hare Airport

SALE DATE:
Wednesday, Nov. 16th
STARTING: 9:00 AM

INSPECTION:
Tuesday, November 15th
10:00 AM to 4:00 PM



Cincinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214
PHONE (513) 241-9701 / FAX (513) 241-6760
WEBSITE: cia-auction.com



FIRST CLASS MAIL!

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593

Important Mail

TO BE DIRECTED TO THE ATTENTION
OF EXECUTIVE PERSONNEL

WEDNESDAY, NOVEMBER 16TH PUBLIC AUCTION

Plant Closed

BRADROCK INDUSTRIES

75 & 85 East Bradrock Drive
Des Plaines, Illinois 60018

On the North Side of Chicago O'Hare Airport

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

Bradrock Dr. is on the Northside of O'Hare airport off S. Mt. Prospect Rd. Just South of the intersection of E. Oakton St. From I-190 almost immediately east of O'Hare exit at Manheim Rd. RT-12/45 North. Proceed North approx. 1/2 Mile to light at Touhy Ave. Turn Left or West on Touhy Ave. and proceed approx. 1/2 mile to Mt. Prospect Rd. Turn Right and proceed 1/4 mile to Bradrock Dr. Turn Right and proceed to auction site on right. Watch for sale entrance signs and arrows.

AUCTIONEERS

Jeffrey L. Luggen
Illinois License No. 441-000380

James A. Luggen
Illinois License No. 441.001585



TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a **25% deposit** in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., **is required on all purchases.** Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. **All balances are due at the conclusion of the sale.** No merchandise may be removed while the sale is in progress. **All bidders must comply with our Standard Terms of Sale,** copies of which will be available at the sale site or can be obtained from our website.

12% ONSITE BUYER'S PREMIUM
15% ONLINE BUYER'S PREMIUM

SALE UNDER THE MANAGEMENT OF



Cincinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760
WEBSITE: cia-auction.com for printable brochures, catalog, terms and proxy-bidding

SALE DATE
Wednesday,
Nov. 16th
9:00 AM