ONLINE ONLY AUCTION OF (40) LATE MODEL LIFT TRUCKS BY TAYLOR, HYSTER, TOYOTA, YALE AND RAYMOND, PERSONNEL CARRIERS, CARDBOARD BALERS, STRETCH WRAP MACHINES, 3M BOX TAPERS, INSPECTION, SHOP AND SUPPORT EQUIPMENT

To Be come see Instituctions on Page 3 Oualified Bidder on the Internet BidSporer.com

OFF-LEASE AND SURPLUS FORK LIFTS, MATERIAL HANDLING AND PACKAGING EQUIPMENT

LOCATION: STOCKTON WAREHOUSE & OTHERS

6600 Stockton Road - Fairfield, Ohio 45014

(And Other Various Michigan & Ohio Warehouses)

ONLINE BIDDING ENDS: TUESDAY, OCTOBER 20TH, AT 12:00 PM NOON (EST)

INSPECTION FOR ALL LOCATIONS: MONDAY, OCTOBER 19TH, FROM 8:00 AM TO 4:00 PM













Sale Under The Management Of

INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



ELDDING ENDS: OCTOBER 201H AT 12:00 PM NOON (EST)



**22,000 Lb. Silent Hoist Model FSF11 Diesel Power Cushion Tire Lift Truck



**(4) 12,000 Lb. Hyster Model S120FTPRS LP Gas Cushion Tire Lift Trucks



(5) 10,000 Lb. and 8,000 Lb. Toyota LP Gas Lift Trucks



Cushion Tire Lift Trucks







*30,000 Lb. Taylor Model T-300M Cushion Tire Lift

(4) 30,000 - 36,000 LB TAYLOR TIRE LIFT TRUCKS **36,000 Lb. Taylor Model THD-

360L Cushion Tire Lift Truck; S/N S-T6-29520. Cummins B5.9-0 5.9L, C-160 Diesel Engine, 15' Mast Lift Height Cab Enclosure w/ Heater A/C & Defroster, Power Steering, Fork Positioner, 8' Forks, 144" Carriage Width, Hours: 15,152 (New 2000) -Located in Cincinnati. Ohio Offsite Warehouse SEE PHOTO

**30,000 Lb. Taylor Model T-300M Cushion Tire Lift Truck: S/N S-BF-32472, Cummins B5.9-C, 5.9L, C-160 Diesel Engine, 15' Mast Lift Height, Cab Enclosure w/ Heater A/C & Defroster, Power Steering, Fork Positioner, 7'2" Forks, 144" Carriage Width, Hours: 10,370 (New 2005) – Located in Cincinnati, Ohio Offsite
Warehouse SEE PHOTO

**30.000 Lb. Taylor Model THC-300S Cushion Tire Lift Truck; S/N 35943, 124" Lift Height, 120" Lowered Mast Height, 135" Mast Height, Hydraulic Fork Positioning. 66" Forks, 28 X 16 X 22 Drive Tires, 22 X 10 X 16 Steer Tires, 6-Cylinder Cummins Diesel Engine, 2-Speed Transmission, Air Brakes, Enclosed Cab w/ Door & A/C, Fork Positioner, Weight 42,200 Lb., Hours: 24,114 (New 2009) – Located in Detroit, Michigan SEE PHOTO

**30.000 Lb. Taylor Model T300S Diesel Power Pneumatic Tire Lift Truck; S/N 33548, 134" Mast Height, Hydraulic Fork Positioning, 55" Forks, 1,200 X 20 Drive and Steer Tires, 6-Cylinder Cummins Engine, 2-Speed Transmission, Air Brakes, Weight 42,650 Lb., Hours: 5,843 (New 2006) – Located in Detroit, Michigan SEE PHOTO

STRADDLE LIFT

**22,000 LB Combilift Model

CL40220LA66Multi-Directional Straddle Type Lift Truck; S/N 12147, LP Gas Engine, Enclosed Cab, Fork Positioning, 162" Max Lift roik rositioning, 102 Max Litt Height, 136" Height Mast Closed, 68" Mast Travel, 65" Forks, Fork Positioning, Side Shift, 70" Reach, Vortec V6 Engine, , 1865 Hours (New 2008) – Located in Cleveland, Ohio
SEE PHOTO

**18,000 Lb. Combi-Lift Model WFC/19' Wide Fork Attachment; S/N A-1975, 24" Load Center, 2550 Lb. Weight, 65" Forks – Located in Cleveland, Ohio

SILENT HOIST LIFT TRUCK *22,000 Lb. Silent Hoist Model

FSF11 Diesel Power Cushion Tire Lift Truck; S/N 29265, 6-Cylinder Cummins Model CPL426 Engine; S/N 73159994, Rated at 160 HP, 3-Speed Transmission, 96" High Mast, 99" Lift Height, Hydraulic Fork Positioning, Cab Enclosure, 55" Forks, 28 X 10 X 22 Front Tires – Dual Sets, Weight 32,200 Lb., Hours: 316 (New 2010) – Located in Detroit, Michigan

PNEUMATIC TIRE LIFT TRUCKS

8,000 Lb. Yale Model GDP080 Diesel Cab Enclosure Pneumatic Tire Lift Truck; S/N

SEE PHOTO

G813V02555H, Hours: 10.442. Lift Height: 135", Mast Height: 96", Engine Type: 0833.3, Transmission: Techtronix 100, Good Rubber, Cab Enclosure with Heat (New 2010) SEE PHOTO

(3) 6,000 Lb. Toyota Model 8FGU30 LP Gas Pneumatic Tire Lift Trucks; Lift Height: 187", Mast Height: 88", Engine Type: Toyota 4YECS, S/N 31640, Hours: 15,930, S/N 31584, Hours: 16,544, S/N 31605, Hours: 15,734 (New 2011) SEE PHOTO

(4) 5,000 Lb. Yale Model

GDP050 Diesel Power Pneumatic Tire Lift Trucks; Lift Height: 182", Mast Height: 84", Engine Type: Impco 2.2L, Transmission: Techtronix 100, S/N A875B23694A, Hours: 14,797, S/N A875B27060B, Hours: 14,287, S/N

A875B27055B Hours: 13 868 S/N 875B27235B, Hours: 11,312, S/N A875B23698A, Hours: 13,451 (New 2003 - 2004)

CATERPILLAR CUSHION TIRE LIFT

(3) 11,000 Lb. Caterpillar Model GC55K LP Gas Cushion Tire Lift Trucks; S/N AT88A30354. Hours: 513 (SHOWING), S/N AT88A30355, Hours: 8,060, 218" Lift Height, 102" Three-Stage Mast, Vortec GM-4.3L Engine, S/N AT88A30424, Hours: 12,503, 209" Lift Height, 99' Three-Stage Mast, Power Solutions Inc. Engine (New 2010 - 2011) SEE PHOTO

TOYOTA CUSHION TIRE LIFT TRUCKS (2) 10,000 Lb. Toyota Model 7FGCU45-BCS LP Gas Cushion Tire Lift Trucks; Lift Height: 1877, Mort Meight 02° Evenies Town 4.31. Mast Height: 92", Engine Type: 4.3L Vortec, 72" Forks, S/N 70046, Hours: 3,255 Showing, S/N 71676, Hours: 15,263 (New 2007) SEE PHOTO

8,000 Lb. Toyota Model TFGCU35 LP Gas Cushion Tire Lift Truck; S/N 71739, Hours: 10,185, Lift Height: 187", Mast Height: 88", Engine Type: Power Solutions Inc. GM-4.3L (New 2011)

YALE CUSHION TIRE LIFT TRUCKS (7) 8,000 Lb. Yale Model

GLC080 LP Gas Cushion Tire Lift Trucks; Lift Height: 263", Mast Height: 94", Engine Type: Vortec, Transmission: Techtronix 100, S/N E818V04121J, Hours: 13,201, S/N E818V04118J, Hours: 11,460, S/N

E818V04117J, Hours: 12,529, S/N E818V04116J, Hours: 13,153, S/N E818V04115J, Hours: 10,225, S/N E818V04123J, Hours: 12,498, S/N E818V04122J, Hours: 11,934 (New 2011)

2005

7,000 LB Yale Model GLC070 LP Gas Cushion Tire Lift Truck; S/N A910V15059G, 212" Lift Height, 98" Mast Height, Impco 2.2L Engine, Techtronix 100 Transmission, 48" Forks (New 2009)

(5) 6.000 Lb. Yale Model GLC060 LP Gas Cushion Tire **Lift Trucks;** 48" Forks, Lift Height: 181", Mast Height: 84", Engine Type: Impco 2.2L 4-Cylinder Engine, Transmission: Techtronix 100, S/N A910V15274G, Hours: 14,797, S/N A910V15277G, Hours: 14,287, S/N A910V15284G, Hours: 13,868, S/N A910V15278G, Hours: 11,312, S/N A910V15283G, Hours: 13,451 (New 2009)

HYSTER CUSHION TIRE LIFT TRUCKS **(4) 12,000 Lb. Hyster Model

S120FTPS LP Gas Cushion Tire Lift Trucks; S/N G004V06212J (9609 Hours), S/N G004V06214K (8775 Hours), S/N G004V06206J (8184 Hours), S/N N/A, 84" Lift Height, 111" Raised Height, 86" OHG Height, Double Stage Mast, 4-Way Finger Hydraulic, Monotrol Lights (New 2011) - Located in Cleveland, Ohio

6,000 Lb. Hyster Model S60FT LP Gas Cushion Tire Lift Truck; S/N F187V15854H, 187" Lift Height, Monotrol Transmission, 84" Mast Height, 42" Forks, GM Vortec 2400 4-Cylinder Engine, Hydrasmooth, Hours: 10,678 (New 2010)

ELECTRIC LIFT

6,500 Lb. Hyster Model E65XN Electric Cushion Tire Lift Truck: 36-Volt Deka Model 18D85-27 Batteries, S/N A268N02166G, Hours:

IMPORTANT NOTICE

** Items Located Offsite at Warehouses in Cincinnati, Ohio, Detroit, Michigan and Cleveland, Ohio - See Catalog Description for Details

Please Contact Frank Rome 513-702-4551 to inspect equipment in Detroit, Michigan Please Contact John Rome 513-477-6407 to inspect equipment in Cleveland, Ohio





(5) Club Car Model CLU Personnel Carrier / Golf Carts

www.cia-auction.com





Tire Articulated Front Loaders

23,617, S/N A268N02128G, S/N A268N02161G (New 2009)

**6,000 Lb. Allis-Chalmers Model E60-SE Sit-Down Electric Lift Truck; S/N 600029, 2-Stage Mast, 126" Lift Height, 80" Mast, 36 Volt with Charger, Hours: 2,500 – Located in Detroit, Michigan

5,000 LB Caterpillar Model M50DSA Solid Tire Electric Lift Truck; S/N 8JC366, 173" Lift Height, 84" Mast Height, w/ 36-Volt Charger, 42" Forks

3,500 LB Raymond Model R35-C35TT Stand-Up Rider Type Electric Stacker; S/N R35-01444-00, 251" Lift Height, w/ 36-Volt Charger

(3) 3,000 Lb. Toyota Model 7FBCU18 Electric Sit Down Lift Truck; S/N's N/A, 217" Lift Height, 36 Volt

36-Volt Enersys Model ES3-18-1500 Enforcer SCR Battery **Charger;** S/N 1H67502

CONSTRUCTION EQUIPMENT **2009 Caterpillar Model M325D LMH Diesel Rubber Tire Material Handler; SNS CATM325VCKG00243, 23.5R25 Tires, Climate Controlled Cab Enclosure, Outriggers, Elevating Cab, Smart Boom Technology, 25' Primary Boom 18' Front Boom Hours: 19,051 – Located in Cleveland, Ohio
SEE PHOTO

**2010 Komatsu Model WA470-6 Diesel Pneumatic Rubber Tire Articulated Front Loader; S/N KMTWA098H36A46018, 4-Wheel Drive, 26.5R25 Tires, 132" Wide Rockland Model LBW470-6 Bucket, Climate Controlled Cab Enclosure, 272 HP Komatsu SAA6D 125E-5 Engine, 4-Speed Transmission, 50,440 Lbs. Machine Wieght, Hours:

12.710 – Located in Cleveland. Ohio SEE PHOTO **2009 Komatsu Model WA450-6 Diesel Pneumatic Rubber Tire

Articulated Front Loader; S/N KMTWA098K57A44001, 4-Wheel Drive, 26.5R25 Tires, 132" Wide Rockland Model LBW450-6 Bucket. Climate Controlled Cab Enclosure, 273 HP Komatsu SAA 6D 125E-6 Engine, 4-Speed Transmission, 48,731 Lbs. Machine Weight, Hours: 21,806 - Located in Cleveland, Ohio SEE PHOTO

PERSONNEL CARRIER / GOLF CARTS

(5) Club Car Model CLU Personnel Carrier / Golf Carts; 24-Volt Chargers, S/N PH1143-242145, S/N PH1143-242135, S/N PH1143-242105 (New 2011) SEE PHOTO

UTILITY / MAINTENANCE VEHICLES

**(2) Polaris Model Ranger 2X4 Gas Powered UTV

(Utility) Vehicles; S/N 4XARB50A56 (1,224 Hours) and 4XARB50A96 (1,544 Hours), 36" X 54" Manual Release Dump Beds, Automatic Transmission with High and Low Ranges, Ropes with Wind Shield (New 2006) – Located in Detroit, Michigan SEE PHOTO

**(2) Toro Model Workman Flat Bed Diesel Powered Maintenance Vehicles; S/N

280000238 (1,869 Hours) and 280000112 (2,413 Hours), 3-Speed Manual Transmission, 55" X 72 Steel Flat Beds with Tie Down Hooks, Enclosed Cabs – Located in Detroit, Michigan SEE PHOTO

**Toro Model Workman 3300D Flat Bed / Platform Lift Diesel

Powered Maintenance Vehicle; S/N 270000851 (2,704 Hours), 55" Wide X 44" Steel Flat Bed Section, Rear Mounted Toro Model 07346 Elevating Work Platforms, 20" X 54 Platform Size, 600 Lb. Capacity, 96" Work Height - Located in Detroit,

> All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in

SCISSOR MANLIFT Skyjack Model SJIII4626

Electric Scissor Lift; S/N 703350, 46' Lift Height, 850 LB Capacity, 42" x 86" Extended Platform

SEE PHOTO

GENERATOR SET 55 KW / 69 KVA Spectrum / Detroit Diesel Model 50GSG Natural Gas Generator; S/N 0717540, GM 4.3L V-6 Engine; S/N 6352, Hours: 113 (New 2001) SEE PHOTO

3M CASE SEALERS 3M-Matic Model 700A Type

29200 Top and Bottom Adjustable Case Sealer; S/N 3380 3M-Matic Model 700RKS Type

19300 Top and Bottom Random Case Sealer; S/N 6197

9403058

BIDDER INSTRUCTIONS > All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the

Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. Period.

BALERS 72"W x 30" Deep (Approx.) Marathon Model 7230HD Vertical Baler; S/N 166282

60"W x 60" Deep (Approx.) Vertech Model M-60 Low Profile Vertical Baler; S/N 6088 60"W x 30" Deep (Approx.) Global Model 160HD Low Profile Vertical Baler; S/N

72"W x 30" Deep (Approx.) GK Industrial Refuse Systems Vertical Baler; S/N 3945313

PALLET STRETCH WRAPPERS

(2) Orion Model L77/17 Rotary Pallet Stretch Wrappers; S/N 2003-1213837 & 2006-0116064, 5 Dia. Rotary Platform, 72" Wrap Height, w/ Ramp (New 2006 &

Wulfter Model WSMI -200-B Rotary Pallet Stretch Wrapper; S/N 58861-1-0709 (New 2009) SEE PHOTO

DIGITAL PLATFORM SCALES

4' x 4' x 5.000 LB Mettler Toledo Digital Platform Scale w/ Mettler Toledo Model 8582 Digital Scale

30" x 30" x 1,000 LB Mettler Toledo Model 2888 Digital Platform Scale; S/N 1088159-1JA w/ Mettler Toledo Model Lynx Digital

PALLET JACKS (8) 5,500 LB Lift-Rite Pallet **Iacks**

(2) 3,000 LB Lift-Rite Ergo-Lift Scissor Type Pallet Jacks

STRAPPERS

(2) PAC Strapping Products Model PSM1412-1C3A Strappers; S/N's N/A

INSPECTION AND LAB EQUIPMENT 11" Nikon Model 6C Profile

Projector; S/N 10701, w/ Accessories

Kuliche and Soffa Model 4123 Wedge Bonder; S/N 1621

Dage Model MF-22A Microtester; S/N 8820, w/ Accessories

200 G. Christian Becker Model AB-4 Chainomatic Lab Balance Scale; S/N A10242

Matheson Scientific Cat. No. 3620 Vacuum Oven; S/N 1267

General Radio Type 1608-A

Impedance Bridge; S/N 1289 Partlow Model ARC4100 Circular Chart Recorder

Hewlett Packard Model 5326A Timer-Counter

Associated Research Model 422 Hypot

BidSpotter.com

40 LB Toledo 4655



*2009 Caterpillar Model M325DL Diesel Rubber Tire





Electric Scissor Lift



(2) 3M-Matic Model 700





Wulftec Model WSML-200-B Rotary Pallet Stretch



Sale Date, if you do not you will not be approved.

Inspection and Lab Equipment Including Optical Comparator, Vacuum Oven, and Related



(2) Digital Platform Scales

PUBLIC

OFF-LEASE AND SURPLUS FORK LIFTS, MATERIAL HANDLING AND PACKAGING EOUIPMENT

LOCATION: STOCKTON WAREHOUSE & OTHERS 6600 Stockton Road - Fairfield, Ohio 45014

ONLINE BIDDING ENDS: Tuesday, October 20th 12:00 PM NOON (EST)

INSPECTION FOR ALL LOCATIONS: Monday, October 19th 8:00 AM to 4:00 PM



Contact Information 2020 Dunlap St. Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760 auctioneers | appraisers | since 1961 | www.cia-auction.com









FIRST CLASS MAIL!

FIRST CLASS U.S. POSTAGE **PAID** CINCINNATI, OHIO PERMIT NO. 3593

PRE-SORT



Important Mail

TO BE DIRECTED TO THE ATTENTION OF EXECUTIVE PERSONNEL

OFF-LEASE AND SURPLUS FORK LIFTS, MATERIAL HANDLING AND PACKAGING **EOUIPMENT**

LOCATION: STOCKTON WAREHOUSE & OTHERS 6600 Stockton Road - Fairfield, Ohio 45014

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

DIRECTIONS TO MAIN AUCTION SITE

6600 Stockton Rd., Fairfield, OH - Located Approx. 20 Miles North of Downtown Cincinnati from I-275, Just west of I-75. Proceed to Exit 41 (Ohio Rt 4) and Proceed North Approx. 1-3/4 Miles to Steward Rd. Turn Right onto Steward and Proceed Approx. 1/4 Mile to Stockton Rd., Just before Railroad Tracks, Turn Left & Proceed to Auction Site on Right.

AUCTIONEERS

Cincinnati Industrial Auctioneers, Inc. - OH License No. 63-1983-10439 Jeffrey L. Luggen - OH License No. 57-1983-33789 Jerome A. Luggen - OH License No. 62-1983-33799 Joseph M. Luggen - OH License No. 2010-0000-19 John F. Rome - OH License No. 57-2000-84249 Ryan L. Luggen - OH License No. 2014-0000-22









TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion **of the sale.** No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website.

18% ONLINE BUYER'S PREMIUM

Sale Under The Management Of

INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

