

PUBLIC AUCTION



2010

2010 GLOBAL FINISHING (GFS) 24' x 24' x 124' Drive Thru Paint Booth & Oven Line



2008 SERTOM 2.75" x 10' Hydraulic Plate Bending Rolls

Assets from US Bankruptcy Court

JOHNSON PLATE & TOWER FABRICATION

201 Los Mochis Drive in Canutillo (El Paso), Texas 79835

THURSDAY, FEBRUARY 5th
STARTING AT 10AM

Inspection: Day prior to auction from 9AM - 4PM



LTEC CM-360 CNC Plasma / Oxy Cutting Table



HAEUSLER 9.9" x 9.9" x 0.95" Horizontal Mechanical Angle Bending Rolls



CINCINNATI 12' x 5/8" Hydraulic Power Squaring Shear



(3) PANDJIRIS & RANSOME Welding Manipulators



(3) PANDJIRIS & RANSOME Welding Manipulators



BETTS Vertical Turning Lathe



CALAVAR Rail Mounted Boom Welder



(10) Double Girder Bridge Cranes to 30-Ton

Sale
Conducted
by:

MYRON BOWLING
AUCTIONEERS, INC.
www.myronbowling.com

In
Conjunction
with:

CINCINNATI
INDUSTRIAL
AUCTIONEERS



Maynards
SINCE 1902
AUCTIONEERS | LIQUIDATORS | APPRAISERS
BIDITUP™
AUCTIONS & APPRAISALS MADE EASIER



2010



2010 GLOBAL FINISHING (GFS) 24' x 24' x 124' Drive Thru Paint Booth



2010



2010

1 OF 2

1 of 2 2010 QUINCY 125-HP QSI-500 Air Compressors



Complete 2-Station Manual Sand Blast System

2010 GLOBAL FINISHING (GFS) 24' x 24' x 124' Drive Thru Oven Line



HAEUSLER 9.9" x 9.9" x 0.95" Horizontal Mechanical Angle Bending Rolls



4" x 4" x 1/2" Approx. Capacity JPT Built Mechanical Power Vertical Angle Bending Rolls



3" x 3" x 3/8" Approx. Capacity JPT Built Mechanical Power Horizontal Angle Bending Rolls



2008

2008 SERTOM 2.75" x 10' Hydraulic Plate Bending Rolls



WEBB 6' Mechanical Plate Bending Rolls



2 OF 4

BERTSCH 1-3/4" x 10' (Approx.) Initial Pinch Mechanical Plate Bending Rolls



PACIFIC 250-Ton Pressformer Gap Press



(2) GRACO Xtreme Airless Sprayers



2 OF 4

(4) TURBINAIR Becca Solvent Recyclers

LARGE PAINT BOOTH & OVEN LINE & RELATED

2010 GLOBAL FINISHING (GFS)

24' x 24' x 124' Drive Thru, Cross Draft, Pressurized Spray Booth, Model CDG-2424-PDT-124, (2) 20' x 20' Roll Up Doors, Exhaust Fan, (144) Lights, (8) Man Doors, Booth Mounted Direct Fired AMU, 18 Ga. Galvanized Panel Construction, 26'8" W x 25'6" H x 125' Approx. Overall Dimensions, 36' Approx. Height to Top of Structure, Natural Gas Air Make Up, Purchased 12/2009 at Cost of Approx. \$260,000 (Does not Include Installation), Capacities Approx. Catalog Specs, email jeffjr@cia-auction.com for spec sheet

2010 GLOBAL FINISHING (GFS) 24' x 24' x 124' Drive Thru, Low Temp Oven, Model LTOE-424-PDT-124, Approx.

120° Max. Temp., (2) Roll Up Doors, Exhaust Fan, 18 Ga. Galvanized Panel Construction, 26'8" W x 25'6" H x 125' Approx. Overall Dimensions, 36' Approx. Height to Top of Structure, Natural Gas Air Make Up, Purchased 12/2009 at Cost of Approx. \$250,000 (Does not Include Installation), Capacities Approx. Catalog Specs, email jeffjr@cia-auction.com for spec sheet

Exterior Shell for Conversion to Free-Standing Outdoor Use Including Siding and Structure, Approx. 20' Chamber Between Spray & Oven Booths

2010 GLOBAL FINISHING SOLUTIONS (GFS) Paint Kitchen, Model PK-22, (2) GRACO Xtreme X90 • (6) GRACO Xtreme • (5) GRACO Drum 2010 QUINCY 125-HP QSI-500 Air Compressor, Model PT35E-BC-5.22-12.00, S/N BU0903240001,

Pneumatic Products Desiccant Dryer System Complete w/Fire Suppression, Air Breathing, Central Control & Related
(4) TURBINAIR Becca Solvent Recyclers, Model 25000
500-KVA Primary Transformer, 13,800 Volts

BLAST ROOM EQUIPMENT

Complete 2-Station Manual Sand Blast System w/Air Tanks, Hoppers & Loaders • Assorted CLEMCO Sand Blast Pots, Large Cartridge Style Dust Collector

PLATE BENDING ROLLS

2008 SERTOM 2.75" x 10' Hydraulic Plate Bending Rolls, Model EMO, Type 31-60, S/N 229, 2.75" x 10' Approx. Roll Cap., 2.36" x 10' Approx. Pre-Bend Cap., 10' Useable Roll Length, 25.6" Top Roll, 22" Lateral Roll Dia., 6.1" Max. Opening Between Top/Side Roll, Drop End, Roller Feed Tables, Overhead Support, Capacities Approx. Catalog Specs, email jeffjr@cia-auction.com for spec sheet

BERTSCH 1-3/4" x 10' (Approx.) Initial Pinch Mechanical Plate Bending Rolls, Model 18, S/N M-8264, 17" Top Roll

BERTSCH 3/4" x 12' (Approx.) Mechanical Plate Bending Rolls, Model

No. 14, S/N M-7727, 14" Roll Diameter, Drop End, Currently Not Installed

WEBB 6' Mechanical Plate Bending Rolls, 6" Diameter, Drop End

ANGLE BENDING ROLLS

HAEUSLER 9.9" x 9.9" x 0.95" Horizontal Mechanical Angle Bending Rolls, Model MPR-40H, S/N 304W01015380V, 2-Control Stations, 9.9" x 9.9" x 0.95" Angles Leg Out to 158" Min. Dia., 8.7" x 8.7" x 0.87" Angles Leg In to 162" Min. Dia., 4.7" x 4.7" x 0.59" Smallest Angle, NP-60 I-Beams to 130" Min. Dia., Capacities Approx. Catalog Specs, email jeffjr@cia-auction.com for spec sheet

4" x 4" x 1/2" Approx. Capacity JPT Built Mechanical Power Vertical Angle Bending Rolls, 15-1/2" x 20" Bending Die Size

3" x 3" x 3/8" Approx. Capacity JPT Built Mechanical Power Horizontal Angle Bending Rolls, 7" x 11" Rolls

HYDRAULIC PRESS

PACIFIC 250-Ton Pressformer Gap Press, Model 250PF, S/N 3676, 54" x 24" Table, 24" Throat



LTEC CM-360 CNC Plasma / Oxy Cutting Table



ARONSON CNC Plasma / Oxy Cutting Table



Oxy-Acetylene Shape Cutting Table



CINCINNATI 12' x 5/8" Hydraulic Power Squaring Shear



WHITNEY 6" x 6" Hydraulic Angle Shear Line



MARVEL Series 8 Mark II Vertical Band Saw Line



LODGE & SHIPLEY 375-Ton Mechanical Press Brake



ROCKFORD 100-Ton (Est.) Hydraulic & CLEVELAND Mechanical C-Frame Punches



CLEVELAND Mechanical C-Frame Punch



1 of 2 CLEVELAND Mechanical C-Frame Punches



1 OF 3

(3) Rail Transfer Tables



90° Rotation



(6) Undercarriage Rails/Cars



PANDJIRIS Welding Manipulator



PANDJIRIS Welding Manipulator



RANSOME Welding Manipulator

**SIGN UP
FOR OUR
EMAIL LIST AT**
www.myronbowling.com
 or call:
513/738-3311

MYRON BOWLING
 AUCTIONEERS, INC.



2009

2009 JTP Built Tower Can Fit-Up Press



GOURAN Seam Welding Gantry



Welding Gantry System, 175" Between Uprights

CNC PLASMA / OXY CUTTING TABLES

LTEC CM-360 CNC Plasma / Oxy Cutting Table, S/N 92-2000-3789, (2) Tanks: 65' x 153' & 30' x 153', Single Plasma Head, (2) Oxy-Acetylene Heads, Ltec Plasmarc PHC-601 Plasma Power Supply, Burny Phantom Control (Control New 2007)

ARONSON CNC Plasma / Oxy Cutting Table, (2) Tanks: 65' x 147' & 30' x 147', Single Plasma Head, Hypertherm H-601 Plasma Power Supply, Hypertherm Cooler Tank, Silverstar Chiller, Model SAC-05, Burny 5 Control

Oxy-Acetylene Shape Cutting Table, 45' x 100" Table, (2) Oxy-Acetylene Heads, Burny Replicator 900 CCD Controls

FABRICATING MACHINERY

CINCINNATI 12' x 5/8" Hydraulic Power Squaring Shear, Model 5FL12, S/N 34222, 19" Slitting Slot, Roller Ball Table, 50" Power Back Gage, Rear Scrap Conveyor
WHITNEY 6" x 6" Hydraulic Angle Shear Line, Approx. 50 Ton, 42' x 16" Power Roller Conveyor w/Chain Drive

Loader, 50' x 16" Exit Roller Conveyor w/Mechanical Stop
MARVEL Series 8 Mark II Vertical Band Saw Line, S/N 826833, Tilt/Traveling Head, 24' x 33" Work Table, 50-450 FPM, 90' x 39" Power Feed Conveyor, 40' x 39" Power Exit Conveyor

LODGE & SHIPLEY 375-Ton Mechanical Press Brake, Model S250A10, S/N 46468, 12' Overall, 12-1/2" Throat, 126" Between Housings, 4" Stroke, 12" Shut Height, 250-Ton Punch, Air Clutch, ISB PC300 Press Control

ROCKFORD 100-Ton (Est.) Hydraulic C-Frame Punch, 12" Throat, 10-HP Hydraulics
(1) CLEVELAND Mechanical C-Frame Punch, 37" Throat • (1) Mechanical C-Frame Punch, 9" Throat • Punch Dies

TOWER SECTION FIT-UP PRESS

2009 JTP Built Tower Can Fit-Up Press, 10' Throat, Ejector Ram, (2) Sets of Track Traveling Hydraulically Adjusted Turning Rolls, Average Section Dimensions: 10' Long x 15'9" Dia. x 2" Plate

LARGE RAIL MOUNT TRANSFER TABLES/ CARS

(3) Rail Transfer Tables, 100' Length, 84" Rail Width, (6) Undercarriage Rails/Car, (1) 90° Rotation, Outdoor Use for Handling Tower Sections

WELDING MANIPULATORS

Most updated w/Late Model Lincoln Welding Equipment

PANDJIRIS Welding Manipulator, Rail-Mounted w/59" Rail Centers, 125" Rail Travel, 17' Manipulator Arm w/10' Elevation, Lincoln Powerwave AC/DC-1000 Power Supply, Lincoln Powerfeed 10A Wire Feed, Flux Hopper, 12" x 19" Power & Idler Rolls w/63" Centers

PANDJIRIS Welding Manipulator, 11' Arm, 9' Elevation, Lincoln DC-1500 & DC-1000 Power Supplies, Lincoln NA-3S Wire Feed, Seco DS-9000 Speed Control, Flux Hopper

RANSOME Welding Manipulator, Model 1012RF, S/N 6220280, 13' Horizontal Reach, 10' Elevation, Lincoln DC-1000 Power Supply, Lincoln NA-3S Wire Feeder, Seco DS-9000 Speed Control, 7" x 19" Power & Idler Rolls w/60" Centers

WELDING GANTRY SYSTEMS FOR O.D. OF TANK/TOWER SECTIONS

Designed to Weld the Outside Circumference of Tank/Tower Sections. Most updated w/Late Model Lincoln Welding Equipment

GOURAN Seam Welding Gantry, 10' Max. Seam, 16' Between Uprights, Lincoln Powerwave AC/DC-1000, DC-1000 & DC-600 Power Supplies, Lincoln Powerfeed 10A & NA-3S Wire Feeders, Jetline Seam Tracker Control, Flux Hopper

Welding Gantry System, 175" Between Uprights, Elevating Platform, Lincoln Idealarc DC-1000 Power Supply, Lincoln NA-3S Wire Feeder, Seco DS-9000 Speed Control, Flux Hopper, Rail Mounted Turning System w/ Aronson 54" x 54" Positioner, 12" x 19" Power Turning Rolls w/72" Centers, 11" x 19" Idler Turning Rolls w/54" Centers

Welding Gantry System, 15' Between Uprights, Elevating Platform, Lincoln Powerwave AC/DC-1000 Power Supply, Lincoln Idealarc DC-1000 Power Supply, Lincoln Powerfeed 10A & NA-3S Wire Feeders, Flux Hopper



CALAVAR Rail Mounted Boom Welder



Lincoln Powerwave AC/DC-1000 Power Supply



Rail-Mounted Boom Welder, 56' Reach



2) 12" x19" Idler Turning Rolls



Boom Welder, 52' Reach



Turning Rolls



(80+) 60-Ton Approx. Capacity Power & Idler Turning Rolls



HOBART Rotary Welding System



160" Rotary Positioner



(5) HYPERTHERM MAX 200 & MAX 100 Power Supplies



(32) LINCOLN DC-600 MIG Power Supplies



BETTS Vertical Turning Lathe



ENCO 16" x 36" Engine Lathe



ENCO 3-HP Vertical Mill

Large Plate
Steel
Inventory
&
Scrap Steel
Appportunity



1 OF 2

(2) G&L BICKFORD Chipmaster Radial Arm Drills



CARLTON 15" x 6' Radial Arm Drill



CINCINNATI BICKFORD Super Service Radial Arm Drill



20" Abrasive Cut-Off Saw



1 OF 2

(2) ENCO 105-1300 Mill Drills



POWER DRIVE SQ 50 Threader



12' Double End Pedestal Grinders

BOOM WELDERS FOR I.D. OF TANK/TOWER SECTIONS

Designed to Weld the Inside Circumference of Tank/Tower Sections. Most updated w/Late Model Lincoln Welding Equipment

CALAVAR Rail Mounted Boom Welder, Model 6066, S/N P144-004435, 722" Welding Height, 637" Reach, 84" Rail Mount, Lincoln Powerwave AC/DC-1000 Power Supply, Lincoln Powerfeed 10A Wire Feed, Flux Hopper
Rail-Mounted Boom Welder, 56" Reach, 66" Rail Centers, Lincoln Idealarc DC-1000 Power Supply, Lincoln NA-3N Wire Feeder, Seco DS-9000 Speed Control Flux Hopper & Conveyor, (1) Power & (2) 12" x 19" Idler Turning Rolls w/60" Centers
Boom Welder, 52" Reach, Lincoln Powerwave AC/DC-1000 Power Supply, (2) Lincoln Powerfeed 10A Wire Feeders, Jetline Seam Tracker Control, Flux Hopper

TANK TURNING ROLLS

Most Rolls were built by JTP and are 60 Ton Capacity Heavy Duty Dual Drive Units w/ Grove Gear Boxes
(6) 60 Ton Approx. Capacity Power Rolls: 12" x 19" w/60" Centers • (3) 11"

x 17" w/60" Centers • 11" x 14" w/60" Centers • 7" x 17" w/60" Centers
(12) 60 Ton Approx. Capacity Idler Rolls: 12" x 23" w/84" Centers • (3) 12" x 19" w/68", 60" & 42" Centers • (3) 12" x 17" w/60" Centers • (2) 11" x 17" w/60" & 54" Centers • (3) 7" x 19" w/60" Centers
(17) 60 Ton Approx. Capacity Track-Mounted Power Rolls: (13) 7-1/2" x 22" w/84" Centers (84" Track Centers) • (4) 6" x 20" w/80" Centers (66" Track Center)
(10) 60 Ton Approx. Capacity Track-Mounted Idler Rolls: 7-1/2" x 22" w/84" Centers (84" Track Centers)
(2) ARONSON Tank Turning Roll Sets: 7" x 19" Idler Rolls w/54" Centers & 12" x 19" Power Rolls w/54" Centers • 7" x 19" Idler Rolls w/57" Centers & 12" x 19" Power Rolls w/57" Centers

WELDERS & RELATED

HOBART Rotary Welding System w/160" Rotary Positioner, Hobart RC-750 MIG Power Supply, Hobart Wire Feeder & Voltage Control
(8) Plasma Power Supplies: (3) LTEC PHC-601 Plasmarc • (2) HYPERTHERM MAX 200 • (3) HYPERTHERM MAX 100
NELWELDER Stud Welder • (32) LINCOLN DC-600 MIG Power Supplies • (3) AIRCO 300 & 250 AMP

Stick Power Supplies • (14) LINCOLN LN-9 Wire Feeders • (2) PHOENIX 300 Dry Rod Ovens
(10) VICTOR Track Burners • (1) ESAB Track Burner • Track Burner Rails & Parts • (New) LINCOLN KP 1998-5 Guide Tubes • Welding Leads & Blankets • Oxy-Acetylene Torch Carts • w/Hoses & Regulators
(28) Boxes LINCOLN Innershield 5/64" Cored Wire • (18) Boxes LINCOLN Lincolnweld L-61 1/8" Wire • (100) Bags LINCOLN Submerged Arc Flux

VERTICAL TURNING LATHE

BETTS Vertical Turning Lathe, S/N E7677-11, 155" Table & Swing, 92" Under Rail, (2) Master Machining Heads, Model SP585-26950, 20-HP, Rebuilt and Modified by JPT 2000's to Machine Faces of Large Dia. Parts

RADIAL ARM DRILLS

(2) G&L BICKFORD Chipmaster 19" x 9' Arm Radial Arm Drills, S/N 956-00294075 & 956-00261-74, Power Elevation
(2) CARLTON 19" x 8' & 15" x 6' Radial Arm Drills, 15-1500 RPM, Power Elevation & Clamp
CINCINNATI BICKFORD Super Service 17" Col. x 7' Radial Arm Drill,

S/N 5E-184, Power Elevation (Motor Missing)

TOOLROOM MACHINERY

ENCO 16" x 36" Engine Lathe, S/N 602520, 10" 3-Jaw Chuck, 16" Swing Over Bed, 6" Over Carriage, 36" Between Centers, 3" Through Spindle, 24-1,600 RPM, Threading, Foot Brake, Removable Chip Pan, Coolant, Acu-Rite 2-Axis DRO
10" Mitering Base Cold Saw • 20" Abrasive Cut-Off Saw
ENCO 3-HP Vertical Mill, 9-3/4" x 54" T-Slot Table, 50-4,250 RPM, AL-300S Table Feed
TREE Vertical Mill, 10-1/2" x 42" T-Slot Table, 60-3,300 RPM (Parts/Repair)
(2) ENCO 105-1300 Mill Drills
POWER DRIVE SQ 50 Threader to 2" Capacity
1-1/2" Hydraulic Tube Bending Press
OLIVER OF ADRIAN Drill Point Grinder
Double End Pedestal & Bench Grinders to 12"
Hydraulic Power Supplies • ENER-PAC Rams & Hand Pumps • End Mills • Taps • Reamers • Mill Hold Down Tooling • Criterion Offset Boring Head



175-Ton

LIMA 175-Ton Crawler Crane



175-Ton

P & H 175-Ton Crawler Crane



21,127 MILES



FREIGHTLINER T/A Cabover Truck Tractor



GMC 24' S/A Flatbed Truck



2009 GMC 2500HD P/U Truck



2008 HONDA ACCORD



FORD F150 P/U Truck



DODGE RAM 1500 P/U Truck



CHEVROLET 2500 P/U Truck



LOADCRAFT 4-Axle Drop Deck Trailer



BIG TEX 7' x 16' T/A Trailer



S/A Stinger



1 OF 2

(2) KUBOTA R250 Articulating Wheel Loaders



GROVE 12,000-lb. Carry Deck Crane



GENIE Platform Scissor Lift



2009

(2) 2009 NORTH AMERICAN / DELTA SERVICES 30-Ton Bridge Cranes



NORTH AMERICAN 20-Ton Bridge Crane



1 OF 2

(2) WHITING & Other 20-Ton Bridge Cranes



1 OF 2

(2) P&H and WHITING 15-Ton Bridge Cranes



2009

2009 TECHNOMAGNETE 15-Ton Lifting Magnet



(7) Spreader Beams: 10' to 47'

Including Installation)
NORTH AMERICAN 20-Ton (#13)
WHITING 20-Ton (#28)
WHITING 15-Ton (#31)
20-Ton (#39)
10-Ton (#32)
P&H 15-Ton, Fish Belly
(2) 5-Ton x 16' Span Single Girder Bridge Cranes, Underhung Bridge & Hoist, 6-Way Pendant

MATERIAL HANDLING

2009 TECHNOMAGNETE 15-Ton Lifting Magnet, Model MTE-TM6-140-N, 30,865-lb. Max, Expandable
GROVE 12,000-lb. Carry Deck Crane, Model IND 36, S/N 33846, Gas, Outriggers
(7) Spreader Beams: 10' to 47'
GENIE Platform Scissor Lift, Model GS-3268RT, LP, Pneumatic Tires
(100+) 2-Way & 3-Way Lifting Chains • (75+) Plate Clamps up to 2"/8-Ton Capacity • 1" Diameter Lifting Cables • Crane Forks • 2-Ton Chain Fall Hoists, Come-A-Longs • Machine Clamps • 2-Wheel Hand Carts

TRUCKS

1996 FREIGHTLINER T/A, Cabover Sleeper, Cummins M11, 350-HP, Diesel, 10-Speed, Engine Brake, AM/FM, Air, Extended Frame, 276" Wheelbase, Air Suspension, Sliding 5th Wheel, 379,904 Miles Showing

GMC 24' S/A Flatbed Truck, Diesel, Manual, Steel Bed

VEHICLES

2009 GMC 2500HD P/U Truck, VIN 1GTHC49K99E106503, Extended Cab, Gas, Automatic, AM/FM, Air, Cloth, 21,127 Miles
2008 HONDA ACCORD, VIN 1HGC-P36888A055536, Automatic, AM/FM, Air, Leather, Sunroof, 78,171 Miles
2003 FORD F150 P/U Truck, VIN 1FTRX17W82KE33849, Extended Cab, Gas, Automatic, AM/FM, Air, Cloth, 127,119 Miles
2000 DODGE RAM 1500 P/U Truck, VIN 1B7HC16Y9YS65123, Gas, Automatic, AM/FM, Air, 185,895 Miles
1997 CHEVROLET 2500 P/U Truck, VIN 1GCFC24R8VZ132237, Gas, Automatic, 187,108 Miles

TRAILERS

LOADCRAFT 4-Axle Drop Deck Trailer, 10' Upper Deck, 32' x 96" Main Deck, Wood/Steel
BIG TEX 7' x 16' T/A Trailer, VIN 16VPX1629VIF_9984
S/A Stinger

CRAWLER CRANES

LIMA 175-Ton Crawler Crane, Model 1500SC, S/N 747-A-116, Cummins Diesel, 42" Pads, 120' Boom (Est.), Load & A2B Load Shift Monitors, Model 777 & 939
P & H 175-Ton Crawler Crane, Model 97-175, S/N 51276, Diesel, 36" Pads, 100' Boom (Est.), Greer Load Scale, Model LALT-1151L, 2,572 Hours
150' Lattice Boom

WHEEL LOADERS & TRACTOR

(2) KUBOTA R250 Articulating Wheel

Loaders, Diesel, ROPS Canopy, S/N 10333 w/Forks, S/N 10226 w/72" Bucket
78" Loader Bucket
JOHN DEERE 400 Tractor w/Snow Blade (Parts/Repair)

BRIDGE CRANES

ALL DOUBLE GIRDER, TOP RUNNING BRIDGE & HOIST, 61' SPAN W/ REMOTES
(2) 2009 NORTH AMERICAN / DELTA SERVICES 30-Ton Bridge Cranes, S/N DS121808KT02, DS121908KT01 (#25 & #26), Radio Remote Control, R&M Hoists, Purchased New 12/2008 at Cost of Approx. \$175,000 Each (Not



CLARK 52,500-lb. Forklift



TAYLOR 30,000-lb. (est), Forklift



HYSTER 24,000-lb. Forklift



1 of 2 QUINCY QSI-500 Rotary Screw Type Air Compressors



(3) INGERSOLL RAND SSR EP100 100-HP Air Compressors



SULLAIR 185 John Deere Air Compressor



(20) 6' x 46" Rail-Mounted Transfer Carts



(44) 16" x 4" Steel Rail Wheels



(8) 11-1/2" x 21-3/4" Steel Rollers



(500) Shoring Timbers



(2,400) Landscape Timbers



Electric DC Motors to 50-HP



(100) Sections 18"W Aluminum Tower Ladder



(25) Fiberglass & Aluminum Folding Ladders



(200+) Pneumatic & Electric Hand Tools



(3) Magnetic Base Drills



Large Plate Steel Inventory



Large Scrap Steel Offering



96" x 48" Conference Table w/(4) Chairs



125" x 48" Conference Table w/(10) Chairs



(5) Executive Office Sets



HP Designjet 500 Roll Printer



SUMMA DC4 Roll Printer

FORKLIFTS

CLARK 52,500-lb. Forklift, Model CY525D, S/N CY525D-2-2183, Diesel, 168" Lift, Pneumatic Tires, Dual Front, Enclosed
TAYLOR 30,000-lb. (est). Forklift, Gas, Single Stage Lift, Pneumatic Tire, Dual Front, ROPS

HYSTER 24,000-lb. Forklift, Model H250E, Diesel, 212" Lift, Pneumatic Tire, Dual Front, ROPS

CLARK 15,000-lb. Forklift, LP, Single Stage Mast, Pneumatic Tires, ROPS

CATERPILLAR 4,000-lb. Forklift, Pneumatic Tires (Parts/Repair)

RAW MATERIAL

Plate-Partial Inventory, Most w/ Beveled Edges, Types A709-36 & A572-50

(6) 37' x 115" x 3/4" • (2) 46' x 108" x 3/4" • (5) 35' x 108" x 3/4" • (1) 38' x 108" x 1/2" • (2) 40' x 75" x 1-1/2" • (4) 46' x 108" x 1-1/2" • (1) 30' x 96" x 2-3/4" • (1) 13'6" x 90" x 2-1/4" • (14) 33' x 120" x 7/16" • (7) 47' x 106" x 1" • (1) 46' x 113" x 1" • (1) 46' x 108" x 1" • (1) 45' x 108" x 1" • (1) 44' x 75" x 1" • (2) 46' x 108" x 1" • (4) 46' x 114" x 1.1" • (1) 13' x 96" x 1" • (2) 40' x 96" x 1/2"

Angle, Tube, Rod Stock, I-Beams, Diamond Plate, Aluminum Grating

AIR COMPRESSORS

(2) **QUINCY QSI-500 Rotary Screw Type Air Compressors**
(3) **INGERSOLL RAND SSR EP100 100-HP Air Compressors**, S/N F15029U95243, F18133U97137
SULLAIR 185 John Deere Air Compressor, Diesel Power, Trailer Mount
ZEKS Nomonox Breathing Air Purifier • 900 Gallon Air Header Tank

MISCELLANEOUS

Large Scrap Steel Inventory, Plate Drops, Work in Progress, Machines, Assembly Fixtures
Remaining Machine Parts Inventory, Bearings, Filters
(20) **6" x 46" Rail-Mounted Transfer Carts**, 38" Track Centers
(44) **16" x 4" Steel Rail Wheels** • (8) 11-1/2" x 21-3/4" Steel Rollers
Spool of 1" Crane Cable
(40) **Cases of Paint & Dust Collector Filters**
(500) **Shoring Timbers**, 12" x 12" x 124" • (2,400) Landscape Timbers
Electric DC Motors to 50-HP • Gear Reduction Drives
Hardware to 1-1/2"
Steel Cabinets • Shelving • Steel Layout Tables • Welded Material Racks • (40) 29"H Metal Horses,

8' - 16' Lengths • (25) Fiberglass & Aluminum Folding Ladders to 16' • (100) Sections 18"W Aluminum Tower Ladder
FENWAY Electric Hand Nibbler • Hand Plate Beveller • (2) HD Magnetic Base Drills • (1) Hougren Magnetic Base Drill • Electric Hand Drills • (200+) Assorted Pneumatic Hand Tools • Grinders • Chisels • Impacts • Orbital Sanders • Grinding Wheels • Air Line Fittings • Fuses • Sockets • Hand Tools

OFFICE

(5) **Executive Office Sets** • (10) Laminate & Wood Desk Sets • Conference Tables: 125" x 48" w/ (10) Chairs • 96" x 48" w/(4) Chairs • Receptionist Area • File Cabinets • Bookcases • Credenzas • Art Work • Chairs
Roll Printers: SUMMA DC4 & HP Designjet 500 • HP & CANNON Printers & Fax Machines • (15) Assorted Pentium Computers & Flat Screen Monitors



Assets from US Bankruptcy Court

JOHNSON PLATE & TOWER FABRICATION

201 Los Mochis Drive in Canutillo (El Paso), TX

THURSDAY, FEBRUARY 5TH
Starting at 10am

Inspection: Day prior to auction from 9AM - 4PM



2010

2010 GLOBAL FINISHING (GFS)
24' x 24' x 124' Drive Thru Paint Booth & Oven Line



2008

2008 SERTOM 2.75" x 10' Hydraulic Plate Bending Rolls

Auction conducted by:

MYRON BOWLING AUCTIONEERS, INC.

P. O. Box 369, Ross, Ohio 45061



FIRST CLASS MAIL

PRESORTED
FIRST CLASS MAIL
U.S. POSTAGE
PAID
CINCINNATI, OH
PERMIT NO. 5714



LTEC CM-360 CNC Plasma / Oxy Cutting Table

HEAVY PLATE FABRICATOR & WIND TURBINE MANUFACTURER



1 OF 2

(2) LIMA and P&H 175-Ton Crawler Cranes



3 OF 7

(7) Pickup Trucks, Truck Tractor & assorted Vehicles



BETTS Vertical Turning Lathe

DIRECTIONS

From El Paso, Texas, take I-10 West to Exit #6A for Texas Loop 375 / Transmountain Road. Continue at the top of the exit straight on to the Northbound bypass road. Go approx. 3 miles to the first underpass, then continue Southbound on the bypass road Southbound for 1 mile & turn right onto Los Mochis Dr. Auction site is at the end of the road on the right.

LOGGING

Hampton Inn (915) 833-7000
6411 S Desert Blvd. 79932

Holiday Inn Express (915) 587-5885
7935 Artcraft Rd. 79912

Comfort Inn (915) 225-7890
6645 Gateway Blvd. W. 79925

TERMS & CONDITIONS

TERMS OF SALE: Copies of Terms of Sale will be posted at the auction. Additional terms may be announced during the auction. We make every effort to accurately describe each item in the auction; however, a mistake may occur. Buyers must take responsibility to thoroughly inspect the items on which they intend to bid. Each item will be sold "As is, where is." There is absolutely no warranty or guarantee of any kind either written or implied. Occasionally, additional information may come to light regarding any and all items being sold during the auction. When this occurs the new information takes precedence.

BUYER'S PREMIUM: 15% ONSITE • 18% ONLINE
INSPECTION: THE DAY BEFORE THE AUCTION FROM 9AM TO 4PM

REMOVAL & PAYMENT: Machinery removal is the responsibility of the buyer. All equipment must be removed in accordance with the specific auction timeline and terms of sale. See the specific auction web page for details. Anyone (rigger or buyer), using a powered vehicle to remove items must have a certificate of insurance on file with Myron Bowling Auctioneers in the amount of \$1,000,000.00. Item removal generally begins at the conclusion of the auction and after payment in full is received by cash, wire transfer, or company check (if approved by the auction company or bank letter of guarantee). All checks should be made payable to Myron Bowling Auctioneers. Taxes will be charged unless you have provided a proper written exemption from your state.

SAMPLE BANK LETTER: Dear Sirs, (BANK NAME) irrevocably guarantees payment in full to Myron Bowling Auctioneers by (BUSINESS NAME) drawn on account (NUMBER) up to the amount of \$ (DOLLARS) to purchase items at your (AUCTION NAME). This letter of guarantee is valid until (MONTH, DAY, YEAR). Regards, (BANK REPRESENTATIVE, TITLE, BANK NAME).

COMPLETE TERMS & CONDITIONS
can be found at myronbowling.com, or call 513/738-3311 if you have questions

Myron C. Bowling - TX Auctioneer's Lic. #12989

UNABLE TO ATTEND?

Bid Online in Real Time at

Register: You must register as an online bidder through Bidspotter.com, 24 hours prior to the auction start time to allow sufficient time to be approved. You'll find the Bidspotter link on the specific auction page on our Website.

Deposit: A deposit of 25% of your anticipated purchase or a bank letter of guarantee is required to bid online. Mail deposit check to: Myron Bowling Auctioneers, P.O. Box 369, Ross, Ohio 45061. Call 513/738-3311 for wire instructions. Fax your bank letter of guarantee to 513/738-0221.

Approval: Once the registration process has been completed and your deposit received, you will be notified through an automated Bidspotter email, that you are approved to bid.

ALL ONLINE BIDS ARE SUBJECT TO A 18% BUYER'S PREMIUM

Sale
Conducted
by:



In
Conjunction
with:

