# TWO FACILITIES INCLUDING - WIRE & ROD THENDING & SUPPORTED IN THE NEW

# Select tems of Major Mariner Internet See Instructions of Bidder on the Major Major



Manville Model 500-C Two-Blow Double End Rod





3/8" Waterbury Farrel Model #22 "Double End" Two-Blow Magazine Feed Rod Header



(9) Nilson Model S-1F Four-Slide Machines

Featuring: (8) Rod Headers by Manville & Waterbury Farrell Wire Drawers, Wire Payoff Reels, (2) 8F & (2) 10F Lewis Wire Straight & Cut Machines, Thread Rollers, (12) Nilson 4-Slide Machines, (10) Knuckle Joint Presses by Minster, Bliss & Etc. to 1,000 Ton Capacity, (10) S.S.D.C. & S.S.S.C. Presses to 600 Ton Capacity, (25) OBI Presses to 150 Ton Capacity, Toolroom Machinery, Air Compressors, Material Handling **Equipment, Tensile Tester, Large Quantity Plant Support Equipment** 

# **Plant Closed** Surplus to the Ongoing Operations of a

# STAMPING COMPA

300 S. Chestnut Street - Deshler, Ohio 43516 40 Miles South of Toledo

# **SALE DATE:** Wednesday, January 13th

Starting at 9:00 AM

**INSPECTION:** Tuesday, January 12th 10:00 AM to 4:00 PM

# www.cia-auction.com

# **Features:**

**Upcoming Sale Information** Liquidation & Equipment Section **Email Auction Notification Recent Auction Results** Lot Catalog Listings **Photo Galleries** Downloadable Forms Complete Terms of Sale **Staff Profiles** Reference Information



1,000 Ton Minster Model 90-1000 Knuckle Joint Press



600 Ton Minster Model 90-600 Knuckle Joint Press



SALE UNDER THE MANAGEMENT OF

# ncinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 INTERNET: cia-auction.com for printable brochures, catalog, terms and proxy-bidding



# WEDNESDAY, JANUARY 13TH - 9:00 AM



(2) 1/2" Manville Model 500-C





**Straightening & Cutting Machines** 



**Straightening & Cutting Machines** 



200 Ton Bliss Model 3662-G Three-Way Knuckle Joint





600-42-48 SSSC Press



600 Ton Cleveland Model

# **ROD HEADERS**

3/4" Manville Model 500-C Two-Blow Double End Rod Header; Asset No. CS-825, w/#4 Ajax Drawer, Plant 2 SEE PHOTO

(2) 1/2" Manville Model 500-C Magazine Feed Two-Blow Rod Headers; Asset No.'s CS-220 & CS-243, Plant 2 SEE PHOTO

3/8" Manville Two-Blow Hand Feed Rod Header: Asset No. CS-290, Air Clutch, Plant 1

3/8" Waterbury Farrel Single Blow Hand Feed Rod Header: Plant 2

3/8" Waterbury Farrel Model #22 "Double End" Two-Blow Magazine Feed Rod Header; Asset No. CS-289, Plant 2 SEE PHOTO

(2) 5/16" Manville Magazine Feed Two-Blow Rod Headers; Asset No.'s CS-586 & CS-283, Plant 2

## WIRE STRAIGHT & CUTS

(2) 5/8" Lewis Model 10-F Wire Straightening & Cutting Machines; S/N 139, Asset No. CS-19, w/ 6' Rack, S/N 155, Asset No. CS-198, w/ 10' Rack, Benshaw Soft-Start Controls, Plant 1 SEE PHOTO

(2) 3/8" Lewis Model 8-F Wire Straightening & Cutting Machines; S/N 154, Asset No. CS-18, w/ 10' Rack, S/N 187, Asset No. N/A, w/ 6' Rack, Plant 1 SEE PHOTO

# **COLD HEADER**

3/8" Waterbury Farrel Model #22 Two-Blow Open Die Cold Header; Asset No. CS-224, Plant 2 SEE PHOTO

## **WIRE DRAWERS & RELATED**

7/16" RMG Model 67-50376-76 Inline Wire Drawer; S/N 93023003, 50 HP, 376 FPM, MD-10 Scale Breaker, Plant 1

1" Ajax Model #5 Self Powered Wire Drawer; Plant 2

RMG Double Sided Wire Payoff; Plant 2 9/16" RMG Model 910-50170-22 Inline Capstan Wire

Drawer; S/N 712126, Plant 2 SEE PHOTO RMG Model MD-14 Scale Breaker: S/N 96043817. Plant 2

5/8" Micro Weld Model THD Butt Welder; Plant 2 SEE PHOTO

# **FOUR SLIDE MACHINES**

(9) Nilson Model S-1F Four-Slide Machines; S/N's 89835, 75880, 93490, 79630, 74820, 66630, 73330, 72830, 57234 & 74530, Most Have Split Cams, Double Gibbed, Press Head, Variable Speed Drives, Plant 1

(2) Nilson Model S-3F Four-Slide Machines; S/N 110710, w/ Split Cams, Double Gibbed, Press Head & Variable Speed Drive, S/N 66950, w/ Press Head & Variable Speed Drive, Plant 1 SEE PHOTO

# THREAD ROLLERS

5/8" Waterbury Farrel #40 Double End Flat Die Thread Roller; Asset No. 239, Magazine Feed, Air Clutch, 24" Length, Plant 1

**5/8" Waterbury Farrel #40 Hand Feed Flat Die Thread Roller;** Asset No. CS-148, Plant 2 **SEE PHOTO** 

3/8" Waterbury Farrel Model #20 Hand Feed Flat Die Thread Roller; Asset No. CS-149, Plant 2

## WIRE BENDING MACHINES

(25) Custom Built Pneumatic Wire Bending Machines; S/N's N/A, Steel Frame Bases, Pneumatic Cylinders, Plant 1

# LANDIS THREADER

3/4" Landis Two-Spindle Leadscrew Cut Threader; S/N 480-3, Lead Screws & Lanco 6R Cutting Heads, Plant 2

# THREE-WAY KNUCKLE JOINT

200 Ton Bliss Model 3662-G Three-Way Knuckle Joint Press; S/N T-34814, Asset No. 44, Top and (2) Side Rams, 36" LR X 26" FB Bed Size, 20" Shut Height, 8" Stroke, 1/2" Adjustment, 28 SPM, Palm Button Controls, Plant 1 SEE PHOTO

#### KNUCKLE JOINT PRESSES

**1,000 Ton Minster Model 90-1000 Knuckle Joint Press;** S/N FD856B-30, Asset No. 300, 32" LR X 42" FB Bed Size, 16" Shut Height, 8" Stroke, Foot Pedal / Pull Back Controls, Plant 1 SEE PHOTO

1,000 Ton Bliss Knuckle Joint Press; S/N N/A, Asset No. 756, 30" LR X 32" FB, Plant 2

600 Ton Minster Model 90-600 Knuckle Joint Press; S/N GMF3A-35, Asset No. 480, 32" LR X 32" FB Bed Size, 16.5" Shut Height, 4" Stroke, PB Controls, Plant 1

SEE PHOTO

600 Ton Bliss Model 644-BKJ Knuckle Joint Press; S/N FD081A-36, Asset No. 466, 40" LR X 36" FB Bed Size, 19.5" Shut Height, 6" Stroke, 1/2" Adjustment, 33 SPM, PB Controls, Plant 1

600 Ton Cleveland Model 6-K Knuckle Joint Press; S/N 10655, Asset No. 59, 42" LR X 36" FB Bed Size, 23-1/2" Shut Height, 5" Stroke, 1/2" Adjustment, 35 SPM, PB Controls, Plant 1

600 Ton Cleveland Model CK-600 Knuckle Joint Press; S/N CH978E-30, Asset No. 242, 42" LR X 42" FB Bed Size, 16.25" Shut Height, 12" Stroke, 33 SPM, PB Controls, Plant 1

600 Ton Cleveland Model 5K Knuckle Joint Press; S/N 9758, Asset No. 201, 42" LR X 42" FB Bed Size, 36" Shut Height, 12" Stroke, 1/2" Adjustment, 33 SPM, PB Controls, Plant 1 SEE PHOTO

**600 Ton Toledo Model 664 Knuckle Joint Press;** S/N FDL24A-35, Asset No. 293, 21" LR X 26" FB Bed Size, PB Controls, Plant 1

400 Ton Bliss Model 24A Knuckle Joint Press; S/N N/A Asset No. 57, 35" LR X 32" FB Bed Size, 12" Shut Height, 5" Stroke, PB Controls, Plant 1

250 Ton Bliss Knuckle Joint Press; S/N FDE13A-36, Asset No. 66, 31" LR X 24" FB Bed Size, 22" Shut Height, 6" Stroke, 42 SPM, PB Controls, Plant 1

56 Ton Minster Model 10-6 Knuckle Joint Press; S/N 10-6-8238, Asset No. 43, 32" LR X 24" FB Bed Size, (Adjustable Bed) Shut Height, 6" Stroke, 3" Adjustment, PB Controls, Plant 1

#### SSDC PRESSES

525 Ton Bliss Model 96-1/2 - 72 SSDC Press; S/N FD530A-30, Asset No. 12, 72" LR X 55" FB Bed Size, 20" Shut Height, 12" Stroke, 24 SPM, PB Controls, Plant 1

500 Ton Toledo Model 98-84W SSDC Press: S/N FD531A-31, Asset No. 445, 84" LR X 60" FB Bed Size, 25" Shut Height, 10" Stroke, 21 SPM, PB Controls, Plant 1

400 Ton Cleveland Model 280-D-84-72 SSDC Press; S/N 10410, Asset No. 595, 84" LR X 72" FB Bed Size, 50" Shut Height, 18" Stroke, 10" Adjustment, 18 SPM, Out of Service, Plant 1

400 Ton Verson Model C2-400-96-54T SSDC Press; S/N 11910, Completely Disassembled, Plant 2

**300 Ton Clearing Model F-4300-132 SSDC Press;** S/N 46-12311-P, Asset No. 245, 10'6" LR X 6' FB Bed Size, 24" Shut Height, 10" Stroke, 2" Adjustment, 20 SPM, PB Controls, Plant 1

250 Ton Toledo Model 94-1/2 E SSDC Press; S/N CH317A-30, Asset No. 456, 50" LR X 46" FB Bed Size, 10" Stroke, 22 SPM, PB Controls, Plant 1

250 Ton Verson Model 250-82-72 SSDC Press; S/N 5383, Asset No. 225, 66" LR X 59" FB Bed Size, 20" Shut Height, 12" Stroke, 8" Adjustment, PB Controls, Plant 1

200 Ton Bliss Model 7-48W SSDC Press; S/N FD693A-36, Asset No. 600, 48" LR X 40" FB Bed Size, 23" Shut Height, 10" Stroke, PB Controls, Plant 1

200 Ton Hamilton Model S2-200-72-48 SSDC Press: S/N N/A, Asset No. 457, 72" LR X 48" FB Bed Size, 8.5" Shut Height, 3" Stroke, Finger Controls, Plant 1

150 Ton Toledo Model 93-1/2 D SSDC Press; S/N N/A Asset No. 455, 54" LR X 45" FB Bed Size, 14" Shut Height, PB Controls, Plant 2

**150 Ton Bliss Model 648W SSDC Press;** S/N 125639, Asset No. 671, 48" LR X 34" FB Bed Size, 16.5" Shut Height, 10" Stroke, PB Controls, Plant 2

Toledo Model 548 SSDC Press; S/N N/A, Asset No. 602, 48" LR X 32" FB Bed Size, PB Controls, Plant 2

## SSSC PRESSES

600 Ton Danly Model SS-1-600-42-48 SSSC Press: S/N FD702B-30, Asset No. 15, 42" LR X 48" FB Bed Size, 21" Shut Height, 10" Stroke, 33 SPM, PB Controls, Plant 1 SEE PHOTO

250 Ton Verson Model S1-250-42-36TPR SSSC Press: S/N 19810, Asset No. 241, 42" LR X 36" FB Bed Size, 31" Shut Height, 18" Stroke, 5" Adjustment, 23 SPM, PB Controls, Plant 1

# **OBI PRESSES**

(2) 150 Ton Niagara Model AF-6-1/2 OBI Presses;  $\mbox{\ensuremath{\text{S/N}}}$ 39168, Asset No. 620 & S/N N/A, Asset No. 453 (Out of Service), 50" LR X 30" FB Bed Size, 22.5" Shut Height, 6" Stroke, 6" Adjustment, 40 SPM, PB Controls, Plant 1

(2) 150 Ton USI Model 150 OBI Presses; S/N FDE13A-35, Asset No. 186 & S/N FDE12A-35, Asset No. 60, 48" LR X 30" FB Bed Size, 22" Shut Height, 12" Stroke, PB Controls, Plant 1

150 Ton Niagara Model M-150-GRD OBI Press; S/N 41917, Asset No. N/A, 50" LR X 30" FB Bed Size, 24" Shut Height, 8" Stroke, 5" Adjustment, 45 SPM, Palm Button Controls, Out of Service Disassembled Plant 2

150 Ton Bliss OBI Press; S/N GM093A-35, Asset No. 711, 48" LR X 30" FB Bed Size, Plant 1

(2) 125 Ton South Bend Model 125-BG-AC OBI Presses: S/N 80078, Asset No. 603, Plant 2 w/ 24.5" Shut Height & 6" Adjustment, S/N 76079, Asset No. 605, Plant 2w/ 23.5" Shut Height & 4" Adjustment, Both Equipped w/ 42" LR X 27" FB Bed Size, 4 Stroke, 40 SPM, PB Controls SEE PHO

110 Ton Bliss Model 1-110-42-27 OBI Press; S/N GM143A-36, Asset No. 382, 42" LR X 26" FB Bed Size, 17.5" Shut Height, 8" Stroke, PB Controls, Plant 1

100 Ton Johnson Model 100-FW-AC OBI Press: S/N 65109. Asset No. 715, 42" LR X 27" FB Bed Size, 17.5" Shut Height, 4' Stroke, 4" Adjustment, 75 SPM, Plant 1

**95 Ton Bliss Model 8 OBI Press;** S/N FD836B-35, Asset No. 597, 45° LR X 28° FB Bed Size, 13.5° Shut Height, 6° Stroke, PB Controls, Plant 1

90 Ton Bliss OBI Press; S/N FD857C-35, Asset No. 56, 37" LR X 27" FB Bed Size, 14.5" Shut Height, 6" Stroke, PB Controls, Plant 1

90 Ton Niagara Model A5 OBI Press; S/N N/A, Asset No. 47, 39" LR X 25" FB Bed Size, 13.5" Shut Height, 4.5" Stroke, Foot Pedal, Plant 1





Leadscrew Cut Threader



5/8" Micro Weld Model THD Butt Welder

# WEBCAST BIDDER INSTRUCTIONS

- All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, if you do not you will not be approved.
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. Period.
- Only Major Items Will be Available for Online Bidding. Please refer to the Listing on www.bidspotter.com for Available Online Items.



- There is a 15% Buyer's Premium in Effect for All Online Purchases.
- We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.

# MAJOR WIRE FORMING & STAMPING COMPANY





(2) Nilson Model S-3F Four-Slide



9/16" RMG Model 910-50170-22 Inline



5/8" Waterbury Farrel #40 Hand Feed Flat Die Thread Roller



5 Ton X 120' Harrington Overhead

(3) 75 Ton Bliss OBI Presses; Model C-75 S/N HP53420, Asset No. 441, 36" LR X 24" FB Bed Size, 15.5" Shut Height, 6" Stroke, 3.5" Adjustment, Foot Pedal Control, Plant 1, Model 23M S/N CH944E-36, Asset No. 440, 32" LR X 24" FB Bed Size, Plant 2, Model 23 S/N H43589 Asset No. 52, 36" LR X 22" FB Bed Size 13.5" Shut Height, 4.5" Stroke, 3" Adjustment, 40 SPM, Plant 2

(4) 60 Ton Bliss OBI Presses; Model C-60 S/N H55434, Asset . 257, 32" LR X 22" FB Bed Size, 14" Shut Height, 6" Stroke, 3" justment, 45 SPM, Plant 1, Model C-60 S/N N/A, Asset No. 259, 1 LR X 22" FB Bed Size, 12" Shut Height, Plant 1, Model 21-1/2 S/N H41902, Asset No. 55, 32" LR X 22" FB Bed Size, 10" Shut Height, 3.5" Stroke, 2.5" Adjustment, Palm Button, Plant 1, Model N/A S/N N/A, Asset No. 599, 34" LR X 22" FB Bed Size, Plant 2

50 Ton Warco OBI Press; S/N N/A, Asset No. 267, 30" LR X FB Bed Size, PB Control, Plant 2

(2) 45 Ton Bliss Model 21-S OBI Presses; S/N H49231, Asset No. 250 w/ 11" Shut Height, S/N N/A, Asset No. 251, 8.5" Shut Height, Both With 29" LR X 19" FB Bed Size, 3" Stroke, 2.5" Adjustment

Bliss Model 41 OBI Press; S/N N/A, Asset NO. 62, 28" LR X

## **VERTICAL MILLS**

2 HP Bridgeport EZ Trak DX II CNC Vertical Mill; S/N Table, Spindle Speeds to 4200 RPM, Kurt Power Draw Bar, Plant 1

1-1/2 HP Bridgeport Variable Speed Vertical Mill; S/N 179156, 9" X 48" Table, Spindle Speeds to 4200 RPM, PTF, Plant 1

(4) 1 HP Bridgeport Eight-Speed Vertical Mills;  $\mbox{S/N}\ 48386$ w/ 9" X 42" Table, \$/N 151181 w/ 9" X 42" Table & Mitutoyo DRO S/N 237601, 9" X 42" T-Slotted Table w/ Sony DRO, S/N BR74797 w/ 9" X 32" Table, Plant 1

Clausing Kondia Model FV-1 Variable Speed Vertical Mill; S/N Z-751, Spindle Speeds from 60 - 4000 RPM, 9" X 42" T-Slotted Table, Plant 2

**LATHES – ALL TYPES**18" X 50" LeBlond Regal Geared Head Engine Lathe; S/N 6E1276, Twelve-Speeds from 45 - 1800 RPM, Threading, 10" 3-Jaw Chuck, Plant 2

12" X 30" Hendey Model 12CHL Geared Head Engine Lathe; S/N 40008, Eighteen Speeds from 19 - 1000 RPM. Threading, 10" 3-Jaw Chuck, Plant 2

24" X 48" Monarch Geared Head Engine Lathe; S/N 31542-K, 2" Spindle Bore, Inch Threading, 18" 4-Jaw Chuck, Plant 1

20" X 24" Foster Geared Head Turret Lathe; S/N N/A, 3" Spindle Bore, 6-Position Turret, 10" 3-Jaw Chuck, Plant 1

# **SURFACE & TOOL GRINDERS** 36" Hanchett Model No. 36 Rotary Surface Grinder; S/N

118656, Out of Service, Plant 2

12" X 24" Gallmeyer & Livingston Model 370 Hydraulic Surface Grinder; S/N 370131, Electromagnetic Chuck, 10" X 1" Wheel, Dresser, Plant 1

8" X 24" DoAll model D824-12 Hydraulic Surface Grinder; S/N 222-70319, Electromagnetic Chuck, 10" X 1" Wheel, Dresser Plant 1

8" X 18" Husk-E-Line Model HR818 Hand Feed Surface Grinder; S/N 10192-HR, 8" X 1" Grinding Wheel, Plant

(2) 6" X 18" Reid Hand Feed Surface Grinders: S/N 21469

K.O. Lee Model BA900X Universal Tool & Cutter Grinder: S/N 24459-TM. 5-C Collet Motorized Workhead. Plant 2

# MISC. TOOLROOM MACHINERY

D.C. Morrison Keyseater; S/N K611404, 24" X 8" Table, Plant 1

**Kearney & Trecker H.D. Dial Type Horizontal Mill;** S/N 5478169, 15" X 76" Table, 24-Speeds from 25 - 2000 RPM, 50 5478169, 15" X 76" Ta Taper Spindle, Plant 2

5' X 13" Column American Hole Wizard Radial Arm Drill; S/N N/A. Spindle Speeds to 1600 RPM, 28" X 21" Drill Box, Plant 1

Cress Model C122012D/942 Two-Chamber Electric Furnace; S/N 9606, 12" X 12" X 18", 2250 Degree F Max Upper Chamber, 1250 Degree F Lower Chamber, Plant 1

Sunnen Model MBB-1600 Precision Hone: S/N 43256 Plant 1 Oliver Adrian Mode S-4 Bench Model Die Filer; S/N 12502,

#### **BAND SAWS**

26" DoAll Model 2612-2H Vertical Band Saw; S/N 206-65169, Asset No. 297, 30" X 24" Table, 6,000 FPM, Blade Welder,

12" X 16" DoAll Model C-8 Metal Cutting Horizontal Band Saw: S/N 223-67331, 250 FPM, Plant 1

8" X 16" Kalamazoo Model 8-16-C Horizontal Metal

18" Grob Model NS18 Vertical Metal Cutting Band Saw; S/N 4874. Blade Welder. Plant 2

9" X 16" Production Machinery Sales Horizontal Band

12" Roll-In Vertical Band Saw; S/N N/A, Plant 1

14" Delta Milwaukee Vertical Band Saw; S/N 95-1607, 14"

#### **WELDING ROBOTS & WELDERS**

Miller Model MRH2 Five-Axis Hybrid Welding Robot; S/N KD351525, Disassembled Miller Control, 4' X 4' Table, Plant 2

**Miller Model MRV2 Six-Axis Welding Robot;** S/N KD506610, Disassembled Miller Control, Plant 2

(7) Mig & Arc Welders Consisting of; Miller Deltaweld 652, (2) Miller CP-250TS, Lincoln Idealarc 250, Lincoln AC225S, (2) Miller MP-30E

Thermal Dynamics Stak Pak Plasma Cutter; CM6030 Control Module. (3) PM6040 Power Modules. Plant 1

(2) Weldscope Model WS-20 Spot Welders; S/N's N/A, Plant 1

# **AIR COMPRESSORS & RELATED**

150 HP Sullair Model 20-150L Skid Mount Rotary Screw Air Compressor; S/N 003-52348, Hours: 27,892, After Cooler,

100 HP Gardner Denver Model ECPQMC Cabinet Type Rotary Screw Air Compressor; S/N NAM40151, Plant 1 75 HP Worthington Rollair 75 Cabinet Type Rotary

Screw Air Compressor; S/N N/A, Plant 1 **50 HP Worthington Rollair 50 Cabinet Type Rotary Screw Air Compressor;** S/N N/A, Plant 1

Air Tek Refrigerated Air Dryer; S/N N/A, Plant 1

MISC. MACHINERY

40"D X 54"W X 30"H Galbreath Model 2200HD4054
Hydraulic Cardboard Vertical Baler; S/N VB377 (New 1996),
SEE PHOTO

15 Ton Ohma Model P1500-M113 Pneumatic Press; S/N 99001920, Palm Button Control, Hydraulic Intensifier, Plant 2 Universal Steel Strip Series 50 Rotary Pallet Stretch Wrap Machine: S/N N/A. Plant 1

Muller Model 303 Rotary Stretch Wrap Machine; S/N

4' Chicago Manual Finger Brake; S/N 89526, Size W34, Plant 1 (10) Floor Drills of All Types to 20"

Other Misc. Machinery Consisting of; 18" Royal Floor Tapper, S/N 18-1169, Jarcki Machine Screw Press, S/N 1441 w/ 20" X 35" Bed, 4,000 LB Feed Lease Motorized Uncoiler, S/N 1992, 1,000 LB ASL Motorized Uncoiler, S/N 6538, Famco No. 3-1/2 R Floor Model Arbor Press: Shop Built H.D. Hydraulic H-Frame Press: Toledo Model 999 Power Pipe Threader; Ice O-Matic Ice Maker;

#### **INSPECTION, LAB & TEST EOUIPMENT**

120,000 LB Riehle Tensile Tester; S/N R-72566, Load Speed: - 2" Per Minute. Plant 1

**60,000 LB Richle Model KA-60 Hydraulic Tensile Tester;** S/N RA-27077, Admet Digital Control, Plant 2

Zeiss Eclipse Model SYS, DCC, ECL, 2040-18 Coordinate Measuring Machine; S/N CMM930201823, 36" X 52" Table, Disassembled, No PC, Plant 2

Struers Model 05086219 Labopress-3 Lab Press; S/N

Struers Model 04926136 Rotopol 31 Polisher; S/N 4920979, Struers Rotoforce-4 Model 05256 Polishing Head; S/N 5251655, 12" Plate, Plant 2

14" Struers Model Unitom-5 Abrasive Specimen Saw; S/N 5-30115, 11" X 12" T-Slotted Table, Coolant Pump, Spindle Speeds to 2775 RPM, Plant 2

Leica Model DMILM Microscope w/ Polaroid Camera;

# **TRUCKS**

1995 Chevrolet 3500 Stake Bed Truck; Vin No. 1GBJC34KXSE181255, 417,725 Miles, Gas Engine, Automatic Transmission, 9' Bed

1994 Chevrolet 3500 HD Van Body Truck; Vin 1GBKC34N7RJ107114, 135,844 Miles Showing, Auto Transmission, Gas Engine, 14' Box

5 Ton X 120' Harrington Overhead Monorail Crane 5 Ton X 120 Harrington Overhead System; 5 Ton Harrington Electric Self-Traveling Cable Hoist, Plant 2 SEE PHOTO

MATERIAL HANDLING & RELATED Skyjack Model SJ4626 Electric Scissor Lift; S/N 72051, 26' Max Platform Height, Plant 1

Approx (100) Corrugated Steel Tubs Consisting of; (39) 30"W X 45"L X 25"H Steel Tubs, (4) 42"W X 46"L X 26"H Steel Tubs, (43) Various Size Steel Tubs, Plant 1

(3) B-Tek Digital Platform Scales to 10,000 LB Capacity and 60" X 84" Platform

4,000 LB Yale Model MPB040 Electric Walk Behind Pallet Truck; S/N A827N31646X, 24-Volt, Built-In Charger, Plant 2

(6) 4,000 LB Electric Gaylord Tippers By Southworth, Presto & Vestil; Plant 1

Tennant Model 7400 Ride On Floor Scrubber; S/N 7400-

#### SHOP & OFFICE EQUIPMENT

**Shop Equipment Consisting of;** Hydraulic Pallet Trucks, Fiberglass Step Ladders, Steel Carts, Fireproof Cabinets, Toolboxes, (6) Self Dumping Hoppers, Machine Vises, 60" X 30" Steel Table, Pedestal Grinders, Steel Banding Cart, 3' X 6' Granite Surface Plate, Two-Door Storage Cabinets, Rockwell Hardness Tester, Portable Shop Ladders, Taylor Dunn Electric Three-Wheel Cart, 5' X 5 Ton Forklift lib. (50) Sections Various Size Adjustable Beam Pallet Rack (100) Cross Beams, (26) Uprights, Electric Rubber Belt Conveyors & Other Related Items Located in Both Plants

**Office Furniture Consisting of;** Desks Sets, Conference Room, File Cabinets, Tables, Bookcases and Other Related



(2) 125 Ton South Bend **Presses** 



(12) SSDC Presses To 525



(24) OBI Presses To 150 Ton

# **IMPORTANT SALE INFORMATION**

This Auction Consists of Machinery Located at Two Plants, which are approx. 1 Mile Apart. The Auction will start at Plant 1 – 300 S. Chestnut St. and will continue at Plant 2 – 320 S. Vine St. All Bidders must first proceed to the Chestnut St. location to the auction office for Bidder Registration and **Invoice Payment** 

**Directions From Plant 1 Sale Start to Plant 2** Continuation of Sale: Head Back to S. Chestnut Street to Main Street. Turn Right onto Main St & Remain on Main St for 1/3 Mile to First Light S. Keyser Ave. Turn Right & Proceed 1/3 Mile to W. Walnut St. Turn Right onto W. Walnut St & Plant is 1/3 Mile on Right at Corner of Walnut & Vine St. Watch for Auction Parking & Sale **Entrance Signs & Arrows.** 

# **UPCOMING AUCTION**

LO TEMP BRAZING TOLEDO, OHIO Tuesday, Jan. 12th

**Complete Heat Treating Facility** 

> See website for brochure



40"D X 54"W X 30"H Galbreath Model 2200HD4054 Hydraulic



**Large Quantity Toolroom Machinery** 

# AUCTION

TWO FACILITIES INCLUDING - WIRE & ROD FORMING, STAMPING, THREADING & SUPPORT EQUIPMENT

Plant Closed - Surplus to the Ongoing Operations of a

# MAJOR WIRE FORMING & STAMPING COMPANY

300 S. Chestnut Street – Deshler, Ohio 43516
40 Miles South of Toledo

SALE DATE: Wednesday, Jan. 13th STARTING: 9:00 AM

**INSPECTION:** 

Tuesday, January 12th 10:00 AM to 4:00 PM



Cincinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 INTERNET: cia-auction.com







FIRST CLASS MAIL!

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593



# **Important Mail**

TO BE DIRECTED TO THE ATTENTION OF EXECUTIVE PERSONNEL

# WEDNESDAY, JANUARY 13TH PUBLIC AUCTION

Plant Closed Surplus to the Ongoing Operations of a

# **MAJOR WIRE FORMING** & STAMPING COMPANY

300 S. Chestnut Street – Deshler, Ohio 43516
40 Miles Souh of Toledo

# **IMPORTANT NOTICE:**

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

# **DIRECTIONS**

From I-75 to Plant 1 Auction Office & Start of Sale: Exit I-75 At No. 167 OH Rt. 18. Proceed West on Rt. 18 Approx. 15 Miles into the Town of Deshler, OH. Turn Left Onto Northeast Ave. & Proceed to First Right onto Main Street. Proceed 1/2 Mile on Main St to Chestnut St. Turn Left & Plant is 1/4 Mile on Left. Watch for Auction Parking Signs & Arrows. This Location will be the Start of the Auction & Location of Auction Office for Registration & Payment.

# **AUCTIONEERS**

Cincinnati Industrial Auctioneers – License No. 63-1983-10439

Jeffrey L. Luggen – License No. 57-1983-33789

Jerome A. Luggen – License No. 62-1983-33799

Frank Rome – License No. 62-1995-66509

John Rome – License No. 57-2000-84249

Jeffrey M. Luggen – Apprentice Auctioneer

Joseph M. Luggen – Apprentice Auctioneer









# TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from

12% ON-SITE BUYER'S PREMIUM 15% ON-LINE BUYER'S PREMIUM

SALE UNDER THE MANAGEMENT OF

# Cincinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 INTERNET: cia-auction.com for printable brochures, catalog, terms and proxy-bidding

SALE DATE Wednesday, Jan. 13th 9:00 AM

