LARGE CAPACITY COMPRESSION MOLDING FACILITY SING BATHROOM VAINLY TOP MAINLIFACTURER

PUBLIC AUGINAGON

Plant Closed - Former Property of

MASCO - MILLS PRIDE

Masco Cabinetry Middlefield LLC

2564 Moores Road - Seaman, Ohio 45679

60 Miles East of Cincinnati, Ohio off St. Rt. 32

THURSDAY, SEPTEMBER 8TH, STARTING AT 10:00 AM

INSPECTION: WEDNESDAY, SEPTEMBER 7TH, FROM 10:00 AM TO 4:00 PM











SALE UNDER THE MANAGEMENT OF




2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 INTERNET: cia-auction.com for printable brochures, catalog, terms and proxy-bidding





THURSDAY, SEPTEMBER 8TH













INDUSTRIAL REAL ESTATE AVAILABLE FOR SALE OR LEASE

84,000 SQ. FT. PRE FAB INDUSTRIAL BUILDING ON 21 ACRES

2564 MOORES ROAD SEAMAN, OHIO

80,000 Sq. Ft. Warehouse / Manufacturing Area, 4,000 Sq. Ft. Office, (8) Dock Doors, (1) Drive-In Door, Fenced, Parking Lot, 2500 Amp 3-Phase Electric, City, Water & Sewage

For Information Contact

Koogler-Eyre Realtors Len Koogler 513-753-9660 Ext. 222 koogler@koogler-eyre.com

Dave Zerby (419) 866-6894



Bank View Hydraulic Compression Molding Presses to 1,000 Ton

WEBCAST BIDDER INSTRUCTIONS

- All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, if you do not you will not be approved.
- All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. Period.
- Only Major Items Will be Available for Online Bidding. Please refer to the Listing on

www.bidspotter.com for Available Online Items.



- ➤ There is a 15% Buyer's Premium in Effect for All Online Purchases.
- We Highly Recommend that Potential Buyers Attend this Auction & Bid Live Onsite. This will give you the Ability to Inspect the Items & Fully Appreciate Their Condition, Along with Saving You 3% of the Buyer's Premium.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.



MASCO - MILLS PRIDE





(3) 500 Ton Macrodyne Model PP500-72-48 Straight Side Downacting Hydraulic Presses

HYDRAULIC PRESSES

(3) 500 Ton Macrodyne Model PP500-72-48 Straight Side Downacting Hydraulic Presses; S/N's 98109-PP500-2, 98109-PP500-1 & 98109-PP500-3, 48" Stroke, 24" Shut Height, 72" Max Daylight, 72" LR X 48" FB Bed Size, 7" Thick T-Slotted Bolster Plate, T-Slotted Ram, Top Mounted Self Contained Hydraulic System, Variable Pressing Speeds w/ Rapid Retract, Vertical & Horizontal Safety Light Beam Controls, CTC Parker Touch Screen, Allen Bradley SLC504 Programmable Controller, Hydraulic Lock Pins (Installed 2000) **SEE PHOTO**


1,000 Ton Verson Model 1000-HD3-96-60/4T Four-Post Downacting Hydraulic Press; S/N 22772, 50" Stroke, 20" Shut Height, 70" Daylight, 96" LR X 60" FB Bed Area, 44" Wide Side Windows, Pull Back Cylinders, Vertical & Horizontal Safety Light Beam Controls, CTC Parker Touch Screen CRT Programmable Control, Lock Pins (Refurbished Hydraulics & New PLC Control 2001) SEE PHOTO

500 Ton Dominion Four-Post Downacting Hydraulic Press; S/N N/A, 50" Stroke, 20" Shut Height, 70" Daylight, 84" LR X 60" FB Bed Area, 28" Side Window Size, Hydraulic Lock Pins, Vertical & Horizontal Safety Light Beam Controls, Top Mounted Self Contained Hydraulic System, (Refurbished Hydraulics 2001)

**The Above Listed Presses were Installed 2000 & 2001. They are Equipped for Compression Molding w/ Connections for Vacuum & Hot Oil w/ Allen Bradley SLC504 PLC Controls.

SPECIAL NOTICE

This Facility Manufactured One Piece Vanity Bathroom Tops in Widths from 19" to 49" From SMC (Sheet Molding Compound) using the Compression Molding Process. The Plant Opened in 2000 and Closed in 2002, Most Machinery has Less Than 2 Years of Actual Use.



1,000 Ton Verson Model 1000-HD3-96-60/4T Four-Post **Downacting Hydraulic Press**



500 Ton Dominion Four-Post Downacting Hydraulic



THURSDAY, SEPTEMBER 8TH











(18) Various Molds to Produce Various Size Vanity Tops, Overflows & Sample Plaque Molds





(30) Various Clamshell Type Sink Molds

SMC COMPRESSION MOLDS FOR VANITY SINK TOPS

(18) Various Molds to Produce Various Size Vanity Tops, Overflows & Sample Plaque Molds; Designed & Built by Service Mold Inc., Windsor, Canada, SMI #A430 - 31" X 19" Sink, SMI WHA429 - 25" X 19" Sink, SMI #A430 - 17" X 19" Sink, SMI #A365 - 31" X 19" Sink, SMI #A357 - 25" X 22" Vanity Top, SMI #A355 - 43" X 22" Vanity Top - Offset Right, SMI #A354, 43" X 22" Vanity Top - Offset Left, SMI #A353 – 37" X 22" Vanity Top, SMI #A352 – 31" X 22" Vanity Top, SMI #A351 – 49" X 19" Vanity Top, SMI #A350, 37" X 19" Vanity Top, SMI #A349 – 31" X 19" Vanity Top, SMI #A348 – 25" X 19" Vanity Top, SMI #A347 - Overflow Tube - 4 Cavity Mold, SMI #A346 – 27.5" X 20" Vanity Top, SMI #A345 – Euro Sink Overflow Tube – 4 Cavity Mold SEE PHO' SEE PHOTO

These are Compression Molds to Produce Parts from Sheet Molding Compound (Thermoset Plastic, Reinforced w/ Fiberglass); These Vanity & Sink Molds have Provisions to Install a In-Mold Coating Nozzle to Apply a Thin Layer of Paint onto the Show Side of the Molded Part. The Paint will Bake onto the Show Side of the Part & Fill any Voids in the Surface. These Vanity & Sink Molds are Designed to have a Vacuum System Connected to the Mold, Which will Remove the Air from the Molding Area, to Minimize the Risk of Porosity in the Show Side Molding Surface. The Show Side & Non-Show Side of Each Mold is Chrome Plated, to Increase the Life of the Mold. These Molds have Hydraulic Ejection, to Eject the part off the Non-Show Mold

TO BE SOLD SEPARATE AND OVERALL, HIGHEST BIDS OR BID TO PREVAIL.

CLAM SHELL SINK MOLDS

(21) 18" Wide X 22" Deep Vanity Sink Top Molds (9) 30" Wide X 22" Deep Vanity Sink Top Molds

OIL TEMPERATURE CONTROL UNITS (5) Sterlco Sterl-Tronic Model M2B9026-I1

Dual Oil Temperature Control Units; S/N's 99D5252, 99D5254, 99D5253, 99D5256 & 99D5255. 120 Gallon Oil Capacity, 100 PSIG Rating, (2) 3 HP SEE PHOTO Motors (New 1999)

VACUUM PUMPS

(5) 10 HP Bush Model RA0250C4461001 Horizontal Tank Mounted Vacuum Pumps; S/N's D12736, D12740, D12739, D12737 & D12738, 180 CFM Displacement, 250 Gallon Tank Size, Vacuum: 1.5 TORR, 1100 to 2700 Hours per Unit **SEE PHOTO**

7-1/2 HP Bush Model RC0160 Vacuum Pump; S/N C1691, 117 CFM

CHILLED WATER SYSTEM W/ TOWERS

Application Engineering Company Model T1100D Liquid Chiller System; S/N 99D0704, 7 1/2 HP Pump, (2) 15 HP Pumps, 1100 Gallon Pump Tank, Tekleen Model C7B6 Automatic Filter System, LMI Milton Roy Conductivity Controller (Installed 2000) SEE PHOTO

(2) AEC Model FG-2003 Fiberglass Cooling Towers; S/N 99H0370 (Installed 2000) SEE PHOTO

HOT OIL HEATER Geka Type THZ4.40 Propane Gas Fired Hot Oil Heater; Job. No. 3D03, Natural or Propane Gas Fired, 1,500,000 BTU Burner Capacity, 1,000 Gallon Expansion Tank, 150 PSIG Max, 572 Degree Max Temperature, 84 GPM Flow, 70 Gallon Capacity, 2 HP & 10 HP Circulation Pumps SEE PHOTO & 10 HP Circulation Pumps



(5) Sterico Steri-Tronic Model M2B9026-J1 Dual Oil **Temperature Control Units**



Geka Type THZ4.40 Propane **Gas Fired Hot Oil Heater**



Application Engineering Company Model T1100D



(2) AEC Model FG-2003 Fiberglass Cooling



(5) 10 HP Bush Model RA0250C4461001 Horizontal Tank **Mounted Vacuum Pumps**



THURSDAY, SEPTEMBER 8TH









10 Ton & 15 Ton X 25' Span X 30' Long P&H Top Running Free-Standing Overhead Bridge Crane System



Empire Model IL-481CRS2 Continuous Belt Feed Blast Cabinet

MODULAR BRIDGE CRANE / DIE HANDLING SYSTEM

10 Ton & 15 Ton X 25' Span X 30' Long P&H Top Running Free-Standing Overhead Bridge Crane System; Top Running Bridge, 10 Ton & 15 Ton P&H Underslung Electric Hoists w/ Pendant Controls, Free-Standing Support System, Crane Runway w/ Electrics, Uprights, Bolt Together Design (New 1999) SEE PHOTO

(2) 4' X 10' Heavy Duty Die Tables (4) 4' X 6' X 10' High Heavy Duty Die Storage Racks

LIFT TRUCKS

30,000 LB Taylor Model TC-300 Solid **Tire LP Gas Lift Truck;** S/N S-J2-16247, 460 Cubic Inch Ford LP Gas Engine, Three-Speed Automatic Transmission, Approx. 102" Max Lift Height, ROPS, Canopy Guard, Fork Positioner, Side Shifter Fork Attachment, 670 Hours (New 1999) SEE PHOTO

5,000 LB Hyster Model S50XL Solid

Tire LP Gas Lift Truck; S/N C187V05684P, 187" Lift Height, Propane Fuel, Side Shifter

4,000 LB Hyster Model S40C Solid Tire LP Gas Lift Truck: S/N C2D-9523P. 130' Max Lift Height, New Engine Installed 1999

CONVEYOR TYPE BLAST CABINET Empire Model IL-481CRS2

Continuous Belt Feed Blast Cabinet; S/N EC1003, 24" Wide Continuous Conveyor Belt, 6" Max Part Height, (2) Rotating Top Heads w/ (8) Nozzles Each, (4) Stationary Side Nozzles, Variable Nozzle & Conveyor Speed, Media Storage Hopper & Hoses (New 2001) SEE PHOTO

➤ 15 HP Torit Model DFT3-6 Dust Collector; S/N 1G661851-001

DUST COLLECTION SYSTEM

30,000 CFM MAC Products Cyclone Type Dust Collector; Cyclone w/ (144) Filter Bags, 125 HP Blower System, Rotary Air Lock Valve, Self Contained Bag Blow-Out System w/ Air Pump, Approx. 300 Ft. Various Size Dust Tube (New 2002) SEE PHOTO

RETCH WRAPPER

60" Dia. Lan-Tech Q-Series Rotary Pallet Stretch Wrap Machine; S/N N/A, Extra Column Height, Programmable Controller SEE PHOTO

DOWNDRAFT GRINDING

TABLES
(6) 36" X 72" X 84" High Downdraft
Grinding / Finishing Tables; Flex Arm Straight Shank Pneumatic Grinder, Lights,

(2) 22" X 72" Downdraft Grinding / Finishing Tables; Lights, 2,000 CFM

PNEUMATIC PUMP

Aro Model 650492-343-B Pneumatic Pump; S/N G929901, 55 Gallon Drum

LIQUID CONTROL METER **MIX & DISPENSER MACHINE**

Model RPV Control Unit, Model Level Control Unit and Mixer Unit; S/N 5140

AIR COMPRESSORS & DRYERS

100 HP Ingersoll Rand Model SSREP-100 Rotary Screw Air Cooled Air **Compressor;** S/N CK4363UD1088, 446 CFM, 125 PSIG, Sound Enclosure Cabinet (New 2001) SEE PHOTO

Ingersoll Rand Model TS500 Refrigerated Compressed Air Dryer; S/N 42493213, Sound Enclosure Cabinet SEE PHOTO (New 2001)

Ingersoll Rand Model DXR425 Refrigerated Compressed Air Dryer; S/N 998DXR0462, Sound Enclosure Cabinet (New 1999) SEE PHOTO 500 Gallon Vertical Air Receiving

SCISSOR LIFT TABLES

(2) 5.000 LB Southworth Model S5.60 Hydraulic Scissor Lift Tables; S/N's 26224 & 26223, 30" X 120" Platform Size w/ Swing Down Ram Section

4,000 LB Southworth Hydraulic Scissor Lift Table: 48" X 50" Platform Size w/ Roller Balls, Foot Pedal Control

2,000 LB Southworth Hydraulic Scissor Lift Table; 24" X 36" Platform Size w/ Roller Balls, Foot Pedal Control

5,000 LB B-Tek Floor Model Digital Platform Scale; 48" X 48" Platform Size (New 2000)

(5) 100 LB B-Tek Table Top Digital Platform Scales

PALLET RACKING

(49) Sections 108"W X 42"D X 14" **High Pallet Racking;** Complete w/ Wire Mesh Shelf Spanners (New 2000)

Misc. Pallet Rack & Beams

MISC. MACHINERY AND SHOP EOUIPMENT

Late Model Very Clean Misc.
Machinery and Shop Equipment
Consisting of; (3) 12" Wide Pneumatic
Shop Built Air Knives; Palm Button Controls, Portable Self Dumping Hopper, (2) Retractable Air Hose Reels, 3 M-Matic Model 700AKS Type 29800 Top & Bottom Automatic Box Sealing Machine; S/N 6020, Banding Cart w/ Tools, (4) Hydraulic Pallet Trucks by Liftrite & Caterpillar, Samuel Model P-100Automatic Plastic Strapping Machine (New 2000), 48" X 50' Long Roller Conveyor, (2) Portable Hydraulic Pumps, 18" Light Proof Cabinet, Mettler Model PB3001 Lab Scale, S.S. Lab Bath, Employee Lockers, Misc. Shop Tables & Other Related Items Including Misc. Office Equipment



60" Dia. Lan-Tech Q-**Series Rotary Pallet** Stretch Wrap Machine



Bank View 4,000 Lb and 5,000 Lb Hyster LP Gas Lift



100 HP Ingersoll Rand Model SSREP-100 Rotary Screw Air **Cooled Air Compressor**



30,000 LB Taylor Model TC-300 Solid Tire LP Gas Lift Truck



30,000 CFM MAC Products Cyclone Type Dust Collector



Ingersoll Rand Model TS500 Refrigerated **Compressed Air Dryer**



Ingersoll Rand Model DXR425 Refrigerated Compressed Air Dryer



LARGE CAPACITY COMPRESSION MOLDING FACILITY **SMC BATHROOM VANITY TOP MANUFACTURER**

Plant Closed – Former Property of

Masco Cabinetry Middlefield LLC

2564 Moores Road – Seaman, Ohio 45679 60 Miles East of Cincinnati, Ohio off St. Rt. 32

SALE DATE: Thursday, Sept. 8th STARTING AT 10:00 AM

> **INSPECTION:** Wednesday, September 7th 10:00 AM to 4:00 PM



Cincinnati Industrial

2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 INTERNET: cia-auction.com







FIRST CLASS MAIL!

PRF-SORT FIRST CLASS U.S. POSTAGE **PAID**

CINCINNATI, OHIO PERMIT NO. 3593



Important Mail

TO BE DIRECTED TO THE ATTENTION OF EXECUTIVE PERSONNEL

THURSDAY, SEPTEMBER STH

PLANT CLOSED - FORMER PROPERTY OF

Masco Cabinetry Middlefield LLC

2564 Moores Road - Seaman, Ohio 45679 60 Miles East of Cincinnati, Ohio off St. Rt. 32

IMPORTANT NOTICE:

Although information has been obtained from sources Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing Items offered may or may not Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From I-275 East of Cincinnati, Ohio, Exit at No. 63 St. Rt. 32 East. Proceed East on St. Rt. 32 Approx. 33 Miles to Moores Road (County Rd. 60). Turn Left or North on Moores Road & Proceed Approx. 3/4 Miles to Sale Site on Right.

AUCTIONEERS

Cincinnati Industrial Auctioneers - License No. 63-1983-10439 Jeffrey L. Luggen - License No. 57-1983-33789 Joseph M. Luggen - License No. 20-1000-0019 John Rome - License No. 57-2000-84249









TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion of the sale. No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website

12% ONSITE BUYER'S PREMIUM 15% ONLINE BUYER'S PREMIUM

SALE UNDER THE MANAGEMENT OF

nnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 INTERNET: cia-auction.com for printable brochures, catalog, terms and proxy-bidding SALE DATE Thursday 10:00 am