# UBLIC AUCIIU



(2) P&H 45/15 Ton Twin Girder Bridge Cranes

**Plant Closing** 

# **MILWAUKEE BOILER** INTERNATIONAL LLC

1101 South 41st Street in Milwaukee, Wisconsin 53215

# WEDNESDAY, OCTOBER 23rd **STARTING AT 10AM**

Inspection: Day Prior from 9AM - 4PM



(20) Sets of Tank Turning Rolls



BERTSCH 10' x 2-1/4" Plate Bending Rolls



BERTSCH 14' x 1-3/8" Plate Bending Rolls











BERTSCH 10' x 2-1/4" Plate Bending Rolls



BERTSCH 14' x 1-3/8" Plate Bending Rolls



BERTSCH 6' x 1-3/4" Plate Bending Rolls



WEBB 7' x 1/4" Plate Bending Rolls



8' x 3/8" (Est.) Plate Bending Rolls



BUFFALO 1VBR Angle Rolls



CLEVELAND CRANE 400-Ton x 18' Mechanical Press Brake



CLEVELAND CRANE 400-Ton x 16' Mechanical Press Brake



**PANDJIRIS 30-6 Welding Positioner** 



(4) RANSOME 2001RS Idlers



(4) ARONSON 120-Ton Idlers

### PLATE BENDING ROLLS

BERTSCH 10' x 2-1/4" Plate Bending Rolls, S/N M10372, 142" Length, Top Roll, 24" Roll Diameter, Drop End BERTSCH 14' x 1-3/8" Plate Bending Rolls, S/N 6892, 20" Dia. Rolls, Drop End

BERTSCH 6' x 1-3/4" Plate Bending Rolls, S/N M40136, 7' Top Roll, 13" Roll Diameter, Drop End

8' x 3'8' (Est.) Plate Bending Rolls, 10" Diameter Rolls, Drop End WEBB 7' x 1/4" Plate Bending Rolls, Model R3L, S/N 525, 7" Roll Diameter, Drop End

BUFFALO Angle Rolls, Model #1VBR, S/N 66Z1620, 11" x 5-1/2" Rolls (30) Sets Angle Bending Rolls

### **PRESS BRAKES**

CLEVELAND CRANE 400-Ton x 18'
Mechanical Press Brake, Model L-5-1/2-12, S/N M5360, 18" Throat, 158"
Between Housings, Capacities: 5/6" @ 18" - 1/2" @ 12', Mechanical Clutch
CLEVELAND CRANE 400-Ton x 16'
Mechanical Press Brake, 18" Throat, 12' Between Housings, Metal TECH
System Ile Muting System, Hurco
Autogauge 7 60" Backgauge, STI Light
Curtain, Foot Control, Air Actuated
Mechanical Clutch

Press Brake Dies, Vee & Rounding up to 18', 16' 4-Way Die

### TANK TURNING ROLLS

(4) RANSOME Idlers, Model 2001RS, Steel Wheels, 21" Wheels, 72" Max. Between Centers

PANDJIRIS Drive/Idler Set, 21"
Wheels, 65" Between Centers
Power Drive Rolls, 21" Wheels, 72"
Between Centers (no motor)
(4) ARONSON Idlers, Steel Wheel,
120-Ton, 19" Wheels, 96" Max. Between
Centers

(2) ARONSON Drive/Idler Set, 19" Wheels, 80" Max. Between Centers

ARONSON Idler, Steel Wheel, 19" Wheels, 72" Between Centers (2) Idlers, 19" Wheels, 72" Max. Between Centers

Idler, 15" Wheels, 52" Max. Between Centers

ARONSON Drive/Idler Set, 12" Wheel, 60" Max. Between Centers ARONSON Drive/Idler Set, 12" Wheel, 32" Max. Between Centers

Idler, 12" Wheels, 60" Max. Between Centers

### WELDING POSITIONERS

**P& H WP12 Welding Positioner**, S/N 1993, 30-HP, Capacity: 16,800-lb. @ 12" to 10,100-lb. @ 36", 60" Table w/62" Sub-Plate

PANDJIRIS 30-6 Welding Positioner, S/N 400-9413, Capacity: 3,000-lb. @ 6" to 860-lb. @ 42"

**P&H WP-2 Welding Positioner,** 34" Table, Capacity: 2,500-lb. @ 6" to 1,000-lb. @ 24"

RANSOME 22" Welding Positioner Custom Welding Positioner



**RANSOME 22" Welding Positioner** 



P & H WP12 Welding Positioner



(2) P&H Beam Bending Bulldozers

Myron Bowling Auctioneers, Inc. | 513/738-3311



**PANDJIRIS 8X8 Welding Manipulator** 



PANDJIRIS Welding Manipulator W/ Lincoln NA-3S Wire Feed





**PANDJIRIS Welding Manipulator** 



**ARONSON Welding Manipulator** 



LINCOLN CV-665 MIG Welder



LTEC Plasmarc PCM-150 Plasma Cutter



HYPERTHERM Powermax 1250 Series G3 Plasma Cutter



MILLER Deltaweld 450 MIG Welder



TRW 1/4" - 1/2" Stud Welder





Steel Plates, Drops & Pieces from 1/2"- 3" Thickness





AIRCO SERVOGRAPH Model K Shape Cutter





LINDE CM-100 Cutting Machine

### WELDING **MANIPULATORS**

PANDJIRIS Welding Manipulator, Model 8X8 Manip, S/N 800-5271-2, 114" Max. Arm Height, Lincoln LN-8F Wire Feed, Flux Hopper, Lincoln Idealarc DC 600, 600-AMP Welder, S/N AC713964 PANDJIRIS Welding Manipulator, 12'-10" Max. Arm Height, 14' Max Reach, 24' Lateral Frame Movement, Lincoln NA-3S Wire Feed, Flux Hopper, Lincoln Idealarc DC 1500, 1,500-AMP Welder,

PANDJIRIS Welding Manipulator, Model

PANDIRIS Welding Manipulator, Model 10'-6" x 12' RPM, S/N 25-3052-2, Lincoln NA3 Wire Feed, Flux Hopper ARONSON Welding Manipulator, Model 2S16VRA13CL-CK-LS0, S/N 7751, Vertical Range: 209" Max. / 53.7" Min., Reach: 213" Max. / 21" Min., Lincoln NA-3S Wire Feed, Flux Hopper, Lincoln Idealarc DC1500

# **SHAPE CUTTING**

AIRCO SERVOGRAPH Shape Cutter, Model K, Size 100X100, S/N 796, (2)
Oxyl/Acetylene Torch, (1) Plasma, Linotrol
Tracer, Thermal Dynamics Plasma Power
Supply, Model TAC50SM, S/N 8900-6102,
250-AMP

LINDE Cutting Machine, Model CM-100, 218" x 43' Tank, (4) Oxy-Acetylene Torches, (1) Plasma, Burny 10 Controls, LTEC Plasmarc DHC601 Plasma Power

UNION CARBIDE Shape Cutter Controls & Burning Table Parts

### WELDERS & RELATED LTEC Plasmarc PCM-150 Plasma Cut-

ter, 125/60 AMP & 60% **HYPERTHERM Powermax 1250 Series** G3 Plasma Cutter, 25-80 AMP, S/N 1250-022908

**UNION CARBIDE PCC-8 Plasma Cut**ting Control

AIRCO Burning Table (parts/repair)
(4) WESTINGHOUSE Lifeguard 500-AMP Power Supplies, Model WSH-LG, S/N 07-18, BO-7, BO-6, J6-8 (2) LINDE PHC-400 Plasma Power Supplies, S/N's D470391 & D470392 VICTOR VV-150 Track Burner

**BUG-O Track Burner** LINCOLN Idealarc DC-1000 Subarc
Welder, 1,000-AMP, w/Lincoln NA-5 Automatic DC Welding Wire Feed System,
Flux Hopper, Forklift Attachment

HOBART Mega Arc 200 Arc Welder, Model R200S, S/N 88WS03992, 200-AMP @ 60%, Hobart Orbitig Weld Controller

LINCOLN SAE900 & SAE300 Arc Weld-

TRW 1/4" - 1/2" Stud Welder, Model

TR850A, S/N JA415083
NELSON 1/4" - 1/2" Stud Welder, Model
TR450B, S/N 116148
(20) LINCOLN, MILLER & MK Wire Feeders
(1) PHOENIX TYPE 900 & (3) PHOENIX Type 300 Dry Rod Ovens

(2) 60" x 60" Acorn Type Welding Tables Fuses, Contactors, Welding Wire, Feeder Parts, Electrical Connectors, MIG Leads, Pipe End Plates & Flange Connections • Welding Flux • Oxy/Acetylene Torch Carts

### MIG WELDERS (Some with Wire Feeders)

(19) MILLER MIG Welders: SR-1000A1, FC-65E, MP65E, FC-6, CP250TS, Goldstar 300SS, CP300, CP300TS, SR400, Deltaweld 450, Deltaweld 451,

(15) LINCOLN DC-1500, Idealarc DC400, DC600, TM500/500, R3R-400, CV-655 (4) SUREWELD DRCV750, DR750A1 (3) MACHINERY & WELDER CP-450DW,

**HOBART Arcmaster 351 · POWERCON** 300-AMP • (2) LTEC SVI-600, VI-300

### TIG WELDERS

MILLER 330A/BP TIG Welder, 300-AMP @ 60% w/Miller Radiator I Cooler LINCOLN IDEALARC TIG 300/300 w/

Radiator I Cooler (3) LINDE VI-400 CV/DC (8) Welders (parts / repair)

### WELDING WIRE

**HYUNDAI MK-12 Subarc Welding** Wire, 3/32" Diameter (2.4mm) • Esab Spoolarc 81, Type 1204F356, 3/16" Dia. (4.8mm) • Selectarc Repair Allow, Type E71TI, .045 Dia., Repair Alloy 308L TRIMARK METALLOY, Type 92S, 3/32" Dia. (2.4mm) • Lincoln Outershield 70, Type ED012784, 3/32" Dia., • LTEC

### INSPECTION

**OD Mics,** Verniers, Dial Indicators, Depth Gauges, Snap-on Torque Gauges

HiDep 86, Type 1384F27 .045" Dia.

' x 90" x 3-1/2" Steel Layout Table

### STEEL PLATE

(2) 2-1/4" x 301-3/4" x 12'-2" Steel

Steel Plates, Drops & Pieces, 1/2" -3"Thicknesses



(20) LINCOLN, MILLER & MK Wire Feeders



(2) 60" x 60" Acorn Type Welding Tables



CATERPILLAR V225 22,500-lb. Forklift



FORD F350 Pickup Truck



HYSTER S120FTS 12,000-lb Forklift



CATERPILLER GC45SWB 10,000-lb. Forklift



TOYOTA 5FGC28 5,150-lb. Forklift



(2) PULLMAX Plate Bevellers



1,200° Annealing Oven



CINCINNATI BICKFORD 14" x 6' Radial Arm Drill



(75)+ Heavy Duty Lifting Chains, Shackles & Lifting Straps





(2) P&H 45/15 Ton Twin Girder Bridge Cranes



(4) 10' x 10' x 10" Machining Plates



(100)+ Clamps to 12"



(2) GARDNER DENVER Electrosaver II Air Compressors

### **FORKLIFTS**

CATERPILLAR 22,500-lb. Forklift, Model V225, SN 121V192, Diesel, 218" Lift, Dual Front Pneumatic Tires, ROPS Cab

HYSTER 12,000-lb Forklift, Model S120FTS, S/N G004V03438F, Diesel, Solid Tires, 2-Stage Mast, 7,710 Hours CATERPILLER 10,000-lb. Forklift, Model GC45SWB, S/N AT8701737, LPG, Solid Tires, 3-Stage Mast, 172" Lift Light 10, 205 Hours Height, 9.285 Hours

CATERPILLAR 8,000-lb. Forklift, Model M80B, Electric, 2-Stage Mast, Solid Tires, ROPS

HYSTER 7,000-lb. Forklift, Model S70XM, S/N F004V02959C, LPG, Solid Tires, 3-Stage Mast, 2,510 Hours TOYOTA 5,150-lb. Forklift, Model 5FGC28, S/N 5FGC30-10525, LP, 185" Lift, Solid Tires, ROPS
VARTA 26-Volt Battery Charger

### RIGGING

(8) 32-Ton CALLAHAN ENGINEERING Moving Dollies, 9.00 x 10-16 Ply Rubber Tires, Differential Wheels on Both Axles, 8 Wheels

(75)+ Heavy Duty Lifting Chains, Shackles, Lifting Straps, Riggers Transfer Beams

### TRUCK

2003 FORD F350 Pickup Truck, Auto, Gas, Air, AM/FM, VIN 1FTSF-30L83FB15620

### CRANES & RELATED

(2) P&H Twin Girder Bridges, 45/15-Ton Hooks, 60' Span, Top Running Bridge & Hoist, Pendant, S/N's 28639 & CA28640

10-Ton Double Girder Bridge, 60' Span, Top Running Bridge & Hoist, Pendant

(4) AMERICAN Monorail 1-1/2 Ton

Single Girder Bridges, 26' Span, Underhung Bridge & Hoist, 2-Way Pendant 1-Ton Single Girder Bridge, 28' Span, Underhung Bridge & Hoist, 2-Way Pendant

3-Ton Pedestal Jib, 12' Arm
INDUSTRIAL CRANE 2-Ton Pedestal

**ABELL-HOWE 2-Ton Beam-Mount** 

Jib, 19' Beam 1,000-lb. Beam-Mount Jib, 17' Arm (2) COFFING 2-Ton Hoists " x 16" Electromagnet 18' Spreader Beam

### MISCELLANEOUS

PULLMAX Plate Beveller, Model X8-37.5 S/N 24865-3 PULLMAX Plate Beveller, Model X91, Capacities 1" Mild, 5/8" Stainless

**1,200° Annealing Oven,** 238"L x 128"W x 8'H ID, 238" x 80" Loading Car, Pneu-

matic Door, Gas Fired
WELLS 8" x 16" Horizontal Band Saw
MARVEL 18" x 22" Vertical Band Saw,
Model 8, 33" x 25-1/2" Work Table MARVEL 8 Vertical Band Saw (parts/

CINCINNATI BICKFORD 14" x 6'
Radial Arm Drill, S/N 4P627, MT6
Spindle, 9-Speed, Power Elevation, 18"
x 24" Box

x 24" Box GUIBERT Toggle Bug Plate Drill, Spindle Speeds: Low=165 RPM, 2-1/8" Capacity, 2nd=218 RPM, 1-5/8" Capacity, 3rd=366 RPM, 1-5/16" Capacity, High=680 RPM, 1/2" Capacity 4-Post Straightening Press, 24-1/2" x 44" Bed, 4-1/2" Diameter Ram

5-HP Horizontal Tank-Mounted Air Compressor, 80-Gallon, Single

(2) GARDNER DENVER Electrosaver
II Rotary Screw Air Compressors
72" x 164" Steel Layout Table
(4) 10' x 10' x 10" Machining Plates
(2) 42" x 10' Machining Tables (100)+ Assorted Plate Clamps



3-Ton Pedestal Jib

OSTER 2" Pipe Threader, Model 502, S/N HM1386 GROVE Electric Manlift, Model AMZ40BE, Pneumatic Tires
(4) Parts & Repair Forklift Frames
(2) P&H Beam Bending Bulldozers (1) Parts/Repair IMPERIAL EASTMAN 10" Abrasive Chop Saw

Machine Clamps up to 8", C-Clamps

US ELECTRIC 16" Double End Pedestal Grinder, 7.5-HP 10" Double End Pedestal Grinder /

Drill Sharpener
16" Bench Top Electric Drill, 9" Table

NIAGARA Bench Top Groover QUEEN CITY 10" & BALDOR 6" Double End Pedestal Grinders 6" Belt Grinder

Swing Type 2" Belt Sander / Polisher Assorted Hydraulic Power Supplies IMPERIAL ÉASTMAN Kwikrimp 2 Hose Crimping Machine, S/N 684 CENTRAL HYDRAULICS 4-Ton



40" x 16" Electromagnet

Puller Set
MILWAUKEE Magnetic Base Drill
STATIC Pressure Test System
KARCHER HDS650 Pressure

JOBOX Jobsite Tool Box · Electric & Pneumatic Grinders, Drills, Impacts • Number & Letter Punches • Taper Shank Drills, End Mills 7' x 5' x 12'H Rolling Scaffold Platform • Dump Hoppers • Metal Horses • Rotary Parts Bins • Banding Reels & Tools



# MILWAUKEE BOILER INTERNATIONAL LLC

1101 South 41st St., Milwaukee, WI 53215 WEDNESDAY, OCTOBER 23rd Starting at 10AM

Inspection: Day Prior from 9AM - 4PM



(2) CLEVELAND CRANE 400-Ton **Mechanical Press Brakes** 



**Large Quantity of Tank Turning Rolls** 

Auction conducted by:

MYRON BOWLING AUCTIONEERS, INC.

P. O. Box 369, Ross, Ohio 45061



FIRST CLASS MAIL

PERSORTED FIRST CLASS MAIL U.S. POSTAGE PAID CINCINNATI, OH PERMIT NO. 5714



(2) P&H 45/15 Ton Twin Girder Bridge Cranes

### HEAVY DUTY, LARGE CAPACITY PLATE ROLLING & FABRICATION PLANT



BERTSCH 10' x 2-1/4" Plate Bending Rolls



BERTSCH 14' x 1-3/8" Plate Bending Rolls

### **UNABLE TO ATTEND?**

Bid Online in Real Time at



Register: You must register as an online bidder through Bidspotter.com, 24 hours prior to the auction start time to allow sufficient time to be approved. You'll find the Bidspotter link on the specific auction page on our Website.

Deposit: A deposit of 25% of your anticipated purchase or a bank letter of guarantee is required to bid online. Mail deposit check to: Myron Bowling Auctioneers, P.O. Box 369, Ross, Ohio 45061. Call 513/738-3311 for wire instructions. Fax your bank letter of guarantee to 513/738-0221.

Approval: Once the registration process has been completed and your deposit received, you will be notified through an automated Bidspotter email, that you are approved to bid.

ALL ONLINE BIDS ARE SUBJECT TO A 18% BUYER'S SURCHARGE



P.O. Box 369 | Ross, OH 45061 Phone: 513/738-3311 Fax: 513/738-0221 www.myronbowling.com



Phone 513-241-9701

**DIRECTIONS** 

National Ave. and go .3 miles to S.

to auction site on the right.

41st Street. Turn left and go .2 miles



## LODGING

From I-94 in Milwaukee, take Exit Best Western Woods View (414) 671-6400 #309 to S. 35th Street. Go South 5501 W. National Ave. 53214 on S. 35th Street .7 Miles to W. National Ave. Turn right on W. Crown Plaza Milwaukee West

(414) 475-9500 10499 W. Innovation Dr. 53214

All Major Hotels at Milwaukee International Airport, Approx. 12 miles

TERMS OF SALE: Copies of Terms of Sale will be posted at the auction. Additional terms may be announced during the auction. We make every effort to accurately describe each item in the auction; however, a mistake may occur. Buyers must take responsibility to thoroughly inspect the items on which they intend to bid. Each item will be sold "As is, where is." There is absolutely no warranty or guarantee of any kind either written or implied. Occasionally, additional information may come to light regarding any and all items being sold during the auction. When this occurs the new information takes precedence

### BUYER'S SURCHARGE: 15% ONSITE • 18% ONLINE INSPECTION: THE DAY BEFORE THE AUCTION FROM 9AM TO 4PM

REMOVAL & PAYMENT: Machinery removal is the responsibility of the buyer. All equipment must be removed in accordance with the specific auction timeline and terms of sale. See the specific auction web page for details. Anyone (rigger or buyer), using a powered vehicle to remove items must have a certificate of insurance on file with Myron Bowling Auctioneers in the amount of \$1,000,000.00. Item removal generally begins at the conclusion of the auction and after payment in full is received by cash, wire transfer, or company check (if approved by the auction company or bank letter of guarantee). All checks should be made payable to Myron Bowling Auctioneers. Taxes will be charged unless you have provided a proper written exemption from your state

SAMPLE BANK LETTER: Dear Sirs, (BANK NAME) irrevocably guarantees payment in full to Myron Bowling Auctioneers by (BUSINESS NAME) drawn on account (NUMBER) up to the amount of \$ (DOLLARS) to purchase items at your (AUCTION NAME). This letter of guarantee is valid until (MONTH, DAY, YEAR). Regards, (BANK REPRESENTATIVE, TITLE, BANK NAME).

### **COMPLETE TERMS & CONDITIONS**

can be found at myronbowling.com, or call 513/738-3311 if you have questions Sale managed by Myron Bowling Auctioneers, Inc. and conducted by Myron Bowling, a Registered Wisconsin Auctioneer. Buyer's Surcharge: 15% Onsite, 18% Online. WI Auction Lic. #: Myron C. Bowling - 1117-52 • Myron Bowling Auctioneers, Inc. - 278-53

> a division of PPL Group LLC 3100 Dundee Road | Suite 915 Northbrook, IL 60062 Phone: 224-927-5300 | Fax: 224-927-5311