COMPLETE WALK-IN REFRIGERATION SYSTEM MANUFACTURER INCLUDING SHEET PANEL FABRICATING LINE, CUT-TO-LENGTH LINE, PANEL MOLDS, PRESS BRAKES, SHEARS & SUPPORT EQUIPMENT

To Become see Instructions on Page 2 Outsliffed Bidder on the Internet

Plant Closed



PENN REFRIGERATION SERVICE CORP.71 Woodbury Street – Wilkes Barre, Pennsylvania 18706

SALE DATE: THURSDAY, APRIL 18TH, STARTING AT 9:00 AM

INSPECTION: WEDNESDAY, APRIL 17TH, FROM 10:00 AM TO 4:00 PM



16 Ga. X 48" Wide X 10,000 LB Engel High-Speed Refrigeration Panel Fabricating Line (New 1997)

















Sale Under The Management Of

INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



THURSDAY, APRIL 18TH - 9:00 AM



(2) 175 Ton X 12' Niagara Model HBM-175-10-12 Hydraulic Press Brakes



(3) 175 Ton X 12' Niagara Model HD-175-10-12 Hydraulic Press Brakes



(3) 175 Ton X 12' Niagara Model HD-175-10-12 Hydraulic Press Brakes



12 Ga. X 14' Niagara Model 614 Mechanical Power Squaring Shear



10 Ga. X 14' Wysong Model 10-168 Mechanical Power Squaring Shear w/ CNC Back Gauge



16 Ga. X 48" Wide X 10,000 LB Engel High-Speed Refrigeration Panel Fabricating Line (New 1997)









REFRIGERATION PANEL MOLDS (5) 46" X 161" Heavy Duty

(5) 46" X 161" Heavy Duty Fabricated Steel Two-Station Floor and Ceiling Panel Molds; Asserting Panel Molds; Number, Hydraulic Clamping System SEE PHOTO

(5) 46" X 117" Heavy Duty Fabricated Steel Two-Station Walls Panel Molds; Asset No. 1, 6, 8 &r (2) No Number, Hydraulic Clamping System SEE PHOTO

(1) 46" X 240" Heavy Duty Fabricated Steel Two-Station Floor and Ceiling Panel Mold; Asset No. 15, Hydraulic Clamping System

(2) 28" X 161" Heavy Duty Fabricated Steel Single-Station Floor and Ceiling Panel Molds; Asset No. 12 & CB, Hydraulic Clamping System

(1) 28" X 117" Heavy Duty Fabricated Steel Single-Station Vertical T-Panel Mold; Asset No. No Number, Hydraulic Clamping System

> of Your Planned Spending Budget or \$5,000.00

(1) 60" X 90" Heavy Duty Fabricated Steel Door Panel Mold; Asset No. 4, Hydraulic Clamping System

(2) 23" X 23" X 117" Heavy Duty Fabricated Steel Two-Station Corner Panel Molds; Asset No.'s None, Hydraulic Clamping System SEE PHOTO

(1) 11-1/2" X 11-1/2" X 117" Heavy Duty Fabricated Steel Two-Station Corner Panel Molds; Asset No.'s None, Hydraulic Clamping System

(2) 34-1/2" X 161" Heavy Duty Fabricated Steel Two-Station End Panel Molds; Asset No. 7 and 8. Hydraulic Clamping System

FOAM DISPENSING SYSTEMS

Cannon Model L-100 Pressure M/C Foam Dispensing System Consisting of; Metering Group, Mix Head, Temperature Control, (2) Tanks, Control Panel, Advantage Model M1-4A-41HF Max Portable Chiller; S/N 111162, 6,000 LB Yale Model MTW600LAN24C Portable

Platform Walk Behind Electric Pallet Truck; 8' X 11' Platform

Dow Chemical Model 2000MC Foam Dispensing System

Consisting of; Dow Chemical Model 2000MC Ratio Monitor & Timer Including Flexible Products Delta Therm Model 20E Multi-Shot Timer, CCT Mfg. Model M180 Timer Base Unit & Dow Model The Eliminator Dual Cartridge Spray Gun; S/N 0809433

ENGEL HIGH-SPEED REFRIGERATION PANEL FABRICATING LINE

16 Ga. X 48" Wide X 10,000 LB. Engel High Speed Refrigeration Panel Fabricating Line Designed to Fabricate a 6' to 8' Long Panel in Approx. 20 Seconds

Engel Model 10,000 EXM Single End Hydraulic Uncoiler; S/N 12497-97, 10,000 Lb. Capacity, 66" Max. Coil O.D., 48" Max. Coil Width, 19" to 24" Mandrel Expansion Range, 5 HP Drive

Engel Model M-R Recoiler Engel Model SS-4 Combination Seven-Roll Straightner and Slitter; SN 12197-97, Entry Pinch Roll, 7-Roll Straightener, Slitter Head, Capable of Making 1-Slit in 16 Ga. CRS From the Minimum of 1° from the Edge to the Center

Southworth Hydraulic Scissor Lift Table for Feeding Pre-Cut Blank Sheets; 15' Max Length

Engel Model PT-4 Combination Punch and Shear; S/N 12297-97, Entry Pinch Roll, (6) Press / Notch Stations (3) Per Side), Exit Pinch Roll, C-Frame Press / Notching Station, Center Punch Station, Exit Shear with 48" Width Capacity, 16 Ga. Thru 20 Ga. Mild Steel Capacity, 20 Ga. Stainless Steel Cap., Min. Part Length to be Processed from Coil thru System is 3-1/2'

20' Long Conveyor to Support the Blank Prior to Cutting Length

Engel Model DH-3508-4 Eight-Stand Duplex Roll Former; S/N 12097-97, 1" Arbor, 3" Vertical Centers, 5" Horizontal Centers, 50 FPM Line Speed, 11" thru 48" Sheet Width, Panel Edges formed Up with a max of 9/16" Leg

Engel Model EF-4 Dual End Former; S/N 12397-97, Configured to Form a Single 90 Degree Bend at 4-1/2", Entry and Exit Belt Conveyor, 15' Max. Panel Length

Transfer Conveyors, Electrics, Hydraulics, and Control System Call or email Jeff Luggen Jr. at Jeffjr@cia-auction.com or 513-708-9071 for Original Quote from the OEM

PRESS BRAKES

(3) 175 Ton X 12' Niagara Model HD-175-10-12 Hydraulic Press Brakes; S/N

51410, 51408 and 50379, 12'
Overall Length of Bed and Ram, 10'
Max Between Housings, 6'-6" Length
X 1/2" Thick X 5" Die Opening Max.
Thru 10' Length X 1/4" Thick X 2"
Die Opening, 10" Stroke, 7" Closed
Height, 17" Open Height, 12-1/2"
Shut Height, Push and Palm Button
Control
SEE PHOTO



WEBCAST BIDDER INSTRUCTIONS

All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the

Sale Date, if you do not you will not be approved.

> All Internet bidders must Post a Deposit of Approx. 25%



14 Ga. X 48" Niagara Cut-To-Length Line



16 Ga. X 8' Chicago Model W-37 Finger Brake

PENN REFRIGERATION SERVICE CORP.





(5) 46" X 161" Heavy Duty Fabricated Steel Two-Station Floor and Ceiling Panel Molds



(5) 46" X 117" Heavy Duty Fabricated Steel Two-Station Walls Panel Molds



(2) 23" X 23" X 117" Heavy Duty Fabricated Steel Two-Station Corner Panel Molds

(2) 175 Ton X 12' Niagara Model HBM-175-10-12

Hydraulic Press Brakes; S/N P52928 and 52558, 12' Overall Length of Bed and Ram, 10' Max Between Housings, 6'-6" Length X 1/2" Thick X 5" Die Opening Max. Thru 10' Length X 1/4" Thick X 2" Die Opening, 10" Stroke, 7" Closed Height, 17" Open Height, Push and Palm Button Control SEE PHOTO

CUT-TO-LENGTH LINE

14 Ga. X 48" Niagara Cut-To-Length Line Consisting of; 14 Ga. X 4' Niagara Model 1350W-H One-Series Power Shear; S/N 61181, Niagara Control, 3" X 7-Roll Niagara Straightener, (1) Niagara Four-Station Coil Holder, (1) 4' Four-Roll Coil Holder SEE PHOTO

SQUARING SHEARS 10 Ga. X 14' Wysong Model 10-168 Mechanical Power

Squaring Shear w/ CNC Back Gauge; S/N P66-103, CNC Back Gauge, Wysong Control

SEE PHOTO

12 Ga. X 14' Niagara Model 614 Mechanical Power Squaring Shear; S/N 59269, Rear Operated Manual Back Gauge SEE PHOTO

14 Ga. X 10' Niagara Model 410B Mechanical Power Squaring Shear; S/N N/A, Rear Operated Manual Back Gauge

SAWS - ALL TYPES 7-1/4" Dewalt Model 3485TY2

Panel Saw 10" Rockwell Model 10 Table

10" Delta Shopmaster Mitre Saw

12" Dewalt Model TGE Radial Arm Saw

14" Delta Model 28-245 Vertical Band Saw

14" Rockwell Model 28-200 Vertical Band Saw

12" Carolina Model HD10 Vertical Band Saw 9" X 14" Ellis Model 1800 Horizontal Band Saw

SEE PHOTO

10" Skilsaw Radial Arm Saw

MISC. FABRICATING MACHINERY

16 Ga. X 8' Chicago Model W-37 Finger Brake; S/N 118137 SEE PHOTO

(3) Whitney Jensen Model 230 **C-Frame Punches;** S/Ns 450863, 3791260 & 490765, 20" Throat

SEE PHOTO

Whitney Jensen Model 431 OBI Press; S/N 142 12/68, 24" X 16" Table

Whitney Iensen Model 331 C-Frame Punch; S/N 264-562, 24'

Whitney Jensen Model 231 C-Frame Punch; S/N 678566, 24 Throat

(4) Various Welders by Miller and Airco

MISC. MACHINERY

15' W X 60" D X 80" High Drive In Updraft Spray Booth 1 HP Wells-Index Model 747 **Eight-Speed Vertical Milling** Machine; S/N 19286, 9" X 48" T-Slotted Table

9" X 36" Zubal Geared Head **Engine Lathe**

50 Ton Carolina Model CBP-1200 H-Frame Hydraulic Press; S/N 7560

(5) Floor Type Drills by Powermatic, Delta, Dayton and Others to 20" 8" Boce Crane Model 3406

Joiner; S/N 109, 1-1/2 HP 2" Oster Model 655 Pipe Master Threader

Oster Model Unknown Threader

AIR COMPRESSORS

(6) 5 HP Single Stage Vertical Tank Air Compressors by Champion, Dayton and

Others; (3) Champion Model VR-5's, Dayton Model 5Z592 (New 1996), Curtis Model 2448, 2 HP Curtis Model CV-907

LIFT TRUCKS AND RELATED

10,000 LB Yale Model GLP-100 Pneumatic Tire LP Gas Lift **Truck;** S/N D549001, 3-Stage Mast, 176" Lift Height, Side Shift SEE PHOTO

1,500 LB Crown Model 15MT Electric Walk Behind Stacker; S/N 1A146007, 2-Stage Mast, 90' Lift Height

WALK-IN BOX COMPONENT INVENTORY

(14) Coils of Galvanized Steel, stainless Steel & Aluminum Material

(15) New Copeland Air/Water Cooled Condensing Units; Models DJAL-0150, FJAM-A150, DJAL-075, DJAL-0100, See Catalo for Models and Serial SEE PHOTO

(10) Various Out-of-Service Condenser Units

Finished Panel Inventory Including Side Panels, Door Panels, Corner Panels, End Panels, Floor & Ceiling Panels SEE PHOTO

Other Walk-In Box Components Including Hardware, Fixtures, Door Handles, Window Components and Related

HEATER / COOLER (2) Martin Sweets Co.

Flexatherm HC-180 Automatic Heater / Cooler

CRANES

5 Ton X 20' Approx. Span Robbins Myers Single Girder Bottom Running Bridge Crane; Robbins Myers Electric Cable Hoist, Pendant, Approx. 132' Raceway

2 Ton X 24' Approx. Span Harrington Single Girder Bottom Running Bridge Crane; Harrington Electric Chain Hoist, Pendant, Approx. 65' Raceway

VAN TRAILERS 1998 – 32' Great Dane Tandem **Axle Box Trailer**

1984 – 42' Fruehauf Tandem Axle Box Trailer

1991 – 28' Great Dane Single Axle Box Trailer

SHOP EQUIPMENT

Shop Equipment Consisting of; (15) Shop Fans, 1,000 LB Toledo Portable Scale, Acetylene Cart, 4 Ton Pneumatic Bottle Jack, Solar 550 Battery Charger / Starter, (4) 500 LB Vermette Model 512M Multi-Purpose Material Lifts, Parts Washer, - 18 HP Statesman Gasoline Power Riding Lawnmower, 7 Ton Ausco Model 7-85 Portable Hydraulic Lift, 150-Gallon Highland Tank Oil Tank w/ Lincoln Model 3867 Pneumatic Pump, (4) Flameproof Cabinets, Metal Saw Horses, (12) Step Ladders, (40+) Asst. Material Carts, Shop Tables, Hand Tools, Electric & Cordless Tools, Lockers, Shelves, (3) Pallet Trucks, Two-Wheel Dollies and Other Related Items

OFFICE FURNITURE & EQUIPMENT

Office Furniture and **Equipment Consisting of:** Executive Desk Sets, Desks, Chairs, File Cabinets, Conference Tables & Chairs, Metro Racks, Couch & Chairs, Lateral Cabinets, Drafting Tables, Office Partitions, HP Designjet 430 Large Print Printer, Teledyne SL-42/20 Rotolite Blueprint Printer, HP Inkjet Printers, (7) CPU, Lanier LF215M Fax Machine and Other Related Items



Cannon Model L-100 Pressure M/C Foam Dispensing System



10,000 LB Yale Model GLP-100 Pneumatic Tire LP Gas Lift Truck



(3) Box Trailers to 42' and 1998



Finished Panel Inventory Including Side Panels, Door Panels, Corner Panels, End Panels, Floor & Ceiling Panels



(3) Whitney Jensen Model 230 C-Frame Punches



9" X 14" Ellis Model 1800 **Horizontal Band Saw**



Partial View of Table Lots Consisting of: Power Hand Tools, Hand Tools, and Other Items

AUCTION

Plant Closed

PENN REFRIGERATION SERVICE CORP.

71 Woodbury Street Wilkes Barre, Pennsylvania 18706

SALE DATE: Thursday, April 18th STARTING: 9:00 AM

INSPECTION:

Wednesday, April 17th 10:00 AM to 4:00 PM



Cincinnati Industrial Auctioneers Inc.

2020 DUNLAP ST., CINCINNATI, OHIO 45214 PHONE (513) 241-9701 / FAX (513) 241-6760 WEBSITE: cia-auction.com









FIRST CLASS MAIL!

PRE-SORT
FIRST CLASS
U.S. POSTAGE
PAID
CINCINNATI, OHIO
PERMIT NO. 3593



Important Mail

TO BE DIRECTED TO THE ATTENTION OF EXECUTIVE PERSONNEL

THURSDAY, APRIL 18TH PUBLIC AUGTION

Plant Closed

PENN REFRIGERATION SERVICE CORP.

71 Woodbury Street Wilkes Barre, Pennsylvania 18706

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From I-81 in Wilkes Barre, exit at no. 165 PA-309S Moutain Top / Wilkes Barre. Follow the exit ramp around to Blackman St. Proceed 1-1/4 Miles on Blackman and Turn Left onto Main St. and Proceed 1/2 Mile to right onto Oxford St. Proceed 1/4 Mile to Woodbury St. Turn Left and Proceed to sale site on left. Watch for auction parking and sale entrance signs and arrows.

AUCTIONEERS

Jeffrey L. Luggen – Auction License No. AU003274R

John F. Rome – Auction License No. AU005357









TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion **of the sale.** No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website.

15% ONSITE BUYER'S PREMIUM 18% ONLINE BUYER'S PREMIUM

Sale Under The Management Of



auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 | Phone 513-241-9701 | Fax 513-241-6760

