MODERN DIRECT MAIL & BINDERY FACILITY INCLUDING (3) BUHRS & INSERTER LINES, HEIDELBERG STAHL INLINE MAILING SYSTEM, FOLDERS, DIGITAL PRINTERS, INK-JET PRINTERS, TABBERS, LATE <mark>MODEL SHOP A</mark>ND SUPPORT EQUIPMENT

To Become see Instructions on Page 2 On the Internet



Plant Closed, Owner Retiring

POSTAL SYSTEMS, INC. 25024 Viking Street - Hayward, California 94545

Bay Area - 20 Miles South of San Francisco and Oakland

SALE DATE: TUESDAY, MAY 20TH, STARTING AT 9:00 AM

INSPECTION: MONDAY, MAY 19TH, FROM 10:00 AM TO 4:00 PM















Sale Under The Management Of

INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



TUESDAY, MAY 20TH - 9:00 AM



Buhrs Model BB700 Four-Station Automatic Inserting System



32" X 50" Heidelberg/Stahl Model RFH-82 Continuous Feed Felxible Mailing Line w/ Slitting, Scoring, Perforating, Tipping, Gluing and Folding



Buhrs Model BB300-10K Six-Station Automatic Inserting System

IMPORTANT AUCTION NOTICE

Lines to be sold individually and Overall, Highest Bids or Bid to Prevail



Buhrs Model BB300-8K Six-Station Automatic Inserting System



Buskro Model BP761B High Speed Ink-Jet Printer (BB700 Line)



GBR Systems Model FPF35 Collator/ Feeder (BB700 Line)

BUHRS BB700 INSERTION LINE

Buhrs Model BB700 Four-Station Automatic Inserting System; S/N 200680, Eight-Position Base with Four Station Inserting Feeders (3-Rotary, 1-Shuttle), 12,000 Insertions / Hours, 192MM Min / 300MM Max Product Feed Width, 80 X 50MM Min / 210 X 310MM Max Product Formats, 6.5MM Product Thickness, 20MM Min / 60MM Max Flap Length Envelops, 15MM Max Packaging Thickness (New 2008) SEE PHOTO

GBR Systems Model FPF35 Collator / Feeder; S/N 08080023 (New 2008)

GBR Systems Model 75032016-0501 Two-Stage Converter; S/N 08080035 (New 2008)

Lake Image System Four-Camera Video Read and Print Matching System; w/ Entry & Exit Cameras w/ Model 060-03010 PC Unit, Advanced Illumination Board Area Linear Array System (New 2008)

Buskro Model BP761B High

Buskro Model BP/61B High Speed Ink-Jet Printer; SN 761BR08166, w/ (2) Apollo Array Print Heads, Tracking Board and Software for Read and Print Matching, Speeds to 30,000 PPH, Buskro Model PCM-8 Ink-Jet Controller, Series 1600 Off-Load Conveyor (New 2008)

BUHRS BB300-8K INSERTION LINE Buhrs Model BB300-8K Six-

Station Automatic Inserting System; S/N 800356, Eight-Station Base with Six Stations (5-Rotary, 1Shuttle Book Feeder), Siemens SF Simatic OP27 Programmable Logic Controller, 8,000 Insertions / Hour, 105 X 148MM Min DIN A6, 210 X 297MM Max DIN A4 Product Widths, 1MM Min / 10MM Max Product Thickness, 114 X 266MM Min / 250 X 353MM Max Envelope Format, 20MM Min / 55MM Max Flap Length (New 2005) SEE PHOTO

GBR Model 438A Intelligent Folder / Feeder; S/N 07060316, 30,000 Max Documents / Hour, 178 X

178 MM to 305 X 356MM Paper Size, 1500 Sheet Load Capacity, "C", "Z", "V" & Double "V" Fold Types (New 2005)

Lake Image System Four-Camera Video Read and Print Matching System; w/ Entry & Exit Cameras w/ Model 060-03010 PC Unit, Advanced Illumination Board Area Linear Array System (New 2005)

Buskro Model BK761B Ink-Jet Printer; S/N 761BR07147, (2) Apollo Print Heads, Model BK700 Ink-Jet Controller; S/N 700HNA07797, BK1600 Off-Load Conveyor (New 2005)

BUHRS BB300-10K INSERTION LINE

Buhrs Model BB300-10K Six-Station Automatic Inserting System; S/N 200326, Eight-Station Base with Six Stations (5-Rotary, 1-Shuttle Book Feeder), Siemens Simatic Touch Control Panel, 10,000 Insertions / Hour, 105 X 48MM Min DIN A6, 210 X 297MM Max DIN A4 Product Formats, 150MM / 330MM Max Feeding Width, 20MM Min / 55 MM Max Flap Length Envelopes (New 2005) SEE PHOTO Intelmail Folder / Feeder System

WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, if you do not you will not be approved.
- All Internet bidders must BidSonter.com Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved.
- There is a 18% Buyer's Premium in Effect for All Online Purchases.

No Last Minute Registrations will be accepted. Make Sure to Register & Post Your Deposit No Later than 48-Hours Prior to the Start of the Auction.



GBR Model 438A Intelligent Folder/Feeder (Part of Burhrs BB300-8K System)

POSTAL SYSTEMS, INC.



40" LDR / Itotec Model 100FC Hydraulic Paper Cutter



LATE MODEL

Videojet Cheshire 7000 Model 987000-89 Ink-Jet **Printing System**



Rima Model RS-1212S Compensating Counter







15 HP Kaeser Model Aircenter SM15 Rotary



Strapping Machines



Lantech Model Q Series Stretch Wrap Machine



Stand Up Type Reach

HEIDELBERG/STAHL CONTINUOUS FEED FLEXIBLE MAILING LINE

32" X 50" Heidelberg/Stahl Model RFH-82 Continuous Feeder w/ Slitter Shaft Station, Scoring and Perforating; S/N FH-HACO-01362, Product 1.D. 1224427716, Moveable Undercarriage, 36" Top Feed Roller Conveyor Section & 33" Wide Lower Rubber Belt Conveyor, Integrated Roller Perforation Unit w/ (3) Sets of Perforating and Scoring Shafts, Vacuum Pump (New 2009) SEE PHOTO

Heidelberg/Stahl Model VCT-82/VCT-130X32 Flexible 10' Mail Table Inline Tipping and Gluing Unit; S/N FHEBBO-00253 / Product No

1224424928. Heat Resistant Vacuum and Transport Belts, TF Interface, Perforating, Tipping, Gluing and Plow Folding, Complete w/ Multi Feeder MFT350 IP Series Card Feeder, Multi-Technology, Multi-Feed Controls, Integrated Robatech Model Concept B 5/4 KPC12 Eight-Channel Glue Application System (New

26" Heidelberg/Stahl Model 2.BUH-66 Right Angle Perforating / Folding Attachment; S/N FHESB-01286 / Product No. 1224429928, Six-Plate, Eight-Page, (3) Skit Perforating Heads, w/ Integrated Intelligent Perforation Control, Standard Roll-Away

OCE DIGITAL

Delivery Table

PRINTERS
OCE Model Vario-Print 6160 Black & White High Volume Cut Sheet Printer; S/N 600101556, OEE Gemini Instant Duplex Technology, 160 Images / Min - A4 Letter, 83 Images / Min - A3 Ledger Print Speed (2-Sided), 8" X 8" Min / 12.5" X 19.2" Max Supported Media, Dell Optiplex 740 Enhanced System, 232.73 GB Computer Type, 175.71 GB Free POL Disk Size, 2304 MHZ - Level 15 Processor, 1.94 GB Memory (New 2008) SEE PHOTO

OCE Model CS665-6501 High Speed Color Printer; S/N N/A, 1600 Sheets / Hour at Sinplex on 11X17 Paper, 750 Sheets / Hour at Duplex on 11X 17 Paper, Samsung PC Controller (New SFF PHOTO 2008)

Xerox Model Nuveva 100 Digital Copier Large Quantity of Toner & Cartridge Supplies for Each Printer

INK-JET PRINTING AND TABBING **EOUIPMENT**

Videojet Cheshire 7000 Model

987000-89 Ink-Jet Printing System; S/N 982930003EL, (2) Videojet Print Mail Wide Array Print Heads, RI

Research Model 5060 Speed Dri Drying System, Dell Computer System SEE PHOTO

14" Wide Videojet Print Station; (2) Print Mail Wide Array Print Heads, Dell Computer System

(3) Videojet Cheshire Excel Series 270G Ink-Jet Marking Machines; S/Ns 982870013WD, 982850052WD & 982850016WD, w/ Print Head Holder

Videojet Cheshire 7000 Base Unit; S/N 295001EL

Videojet Model 2 Inch Tabber; S/N 071030001AM, 17" Wide X 60" Off-Load Conveyor

Videojet Model "Central Pro" Stand Alone Line Controller; S/N 09363002PWD, Part No. VCP-BPEX, HP PC Controller w/ Monitor

Kirk-Rudy Model 527 Tabber; S/N

Kirk-Rudy Model 211 Tabber; S/N

FOLDER

MBO Type B21-1-21/4 Continuous Feed Folding Line; S/N W01/67, Order No. 15374, MBO Type B21-1-21/4-C Digital Keypad Controls, MBO Type A56-DC-24 Stacker Unit, Model B21-C Continuous Feed Unit w/ MBO Gate Folding Attachment & MBO Type B21-2-21/4 Right Angle Attachment

SEE PHOTO

MBM Model 352 Table Top Folding Machine

Baum Model 714 XE "Ultrafold" **Table Top Folding Machine**

PAPER CUTTER 40" LDR / Itotec Model 100FC

Hydraulic Paper Cutter; S/N 5436, Programmable Gauging System, Air Table, Left & Right Hand Extension SEE PHOTO Tables, Foot Pedal

MISC. MAILING EQUIPMENT/ FÉEDERS / STACKER

Rima Model RS-1212S Compensating Counter Stacker; SN 12853-12, Product Size A - 102MM to 320MM, B - 152MM to 470MM, D - to 525MM, Thickness: 1MM to 32 MM SEE PHOTO (New 2006)

Intelmail Model VDU High Speed Document Feeder; S/N IM750103344, w/ Document Reject Feature

Intelmail Model DIV-C4 Document Reject Bin; S/N 1M720110411 (2) Accufast Model XL Label

(3) CE Model V710 Stream Feeders (2) Reliant Model 1500 Stream Feeders

Tytec Model TMP-302 Strapping

CCC Model FC250 Foot Operated Box Stapler

AUTOMATIC STRAOPPING MACHINES

Mosca Model RO-TR500-4 Automatic Strapping Machine; S/N 63024, Siemens Simatec OP7 Controls, 12" Wide Conveyor System (New 2001) SEE PHOTO

(3) Mosca Model RO-M-P4 Automatic Strapping Machines; S/N's 81236, 83085, 83103, 26" Wide X 20" High Window (New 2006)

STRETCH WRAP MACHINE Lantech Model Q Series Semi-Automatic Pallet Stretch Wrap Machine; SN 011025, Variable Speeds on Turntable & Roll Carriage, Wrap Counter, 60° Verited 116° 65° The Platform W. 60" Vertical Lift, 65" Dia. Platfor Drive-On Ramp SEE PHOTO

AIR COMPRESSORS & DRYER

15 HP Kaeser Model Aircenter SM15 Rotary Screw Air Compressor; S/N 1113, 125 PSIG, 53 CFM, 8988 Hours (New 2008) SEE PHOTO

5 HP Compare Model 25PURS Rotary Screw Horizontal Tank Air Compressor; S/N 025-004396, 8249 Hours

Arrow Model F10-20-1 Air Dryer;

LIFT TRUCK / **ORDER PICKER / SCRUBBER**

2,500 LB Raymond Model EASI

SHOP EQUIPMENT

*Sold Subject to Confirmation

Electric Stand Up Type Reach Truck; S/N ET-A-94-00582, 204" Lift Height, 24-Volt System w/ Charge

3,000 LB Raymond Model 162-OPC30TT Electric Order Picker;

S/N 162-88-01801, 24" Lift Height, 36 Volt w/ Charger

S/N E19117073, 24-Volt, Built-In

Factory Cat Model Magnum Electric Walk Behind Floor

Scrubber; S/N 50050, 24-Volt w/

VAN TRUCK 2008 Hino / Toyota Model 268 Van Body Truck; Vin

Body Iruck; Vin #5PVNJ8JP394S10420, 6 Cyl. / 220 HP Hino Model J08E-TV Diesel Engine, 25,950 GVWR, 4-Speed Automatic Transmission, A/C, Radio, 57,181 Miles,

20' Marathon Aluminum Van Body, Interlitt Hydraulic Lift Gate, Air Brakes

SEE PHOTO

Charger

Charger

S/N B827N06978A

4,500 LB Big Joe Model WPT45 Electric Walk Behind Pallet Truck;

4,000 LB Yale Model MPB040-EN24T2749 Electric Pallet Truck;

SEE PHOTO

Late Model Very Clean Shop Equipment Consisting of; (19) Sections 42" X 96" X 12" High Adjustable Beam Paller Rack w/ Decking, 5,000 LB Weightronix Electronic Floor Scale w/ Quartzell Readout & 48X48 Platform & Drive-On Ramp, 5,000 LB Missubsish Pallet Truck, 60" Aluminum Dock Plate, (6) 42" Nr. Beats Beatsing Science (6) 43" Dia. Presto Rotating Scissor Action Work Platforms w/ Pneumatic Elevation, (3) Craftsman Portable
Toolboxes, Shop Carts, Shelving, NCI
Model 7025 Counting Scale, Fairbanks
Electronic Counting Scale, & Other Related Items

OFFICE EQUIPMENTLate Model Very Clean Office

Furniture Including; Steelcase



OCE Model Vario-Print 6160 Black & White High



OCE Model CS665-6501 High Speed Color Printer



Applicators

Late Model Very Clean Office Furniture Including Steelcase Cubicles, Chairs, Desks and Related



2008 Hino / Toyota Model 268 Van Body Truck



Plant Closed, Owner Retiring

POSTAL SYSTEMS, I

25024 Viking Street - Hayward, California 94545 Bay Area - 20 Miles South of San Francisco and Oakland

SALE DATE: Tuesday, May 20th STARTING: 9:00 AM

> **INSPECTION:** Monday, May 19th 10:00 AM to 4:00 PM



Contact Information 2020 Dunlap St. Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760 auctioneers | appraisers | since 1961 | www.cia-auction.com







FIRST CLASS MAIL!

PRE-SORT FIRST CLASS U.S. POSTAGE **PAID** CINCINNATI, OHIO PERMIT NO. 3593



Important Mail

TO BE DIRECTED TO THE ATTENTION OF EXECUTIVE PERSONNEL

Plant Closed, Owner Retiring

POSTAL SYSTEMS. INC.

25024 Viking Street Hayward, California 94545

Bay Area - 20 Miles South of San Francisco and Oakland

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From Oakland, California on the East Side of the Bay proceed south on I-880 toward Alameda/San Jose. Exit I-880 at Jackson St. No 27. Keep right at the fork and follow signs for San Mateo Bridge for 1-1/2 Miles to exit (Before crossing bridge) at Clawiter Rd. Turn right onto Clawiter and proceed 1/4 mile to Diablo Ave. Turn Left and Proceed 1/4 Mile to right onto Viking St. auction site on right. Watch for parking signs and arrows

AUCTIONEERS

Cincinnati Industrial Auctioneers Jeffrey L. Luggen Joseph M. Luggen









TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion **of the sale.** No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website.

15% ONSITE BUYER'S PREMIUM 18% ONLINE BUYER'S PREMIUM

Sale Under The Management Of

INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

