COMPLETE FABRICATED STEEL & WIRE PRODUCTS MANUFACTURER INCLUDING LATOUR
ROBOMAC 310 CNC WIRE FORMER, 5/8" LEWIS WIRE STRAIGHTEN & CUT OFF, WIRE FAB MACHINERY,
SPOT WELDERS, PRESS BRAKES, TOOLROOM MACHINERY, LIFT TRUCKS & SHOP SUPPORT EQUIPMENT

To Become see Instructions on Page 2 on the Internet BidSporer.com

Owner Retiring



WILSON WIRE PRODUCTS, INC.

218 Seaboard Road - Fitzgerald, Georgia 31750 30 Miles Northeast of Tifton, GA

SALE DATE: TUESDAY, JULY 14TH, STARTING AT 10:00 AM

INSPECTION: MONDAY, JULY 13TH, FROM 10:00 AM TO 4:00 PM













Sale Under The Management Of

INDUSTRIAL AUCTIONEERS

auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760



TUESDAY, JULY 14TH - 10:00 AM



10 Ga. X 8' Cincinnati Model 1008 Mechanical Shear



3/4" - 1.25" Bema Model PAN 5/2 Size and Swaging



1" Bema Model G1AD Hydraulic Tube Bender



15 Ton X 4' Verson Mechanical Press Brake



Special Ten-Head Ram Type Spot Welder **Spot Welder**



Latour Robomac Model 310 CNC 3D Wire Former





6-Station Straightening Turret

CNC WIRE FORMER

Latour Robomac Model 310 CNC 3D Wire Former; S/N 00003196, DNC-800 CNC Control Wire Range .093 to .500 w/ Proper Tooling, Five Axis, (3) Forming Heads Six-Station Straightening

Turret, Straightening Head Styles: 206, 310, 212, 10,560 Hours Showing (New 2000) SEE PHOTO

➤ Latour Model D2000 Uncoiler; S/N 1507, Variable Speed (New 2000)

Robomac Forming Tooling Including; 1/4" – .093" Head Tooling, (1) Generation, (1) Zig Zag, (8) Bending, Mandral 1/4" - 3/4", .093" - .236" Head Tooling; (7) Zig Zag, (1) Generation, (12) Bending, (1) Head Cutting, Mandrals 3/16"-5/8", (10) Stationary Cutters with Brass Guides, (15) .093" - 1/2" Moveable Cutters, .093" - 1/2" Feed Rolls

Ergon Model GONIA3/8SE3-D CNC 3D Wire Former; S/N 242291, Ergon Gonia 3-8 SE TRIS CNC Control (New 1991)

Huestis Bendmaster CNC Wire

STRAIGHT AND CUT

5/8" Lewis Machine Model No. 10-FHA Wire Straight and Cut Machine; S/N 10FHA101, (8) Wire Straightening Heads, 21' Run Out SEE PHOTO

5/16" Lewis Machine Model No. 2CV Wire Straight and Cut Machine; S/N 2CV58436, 72" Run Out, Reeves Transmission

SEE PHOTO 1/4" Shuster Model 1AVS Wire Straight and Cut Machine; S/N N/A, 84" Run Out SEE PHOTO

Large Quantity of Various Size Feed Rolls for Each Machine

WIRE FABRICATION **EQUIPMENT**

36" Lubow Model BB36 Pneumatic Folder; S/N 5/64 SEE PHOTO

Lubow Model TIV Electric Wire **Nibbler;** S/N Q61576, 6" Throa SEE PHOTO

Lubow Model ML10-25T Pneumatic Single Stop Table Rod Bender SEE PHOTO

Pneumatic Single Stop Table **Rod Bender**

Manual Wire Bender

1/2" Di-Acro Manual Rod Shear with 1/4" Mfg. Unknown Manual Rod Shear

SHEAR

10 Ga. X 8' Cincinnati Model 1008 Mechanical Shear; S/N 11351, 24" Dial Type Back Gauge, (2) 32" Support Arms SEE PHOTO

TUBE BENDER

1" Bema Model G1AD Hydraulic Tube Denue.,
1004, Foot Pedals, 1" Square, 1-1/4"
SEE PHOTO Hydraulic Tube Bender; S/N Round Tooling

SIZER AND SWAGER 3/4" – 1.25" Bema Model PAN 5/2 Size and Swaging Machine; 5/N 0987, Palm Button Controls, 1.25", 1", 3/4" Round Tooling SEE PHOTO

ANGLE ROLL

Tauring Model 1-40 Mechanical Angle Roll; S/N 1860, Capacity: 1" Square, 1-1/4" Round Tube, 1/2" Wire

OBI PRESSES

45 Ton Minster No. 5 OBI Press; S/N 5-2471, 18" X 28" Bed Size, 11" X 19" Ram, 2.75" Adjustment

➤ 1-1/4" Tube Cutting Die **To Be Sold Separately**

Bliss No. 21 OBI Press; 19" X 28"

➤ 1" Square Notching Die

Walsh No. 2 OBI Press

Federal No. 1 OBI Press V&O No. 01 OBI Press Benchmaster Model 51 OBI

Press; S/N 22912

TURRET PUNCH

15 Ton Wiedemann Model RA41P Mechanical Punch; S/N 661, 18-Station Turret, 29" Throat, 78" X 60" Table

Various Size Punch Tooling

MULTI HEAD SPOT WELDER

60 KVA Standard Model Special Ten-Head Ram Type Spot Welder; S/N 2537, Entron EN1000 Control, 56" Wide Capacity, Foot SEE PHOTO Pedals

SPOT WELDERS

100 KVA Standard Model PP1-**24-100 Ram Type Spot Welder;** S/N 2186, Robotron Series 30 Control. 30" Throat SEE PHOTO

100 KVA H&H Model Floor Ram Type Spot Welder; S/N 5333, EI.M. Control, 18" Throat

75 KVA Alphil Model ARJ Ram Type Spot Welder; S/N 6594, Robotron Series 30 Control, 38' Throat

75 KVA Federal Model PA-1-24

WEBCAST BIDDER INSTRUCTIONS

- > All Internet bidders must register for this auction at www.bidspotter.com at least 48-Hours Prior to the Sale Date, if you do not you will not be approved.
- > All Internet bidders must Post a Deposit of Approx. 25% of Your Planned Spending Budget or \$5,000.00 Minimum with Cincinnati Industrial Auctioneers in Order to be approved to Bid. Those who do Not Post the Deposit Will Not be Approved. Period.





36" Wide X 10' Long X 9' High Manual Steel Pass Thru Single Station Powder Coat Spray




25' Wide X 75' Long X 10' High Natural Gas Pass Thru Cure

WILSON WIRE PRODUCTS, INC







Ram Type Spot Welder; S/N 19338, Square D Control, 34" Throat

75 KVA Ames Welder Ram Type **Spot Welder;** Entron Control, 27 Throat

50 KVA Acme Ram Type Spot Welders; Weltronic / Technitron MCS 2009 Control. 13" Throat

40 KVA LORS Model Sterling Rebuilt Ram Type Spot Welder; S/N 980-1180, Lors Control, 16" Throat

40 KVA Acme Ram Type Spot Welder; S/N 2257, Interlock Industries Model 105 Control, 31"

20 KVA Ames Welding Model **220SD Ram Type Spot Welder;** S/N 4634, Entron Control, 18" Throat

10 KVA Miller Model MPS-10 Rocker Arm Spot Welder; S/N R372841, 15" Throat

BUTT WELDERS 3/8" Micro Products Model I6S

Butt Welder; S/N 18303, .187 .375 Capacity, 20 KVA SEE PHOTO 1/4" Micro Products Model J5S **Butt Welder;** S/N 10414, .060° .250° Capacity, 20 KVA

PRESS BRAKES

8' Niagara Mechanical Press Brake: 24" Manual Back Gauge SEE PHOTO

6' Chicago Model 255 Mechanical Press Brake; S/N L814 15 Ton X 4' Verson Mechanical Press Brake; S/N 17442.1648, 7.5" Shut Height, 2" Stroke, 1.5" SEE PHOTO

Large Quantity of Press Brake

MISC. FABRICATION

25 Ton Uni-Hydro Model U3P Hydraulic Ironworker; S/N 352, 3" X 3" X 1/4" Max Angle Shear, 1/2" X 6" Flat Stock Shear

36" Chicago Model BB-4 Hand Brake; S/N 98680

Jet No. 5 Arbor Press 30" Manual Slip Rolls

6" X 6" Di-Arco Manual Notcher: S/N 3024

36" Bench Mounted Hand Brake

POWDER COAT

36" Wide X 10' Long X 9' High Manual Steel Pass Thru Single Station Powder Coat Spray Booth; 36" X 75" Window SEE PHOTO

25' Wide X 75' Long X 10' High Natural Gas Pass Thru Cure Oven & Dry Off Oven; Eclipse

Combustion, Digital Temperature Read Out, 36" X 75" Window, 10 HP Blower, 500 Degree Max. Temp.
SEE PHOTO Approx. 500' Chainveyor Chain

Conveyor with (1) Chain Drive 10 HP Cyclone Reclaim System Torit Model DF2DFT8 Four-Cartridge Dust Collector

(4) Manual Powder Coat Guns; Colo Model Colo-800 Powder Coat Gun, PCF Model P401 Powder Coat Gun, (2) Poco Model ZAC-II Powder Coat Guns

CORRUGATED BOX MACHINES

96" Wide Colt Rite-Size Model 99-77-63 Corrugated Slitter; S/N

84" Wide Colt Rite-Size Corrugated Box Machine; S/N 179-208V, 10' Conveyor

TOOLROOM MACHINERY Cincinnati Milacron Model

TM.MT Vertical Milling Machine; S/N 6J2FIAA83, 12" X 49" T-Slotted Table, Power Feeds, 30

Taper Spindle, 3,600 RPM Spindle 1/2 HP Bridgeport Vertical Mill; 9" X 42" T-Slotted Table

6" X 18" Harig Model Super 618 Hydraulic Surface Grinder; S/N

6" Belt / 12" Disc Jet Model JSG-6DC Combo Sander; S/N 708599

10" Jet Model JBG-10A Double End Pedestal Grinder 14" FM Model 017 Bench Top Drill

14" Manhattan Bench Top Drill 17" Boice Crane Two-Spindle Production Drill: S/N 17" x 46'

11" X 24" Clausing Geared Head Engine Lathe; S/N 001576 20" Cincinnati Heavy Duty Shaper

15" X 60" Sebastian Geared **Head Engine Lathe** 24" X 36" Dee-Blast Blast

Milwaukee Model H Horizontal Mill

SAWS

Various Horizontal & Vertical Band Saws Including; 30" Danckaert Vertical Band Saw, 14" Rockwell Vertical Band Saw, 10" Craftsman Radial Arm Saw, 60" Dewalt Model 3486FY4 Panel Saw; S/N 89180016, 4' X 6' Skil Router Table, 9" X 16" Jet Horizontal Band Saw

WELDERS

250 AMP Avortech Model Mig 250R Mig Welder

250 AMP Miller Model CP-250TS Mig Welder with Miller 10-E Wire Feeder

200 AMP Miller Model CP-200 Mig Welder with Miller S-52E Wire Feeder

100 AMP Thermal Dynamics Pak Master 100 Plasma Cutter (5) HD Steel Welding Tables

LIFT TRUCKS

9,000 Lb. Caterpillar Model V90F Diesel Pneumatic Tire Lift Truck; S/N 2GJ01659, Three-Stage Mast, 162" Lift Height, Side Shift, 4' Forks, 2,604 Hours Showing

5,000 Lb. Caterpillar Model GC25 LP Gas Solid Tire Lift **Truck;** S/N 4FM02949, Three-Stage Mast, 189" Lift Height, Side Shift, 4' Forks, 4,833 Hours Showing

AIR COMPRESSORS

20 HP Kaeser Model SK26 Cabinet Enclosed Rotary Screw Air Compressor: S/N 02614795. 110 PSIG, 92 CFM, 28,398 Hours (New 1998) SEE PHOTO

120 Gallon Air Receiving Tank 5 HP Sanborn Tank Mounted Vertical Air Compressor

BALER

30" X 60" Selco Model V6030 Hydraulic Vertical Cardboard Baler; S/N 1077076

SHOP EQUIPMENT Large Quantity of Shop

Equipment Consisting of; Fiberglass Step Ladders, (3) Steel Dump Hoppers, Torch Carts, (5) Pallet Trucks, Pedestal Fans, Portable Shop Ladder, Steel Racks, Steel Carts

(25) 42" X 64" X60" Steel Carts (5) 28" X 66" X 30" Wire Mesh Steel Carts (4) 22" X 78" X 72" Paint

Drying Carts



5/16" Lewis Machine Model No. 2CV Wire Straight



1/4" Shuster Model 1AVS Wire Straight and Cut Machine



Lubow Model ML10-25T Pneumatic Single Stop Table



36" Lubow Model BB36 Pneumatic Folder





Cabinet Enclosed Rotary Screw Air Compressor



3/8" Micro Products Model J6S Butt Welder



INDUSTRIAL REAL ESTATE FOR SALE BY OWNER

43,000 Sq. Ft. Industrial Building on Approx. 7 Acres; 1/3rd Sprinklered, City Water, Heavy Electrics, Not In Flood Plane

For More Info Contact: Tom Wilson, Owner 229-425-9357



Owner Retiring

ILSON WIRE PRODUCTS.

218 Seaboard Road - Fitzgerald, GA 31750 30 Miles Northeast of Tifton, GA

SALE DATE: Tuesday, July 14th STARTING: 10:00 AM

> **INSPECTION:** Monday, July 13th 10:00 AM to 4:00 PM



Contact Information 2020 Dunlap St. Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760 auctioneers | appraisers | since 1961 | www.cia-auction.com









FIRST CLASS MAIL!

FIRST CLASS U.S. POSTAGE **PAID** CINCINNATI, OHIO PERMIT NO. 3593

PRE-SORT



Important Mail

TO BE DIRECTED TO THE ATTENTION OF EXECUTIVE PERSONNEL

Owner Retiring

WILSON WIRE PRODUCTS, INC

218 Seaboard Road – Fitzgerald, GA 31750 30 Miles Northeast of Tifton. GA

IMPORTANT NOTICE:

Although information has been obtained from sources deemed reliable, the auctioneer makes no warranty or guarantee, expressed or implied, as to the accuracy of the information herein contained. It is for this reason that buyers should avail themselves of the opportunity to make inspection prior to the sale. This brochure is intended to provide general information of the equipment being offered and is subject to errors, omissions, additions or deletions. Please check with the Auctioneer's Office for a final listing. Items offered may or may not necessarily be sold as described and/or photographed in this brochure.

MAIL BIDS ACCEPTED WITH A 25% DEPOSIT

DIRECTIONS

From Tifton, GA proceed East on East 5th Street/ Highway 82 for 1.5 Miles to GA-35. Turn North onto GA-35 Continue 18.1 Miles on GA-35 to Irwin Ave. Turn Left onto Irwin Ave/ US-319 Proceed 7.2 Miles to GA-107 Turn Right. Continue 1.2 Miles to Cemetery Rd Turn Right Proceed 1/4 Mile to Seaboard Road. Turn Left onto Seaboard Road Proceed 0.7 Mile to Sale Site on Left. Watch for Auction Parking and Auction Signs.

AUCTIONEERS

Jeffrey L. Luggen - GA License No. AUNR002532 Joseph M. Luggen - GA License No. AU004100 Ryan L. Luggen – Apprentice Auctioneer









TERMS OF SALE

All equipment described herein will be sold "as is", "where is" to the highest bidder or bidders for cash in accordance with our regular terms and conditions of sale. Unless other satisfactory arrangements are made, a 25% deposit in cash, certified or cashier's check payable to Cincinnati Industrial Auctioneers, Inc., is required on all purchases. Firm and personal checks accepted only if accompanied by a letter from your bank guaranteeing your funds. All sales are subject to state and/or local taxes unless a signed exemption form is presented at the time of purchase. All balances are due at the conclusion **of the sale.** No merchandise may be removed while the sale is in progress. All bidders must comply with our Standard Terms of Sale, copies of which will be available at the sale site or can be obtained from our website.

15% ONSITE BUYER'S PREMIUM 18% ONLINE BUYER'S PREMIUM

Sale Under The Management Of



auctioneers | appraisers | since 1961 | cia-auction.com | info@cia-auction.com 2020 Dunlap St., Cincinnati, Ohio 45214 Phone 513-241-9701 Fax 513-241-6760

